Total vegetation cover soil protection Region:LGA Mundaring_(S) WA

Date: June 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Jun 2024

Land use and forest cover

Proportion of each land class in area






12%-200

· 52% 70%


32%50%


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

2






Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)




above 80

above 90

Historical monthly area protected (Total Veg Cov>80%)







Conservation and natural environments


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from the mean. That is, red pixels


are about 20% lower than the

mean of that pixel. The mean is only for the month of the map


using baseline from 2001 to 2019.




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)





Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments Woodland forest

Land use and forest cover




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]










Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Conservation and natural environments Woodland forest timeseries





Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Forest (non woodland)

Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%100

52%70%


32%50%

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Conservation and natural environments Forest (non woodland) timeseries





Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that


pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





Total Vegetation Cover [%]






% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





Proportion of each land class in area

Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






Ecosystem Research Infrastructure Australian Government


Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Total Vegetation Cover [%]


Land use and forest cover






% Area protected from water erosion (>70%)





Proportion of each land class in area

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each

pixel is from

is, red pixels are about 20%

lower than the


pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map


mean of that

the mean. That




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

area


% of the

Grazing timeseries












Grazing non forest

Land use and forest cover




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That is, red pixels


are about 20%

lower than the


from 2001 to 2019.


is only for the month of the map

mean of that pixel. The mean **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Grazing non forest timeseries




Water erosion historical monthly area protected (Total Veg Cov>70%)




Cropping




Total Vegetation Cover [%]






% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the


lower than the

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


mean of that

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)













Production native forests and plantation forests


Land use and forest cover




Total Vegetation Cover [%]













Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from

the mean. That is, red pixels


are about 20% lower than the

mean of that


using baseline from 2001 to 2019.

pixel. The mean is only for the month of the map

Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Production native forests and plantation forests timeseries







Water erosion historical monthly area protected (Total Veg Cov>70%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)



above 90





Mundaring_(S) (64,300 ha and no data 52 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	64,300	100.0% 64,275	99.7% 64,075	97.8% 62,875	91.2% 58,625	52.6% 33,800	25.0% 16,050
Conservation and natural environments	12,350	100.0% 12,350	100.0% 12,350	99.4% 12,275	93.1% 11,500	58.7% 7,250	27.1% 3,350
Conservation and natural environments Woodland forest	4,800	100.0% 4,800	100.0% 4,800	100.0% 4,800	96.9% 4,650	64.6% 3,100	27.6% 1,325
Conservation and natural environments Forest (non woodland)	7,525	100.0% 7,525	100.0% 7,525	99.0% 7,450	90.7% 6,825	54.8% 4,125	26.9% 2,025
Agriculture	8,425	100.0% 8,425	100.0% 8,425	97.6% 8,225	84.6% 7,125	38.6% 3,250	17.5% 1,475
Grazing	1,525	100.0% 1,525	100.0% 1,525	100.0% 1,525	98.4% 1,500	55.7% 850	29.5% 450
Grazing non forest	1,225	100.0% 1,225	100.0% 1,225	100.0% 1,225	100.0% 1,225	53.1% 650	28.6% 350
Cropping	6,900	100.0% 6,900	100.0% 6,900	97.1% 6,700	81.5% 5,625	34.8% 2,400	14.9% 1,025
Production native forests and plantation forests	32,600	100.0% 32,600	99.8% 32,550	99.5% 32,450	94.7% 30,875	55.1% 17,950	25.0% 8,150

