### Total vegetation cover soil protection Region:LGA Murray (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: May 2022** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

#### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











#### **Vegetation Cover May 2022**

#### **Land use and forest cover**




#### Proportion of each land class in area




#### **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 






% Area protected from wind erosion (>50%)




#### **Total Vegetation Cover Anomaly [%]**

pixel is from

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





















#### **Conservation and natural environments**





#### **Conservation and natural environments timeseries**












#### **Conservation and natural environments Woodland forest**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) 1 Conservation and natural environments - Woodland forest 1 Conservation and natural environments - Woodland forest


#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)






















#### **Conservation and natural environments Woodland forest timeseries**














#### **Conservation and natural environments Forest (non woodland)**


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Use of Australia (2018) and Forests of Australia (2018) Australia (2018)









## Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
































#### **Agriculture**

#### **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Derived from 3 Agriculture - Grazing - Irrigated Catchment Scale Land 4 Agriculture - Cropping - Non-irrigated Use of Australia 5 Agriculture - Horticulture - Irrigated (2018) and Forests of Australia (2018)




% Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 

is, red pixels

mean of that



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### 54.5% 50 39.2% 40 Area (%) © 20 10 5.5%

**Proportion of each land class in area** 


**Proportion of vegetation cover class in area** 

Land use class


3

0


0.7%



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 














#### **Agriculture timeseries**










#### Grazing


### **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) and Forests of Australia (2018)









#### 98.5% 100 80 Area (%) 40 20 -1.5% 0.0%0.0% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

## **Total Vegetation Cover Decile [%]** ه<sub>رک</sub>













#### **Grazing timeseries**






month









#### **Grazing non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)


















#### **Grazing non forest timeseries**













#### **Cropping**


#### **Land use and forest cover**




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Decile [%]**





is, red pixels are about 20% lower than the mean of that















#### **Cropping timeseries**






month









#### Irrigation

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of each land class in area




Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
















#### Irrigation timeseries









#### **Production native forests and plantation forests**


#### **Land use and forest cover**



#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)



#### **Total Vegetation Cover Anomaly [%]**


is, red pixels are about 20%

lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)
















#### **Production native forests and plantation forests timeseries**







### Murray\_(S) (169,375 ha and no data 989 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	169,375	100.0% 169,350	99.9% 169,200	98.2% 166,350	91.0% 154,100	59.3% 100,500	39.9% 67,575
Conservation and natural environments	8,650	100.0% 8,650	99.7% 8,625	98.3% 8,500	94.2% 8,150	70.5% 6,100	56.6% 4,900
Conservation and natural environments Woodland forest	1,925	100.0% 1,925	100.0% 1,925	100.0% 1,925	89.6% 1,725	33.8% 650	22.1% 425
Conservation and natural environments Forest (non woodland)	5,675	100.0% 5,675	100.0% 5,675	99.6% 5,650	98.2% 5,575	89.4% 5,075	75.8% 4,300
Agriculture	64,425	100.0% 64,425	99.9% 64,375	98.3% 63,300	88.3% 56,875	28.6% 18,450	4.2% 2,725
Grazing	35,125	100.0% 35,125	100.0% 35,125	98.5% 34,600	90.0% 31,600	31.4% 11,025	4.6% 1,600
Grazing non forest	35,075	100.0% 35,075	100.0% 35,075	98.5% 34,550	90.0% 31,550	31.4% 11,000	4.6% 1,600
Cropping	25,300	100.0% 25,300	99.9% 25,275	98.0% 24,800	85.3% 21,575	21.9% 5,550	2.8% 700
Irrigation	4,000	100.0% 4,000	99.4% 3,975	97.5% 3,900	92.5% 3,700	46.9% 1,875	10.6% 425
Production native forests and plantation forests	85,025	100.0% 85,025	100.0% 85,025	99.7% 84,775	97.1% 82,550	86.1% 73,200	68.6% 58,300







