Total vegetation cover soil protection Region:LGA Murray_(S) WA

Date: June 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Jun 2024

Land use and forest cover





Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




protected (4,750 ha)

12%100%


52% TO%

32%50%


· 0.30%



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



protected 100.0% of region (169,650 ha)

Total Vegetation Cover Decile [%]


Total Vegetation Cover Anomaly [%]




· 20 · 10 0 -10


-20

Deciles show where the Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Conservation and natural environments

12%200%

52% 70%

3201050010

0.30%

Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-forest Derived from 2 Conservation and natural environments - Woodland Catchment Scale Land forest Use of Australia 3 Conservation and natural environments - Non-woodland forest (2018) and Forests of Australia (2018)


Land use and forest cover

Total Vegetation Cover [%]


% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]





the mean. That

is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










3






Water erosion historical monthly area protected (Total Veg Cov>70%)







Conservation and natural environments Woodland forest

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12% 200%

52010010

· 32°10'50°10

0-30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

pixel is from

is, red pixels

mean of that


is only for the

using baseline from 2001 to 2019.

pixel. The mean

the mean. That


are about 20% lower than the





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




8













Water erosion historical monthly area protected (Total Veg Cov>70%)







Conservation and natural environments Forest (non woodland)




12% 200%

· 5200070010


· 3201050010

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Water erosion historical monthly area protected (Total Veg Cov>70%)







Agriculture


· 52% 70%

32005000


0.30%

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Derived from 3 Agriculture - Grazing - Irrigated Catchment Scale Land 4 Agriculture - Cropping - Non-irrigated Use of Australia 5 Agriculture - Horticulture - Irrigated (2018) and Forests of Australia (2018) **Total Vegetation Cover [%]** 11º10-100010


% Area protected from water erosion (>70%)




Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




is, red pixels are about 20% lower than the


mean of that pixel. The mean

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





above_90







Grazing

Land use and forest cover

Proportion of each land class in area




Total Vegetation Cover Anomaly [%]




is, red pixels are about 20% lower than the mean of that Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)






Grazing non forest

110% 100%


52°10'70°10

1 32°10'50010


· 0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




is, red pixels are about 20%


lower than the mean of that

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









---- above_70

—— 10th


—— 50th


—— 2024 Jun






Water erosion historical monthly area protected (Total Veg Cov>70%)






Cropping


· 52% 70%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







23



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 98 96 94 92 4eb Jan In May Mai PQ' month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)








Irrigation

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Agriculture - Grazing - Irrigated 2 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018) **Total Vegetation Cover [%]** 12% 200%

52010010 · 32°10'50°10 a.2 0-30%


% Area protected from water erosion (>70%)




88.1% 80 60 Area (%) 05 20 11.9% 0 0.75 -0.25 0.25 0.50 1.25 0.00 1.00 Land use class



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

pixel is from


is, red pixels

mean of that

is only for the

using baseline from 2001 to 2019.

are about 20% lower than the






Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are

records for that month of the map using baseline from 2001 to 2019.

in the lowest 10% of


20






Irrigation timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)





above 90






Production native forests and plantation forests


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land 1 Production native forests and plantation forests Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]

Land use and forest cover




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.





















Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)









Murray_(S) (169,650 ha and no data 714 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	169,650	99.9% 169,550	99.7% 169,150	97.2% 164,975	88.4% 149,975	53.0% 89,950	31.7% 53,750
Conservation and natural environments	8,825	99.7% 8,800	98.3% 8,675	94.6% 8,350	87.5% 7,725	61.5% 5,425	31.2% 2,750
Conservation and natural environments Woodland forest	2,000	98.8% 1,975	96.2% 1,925	87.5% 1,750	73.8% 1,475	33.8% 675	13.8% 275
Conservation and natural environments Forest (non woodland)	5,675	100.0% 5,675	100.0% 5,675	99.6% 5,650	98.2% 5,575	79.7% 4,525	42.7% 2,425
Agriculture	64,425	100.0% 64,425	100.0% 64,400	98.1% 63,200	84.6% 54,500	22.0% 14,150	6.5% 4,175
Grazing	35,150	100.0% 35,150	99.9% 35,125	98.1% 34,475	86.0% 30,225	21.4% 7,525	7.0% 2,475
Grazing non forest	35,100	100.0% 35,100	99.9% 35,075	98.1% 34,425	86.0% 30,175	21.4% 7,525	7.1% 2,475
Cropping	25,275	100.0% 25,275	100.0% 25,275	98.2% 24,825	82.4% 20,825	23.7% 6,000	6.4% 1,625
Irrigation	4,000	100.0% 4,000	100.0% 4,000	97.5% 3,900	86.2% 3,450	15.6% 625	1.9% 75
Production native forests and plantation forests	84,975	100.0% 84,975	100.0% 84,975	99.4% 84,475	95.8% 81,400	79.5% 67,575	53.4% 45,400

