Total vegetation cover soil protection Region:LGA Pingelly_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Date: April 2021

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Apr 2021


Proportion of each land class in area







Total Vegetation Cover [%]










% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





















Conservation and natural environments


80 76.6% Land use and forest cover 70 · 60 Catchment Scale Land Use and Forest of Australia (2018) Derived from 50 · 1 Conservation and natural environments - Non-40 Catchment Scale 2 Conservation and natural environments – Woodland 🖁 Use of Australia -(2018) and Forests of Australia (2018) 30 23.4% 20 10 Land use class







Proportion of each land class in area



















Conservation and natural environments timeseries







Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Trefortion of the state of

Proportion of vegetation cover class in area 70 - 60 - 67.9% 50 - 20 - 32.1% 20 - 10 - 0.0% 0-30% 31%-50% Total Vegetation Cover class



















Conservation and natural environments non forest timeseries








Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%] Tyler todals Ty
























Agriculture





100 - 98.3% 80 - 80 - 98.3% 40 - 20 - 1.7%

Proportion of each land class in area


Proportion of vegetation cover class in area

Land use class








% Area protected from water erosion (>70%)























Agriculture timeseries










Grazing




100.0% 100 80 Area (%) 40 20


Proportion of each land class in area

Total Vegetation Cover [%]




Land use class








% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



















Grazing timeseries






month






Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] 3200 50010 3200 50010


Proportion of vegetation cover class in area





% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



















Grazing non forest timeseries











Cropping

Land use and forest cover




Total Vegetation Cover [%] Tyle Todal Ty


Proportion of vegetation cover class in area





% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





















Cropping timeseries









Pingelly_(S) (129,375 ha and no data 36 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	129,375	99.9% 129,275	98.1% 126,950	57.8% 74,725	19.5% 25,275	1.7% 2,250	0.2% 225
Conservation and natural environments	11,625	100.0% 11,625	100.0% 11,625	89.7% 10,425	65.4% 7,600	13.5% 1,575	1.7% 200
Conservation and natural environments non forest	2,725	100.0% 2,725	100.0% 2,725	67.9% 1,850	30.3% 825	6.4% 175	0.0%
Conservation and natural environments Woodland forest	8,900	100.0% 8,900	100.0% 8,900	96.3% 8,575	76.1% 6,775	15.7% 1,400	2.2% 200
Agriculture	117,475	99.9% 117,375	97.9% 115,050	54.6% 64,175	15.0% 17,650	0.6% 675	0.0% 25
Grazing	2,025	100.0% 2,025	100.0% 2,025	82.7% 1,675	25.9% 525	1.2% 25	0.0%
Grazing non forest	2,025	100.0% 2,025	100.0% 2,025	82.7% 1,675	25.9% 525	1.2% 25	0.0%
Cropping	115,450	99.9% 115,350	97.9% 113,025	54.1% 62,500	14.8% 17,125	0.6% 650	0.0% 25







