# Total vegetation cover soil protection Region:LGA Rockingham\_(C) WA

# Date: August 2023

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Aug 2023**

### Land use and forest cover


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



### **Total Vegetation Cover [%]**




% Area protected from water erosion (>70%)




# , 12º10-2001 5201070010 320050010 0-30%


### Proportion of each land class in area




### Proportion of vegetation cover class in area





### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 














### **Conservation and natural environments**

120010000

52% TO%


320050010

0.30%


Land use and forest cover


1 Conservation and natural environments - Nonforest
2 Conservation and natural environments - Woodland forest
3 Conservation and natural environments - Nonwoodland forest

**Total Vegetation Cover [%]** 











Proportion of each land class in area

### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale


of Australia (2018) Derived from

(2018) and Forests of Australia (2018)


Use of Australia

Land Use and Forests


Catchment Scale Land



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







## **Conservation and natural environments timeseries**




Wind erosion historical monthly area protected (Total Veg Cov >50%)





### **Conservation and natural environments non forest**

Land use and forest cover




12%100%

· 52°1070°1


3201050010

0.30%


**Total Vegetation Cover [%]** 













% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



95 90-85 80-4eb way Inu 1sr War 1<sup>1</sup>1 291 month tern Landcare Ecosystem Research Infrastructure Australian Government Programm


Water erosion historical monthly area protected (Total Veg Cov>70%)




NSW


### **Conservation and natural environments Woodland forest**

Land use and forest cover





**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








### **Conservation and natural environments Woodland forest timeseries**




---- above\_70

**—** 10th

**——** 50th



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

### Agriculture

12%100%


· 52°1070°1

32%50%


0.30%

Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





**Total Vegetation Cover [%]** 












% Area protected from wind erosion (>50%)



### Proportion of each land class in area

13.6%


3.5

3.0

2.5


66.4%

**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




# Agriculture timeseries


### Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Decile [%]** 



**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













## **Grazing non forest**


Land use and forest cover




**Total Vegetation Cover [%]** 











Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Decile [%]** 




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

# Grazing non forest timeseries




### Cropping


### Land use and forest cover




**Total Vegetation Cover [%]** 










Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.











Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




# **Cropping timeseries**

100 98.6 95 ---- above\_70 **—** 10th **——** 50th **—** 2023 Aug 90 85 80 4e0 Jan May In In Þ6, Mai month tern Ecosystem Research Infrastructure Australian Government





### Irrigation

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)







Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

# Irrigation timeseries




### **Production native forests and plantation forests**


Land use and forest cover




**Total Vegetation Cover [%]** 











Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)








Wind erosion historical monthly area protected (Total Veg Cov >50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)

# Rockingham\_(C) (24,550 ha and no data 1,288 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	24,550	99.9% 24,525	96.6% 23,725	74.9% 18,400	54.4% 13,350	12.1% 2,975	2.9% 700
Conservation and natural environments	5,475	100.0% 5,475	97.3% 5,325	85.8% 4,700	69.4% 3,800	16.4% 900	4.6% 250
Conservation and natural environments non forest	4,625	100.0% 4,625	96.8% 4,475	84.3% 3,900	66.5% 3,075	15.7% 725	5.4% 250
Conservation and natural environments Woodland forest	825	100.0% 825	100.0% 825	93.9% 775	84.8% 700	21.2% 175	0.0%
Agriculture	2,750	100.0% 2,750	99.1% 2,725	96.4% 2,650	76.4% 2,100	20.0% 550	0.9% 25
Grazing	525	100.0% 525	100.0% 525	95.2% 500	57.1% 300	14.3% 75	0.0% 0
Grazing non forest	525	100.0% 525	100.0% 525	95.2% 500	57.1% 300	14.3% 75	0.0% 0
Cropping	1,825	100.0% 1,825	100.0% 1,825	100.0% 1,825	90.4% 1,650	26.0% 475	1.4% 25
Irrigation	375	100.0% 375	100.0% 375	86.7% 325	40.0% 150	0.0% 0	0.0% 0
Production native forests and plantation forests	1,550	100.0% 1,550	98.4% 1,525	88.7% 1,375	64.5% 1,000	19.4% 300	3.2% 50

