

# Total vegetation cover soil protection

Region:LGA Toodyay\_(S) WA

Date: December 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool <https://map.geo-rapp.org/#australia>. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region.

Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
- 51-70% Moderate cover - protected from wind erosion
- 31-50% Low cover - not protected
- 0-30% Very Low cover - not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available.

Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

- Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

1. <http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification>
2. <http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018>
3. <https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover>
4. MODIS Fractional cover algorithm:  
<https://doi.org/10.4225/08/5848a3f19a7b3>



**tern**  
Ecosystem Research Infrastructure




**National  
Landcare  
Programme**




# Vegetation Cover Dec 2025

Land use and forest cover




Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)


Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















**tern**  
Ecosystem Research Infrastructure



National  
Landcare  
Programme









# Conservation and natural environments

## Land use and forest cover


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




## Proportion of each land class in area




## Total Vegetation Cover [%]




## Proportion of vegetation cover class in area



## % Area protected from water erosion (>70%)




## % Area protected from wind erosion (>50%)




## Total Vegetation Cover Anomaly [%]

Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]



**tern**

Ecosystem Research Infrastructure




Australian Government




## Conservation and natural environments timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)






## Land use and forest cover

Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




1 Conservation and natural environments - Woodland forest

## Total Vegetation Cover [%]




71%-100%  
51%-70%  
31%-50%  
0-30%

## Proportion of vegetation cover class in area



## % Area protected from water erosion (>70%)




Area not protected  
0.1% of region (25 ha)  
Area protected  
99.9% of region (24,700 ha)

## % Area protected from wind erosion (>50%)



Area protected  
100.0% of region  
(24,725 ha)

## Total Vegetation Cover Anomaly [%]




Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

20  
10  
0  
-10  
-20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]



10  
9  
8  
7  
6  
5  
4  
3  
2  
1



**tern**

Ecosystem Research Infrastructure




Australian Government




## Conservation and natural environments Woodland forest timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)




# Agriculture

## Land use and forest cover


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




## Proportion of each land class in area




## Total Vegetation Cover [%]




## Proportion of vegetation cover class in area



## % Area protected from water erosion (>70%)




## % Area protected from wind erosion (>50%)




## Total Vegetation Cover Anomaly [%]

Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]



**tern**

Ecosystem Research Infrastructure




Australian Government




## Agriculture timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov >70%)









**tern**  
Ecosystem Research Infrastructure



National  
Landcare  
Programme






# Grazing

## Land use and forest cover


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)



## Proportion of each land class in area




## Total Vegetation Cover [%]




71-100%  
51-70%  
31-50%  
0-30%

## Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



Area  
protected  
100.0%  
of  
region  
(7,350 ha)


## % Area protected from wind erosion (>50%)



Area  
protected  
100.0%  
of  
region  
(7,350 ha)

## Total Vegetation Cover Anomaly [%]


Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



20  
10  
0  
-10  
-20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]



10  
9  
8  
7  
6  
5  
4  
3  
2  
1



**tern**  
Ecosystem Research Infrastructure




National  
Landcare  
Programme




### Grazing timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






## Grazing non forest


### Land use and forest cover

Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




1 Agriculture - Grazing - Non forest

### Total Vegetation Cover [%]




71%-100%  
51%-70%  
31%-50%  
0-30%

### Proportion of vegetation cover class in area



### % Area protected from water erosion (>70%)




Area protected  
100.0% of  
region  
(7,225 ha)

### % Area protected from wind erosion (>50%)



Area protected  
100.0% of  
region  
(7,225 ha)

### Total Vegetation Cover Anomaly [%]




20  
10  
0  
-10  
-20

Anomaly shows how  
many percentage  
points each  
pixel is from  
the mean. That  
is, red pixels  
are about 20%  
lower than the  
mean of that  
pixel. The mean  
is only for the  
month of the map  
using baseline  
from 2001 to  
2019.

Deciles show where the  
pixel value lies in the  
record, from highest to  
lowest, for that month.  
That is, red pixels are  
in the lowest 10%  
of records for that month  
of the map using baseline  
from 2001 to 2019.

### Total Vegetation Cover Decile [%]



10  
9  
8  
7  
6  
5  
4  
3  
2  
1



Ecosystem Research Infrastructure




Australian Government




### Grazing non forest timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)







# Cropping

## Land use and forest cover


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




## Total Vegetation Cover [%]




## Proportion of vegetation cover class in area



## % Area protected from water erosion (>70%)




## % Area protected from wind erosion (>50%)




## Total Vegetation Cover Anomaly [%]

Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]



**tern**

Ecosystem Research Infrastructure




Australian Government




## Cropping timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 80%)





Historical monthly area protected (Total Veg Cov>80%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 90%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 95%)



tern  
Ecosystem Research Infrastructure




National  
Landcare  
Programme





# Production native forests and plantation forests

Land use and forest cover


Catchment Scale  
Land Use and Forests  
of Australia (2018)  
Derived from  
Catchment Scale Land  
Use of Australia  
(2018) and Forests  
of Australia (2018)




Total Vegetation Cover [%]




Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly shows how many percentage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]



**tern**

Ecosystem Research Infrastructure




Australian Government




## Production native forests and plantation forests timeseries


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov >70%)





**Toodyay\_(S) (total 169,400 ha) Percentage area and hectares protected  
with TVC threshold 30,50,70,80,90 and 95%**

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	169,400	100.0% 169,400	100.0% 169,400	99.6% 168,775	96.0% 162,550	46.4% 78,575	22.7% 38,475
Conservation and natural environments	26,250	100.0% 26,250	100.0% 26,250	99.9% 26,225	98.1% 25,750	31.2% 8,200	4.3% 1,125
Conservation and natural environments Woodland forest	24,725	100.0% 24,725	100.0% 24,725	99.9% 24,700	98.2% 24,275	29.7% 7,350	2.3% 575
Agriculture	83,550	100.0% 83,550	100.0% 83,550	99.3% 83,000	94.9% 79,325	65.1% 54,400	40.0% 33,450
Grazing	7,350	100.0% 7,350	100.0% 7,350	100.0% 7,350	96.9% 7,125	66.0% 4,850	36.7% 2,700
Grazing non forest	7,225	100.0% 7,225	100.0% 7,225	100.0% 7,225	96.9% 7,000	66.4% 4,800	37.0% 2,675
Cropping	76,200	100.0% 76,200	100.0% 76,200	99.3% 75,650	94.8% 72,200	65.0% 49,550	40.4% 30,750
Production native forests and plantation forests	57,025	100.0% 57,025	100.0% 57,025	99.9% 56,975	97.3% 55,475	27.2% 15,525	6.7% 3,800



**tern**

Ecosystem Research Infrastructure



**National  
Landcare  
Programme**

