Total vegetation cover soil protection Region:LGA Wandering_(S) WA

Date: April 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Apr 2025


Land use and forest cover

Proportion of each land class in area


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)












Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]















Conservation and natural environments


Land use and forest cover





Total Vegetation Cover [%]



% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area

1.0

Land use class

1.5

2.0

2.5


3.1%

0.0


0.5

0

-0.5




% Area protected from wind erosion (>50%)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.










Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)








Conservation and natural environments Woodland forest

Land use and forest cover




112%-100%

52°10010010


329050010

· 0·30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)






Conservation and natural environments Woodland forest timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)







Conservation and natural environments Forest (non woodland)


Catchment Scale 1 Conservation and natural environments - Non-woodland forest


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover

Total Vegetation Cover Decile [%]



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Conservation and natural environments Forest (non woodland) timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)




Historical monthly area protected (Total Veg Cov>80%)






Agriculture

Land use and forest cover




Total Vegetation Cover [%]





% Area protected from water erosion (>70%)


is, red pixels



Programme









Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Australian Government


Ecosystem Research Infrastructure




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)







Ecosystem Research Infrastructure Australian Government

Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) of Australia (2018) Total Vegetation Cover [%]


% Area protected from water erosion (>70%)





Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Decile [%]








1 52°10 TO010

32005000


0.30%

















Grazing non forest

12%-100%


1 52°10 TO010

32005000


0.30%




Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





Total Vegetation Cover Decile [%]














Water erosion historical monthly area protected (Total Veg Cov>70%)








Cropping





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)

CSIRO






Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Programme

Australian Government

Ecosystem Research Infrastructure





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)





Production native forests and plantation forests

Land use and forest cover




1 12% 100%

· 52% TO%


32°1050°10

· 0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]

Total Vegetation Cover Anomaly [%]


20 Anomaly show how many percetage points each pixel is from the mean. That 10 0 is only for the month of the map -10-20

is, red pixels are about 20% lower than the


mean of that pixel. The mean


using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










Water erosion historical monthly area protected (Total Veg Cov>70%)



Wandering_(S) (190,325 ha and no data 101 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	190,325	100.0% 190,300	99.9% 190,150	95.5% 181,725	78.4% 149,150	33.8% 64,375	7.2% 13,675
Conservation and natural environments	23,150	100.0% 23,150	100.0% 23,150	99.1% 22,950	92.2% 21,350	40.2% 9,300	7.2% 1,675
Conservation and natural environments Woodland forest	11,900	100.0% 11,900	100.0% 11,900	98.9% 11,775	91.2% 10,850	33.2% 3,950	4.4% 525
Conservation and natural environments Forest (non woodland)	10,525	100.0% 10,525	100.0% 10,525	99.8% 10,500	95.2% 10,025	49.2% 5,175	10.7% 1,125
Agriculture	78,350	100.0% 78,325	99.8% 78,200	89.9% 70,475	54.9% 43,050	10.4% 8,175	3.1% 2,450
Grazing	8,900	100.0% 8,900	100.0% 8,900	93.0% 8,275	65.2% 5,800	12.1% 1,075	3.1% 275
Grazing non forest	8,900	100.0% 8,900	100.0% 8,900	93.0% 8,275	65.2% 5,800	12.1% 1,075	3.1% 275
Cropping	69,425	100.0% 69,400	99.8% 69,275	89.6% 62,175	53.7% 37,250	10.2% 7,100	3.1% 2,175
Production native forests and plantation forests	88,575	100.0% 88,575	100.0% 88,550	99.4% 88,050	95.4% 84,500	52.9% 46,825	10.8% 9,525

