### Total vegetation cover soil protection Region:LGA Woodanilling\_(S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Date: October 2021

### **Vegetation Cover Oct 2021**


### Proportion of each land class in area





# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]












% Area protected from wind erosion (>50%)






















### **Conservation and natural environments**





# Total Vegetation Cover [%] Total Vegetation Cover [%] Tolor 100% Tolor 100%























### **Conservation and natural environments timeseries**





month







### **Conservation and natural environments non forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%]

# Proportion of vegetation cover class in area 93.4% 80 60 20 0.0% 0.3% 0-30% 31%-50% Total Vegetation Cover class 71%-100% Total Vegetation Cover class





















### **Conservation and natural environments non forest timeseries**





month








### **Conservation and natural environments Woodland forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Forests of Australia (2018) Use of Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]




























month






### **Agriculture**




# Proportion of each land class in area 100 95.1% 80 60 20 1 20 Land use class

### Total Vegetation Cover [%] Total Vegetation Cover [%] Typic Jode Typic Jode


Proportion of vegetation cover class in area






% Area protected from wind erosion (>50%)



















### **Agriculture timeseries**



### Wind erosion historical monthly area protected (Total Veg Cov >50%)









Water erosion historical monthly area protected (Total Veg Cov>70%)


### **Grazing**




### Proportion of each land class in area




Proportion of vegetation cover class in area








### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





















### **Grazing timeseries**












### **Grazing non forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) and Forests of Australia (2018)




### 





















### **Grazing non forest timeseries**











### **Cropping**

### Land use and forest cover



## Total Vegetation Cover [%] Typic Tubic Tu

### Proportion of vegetation cover class in area





### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



















### **Cropping timeseries**











### **Production native forests and plantation forests**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Tolor dolo Tallo dolo

# Proportion of vegetation cover class in area 90.8% 80 - 60 - 60 - 9.2% 20 - 9.2% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class





















### **Production native forests and plantation forests timeseries**









### Woodanilling\_(S) (112,800 ha and no data 84 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	112,800	100.0% 112,775	99.9% 112,725	92.7% 104,575	56.9% 64,225	9.2% 10,400	2.2% 2,500
Conservation and natural environments	11,125	100.0% 11,125	99.8% 11,100	93.7% 10,425	64.0% 7,125	8.8% 975	2.9% 325
Conservation and natural environments non forest	7,525	100.0% 7,525	99.7% 7,500	93.4% 7,025	64.5% 4,850	6.3% 475	2.0% 150
Conservation and natural environments Woodland forest	3,600	100.0% 3,600	100.0% 3,600	94.4% 3,400	63.2% 2,275	13.9% 500	4.9% 175
Agriculture	98,700	100.0% 98,700	100.0% 98,700	92.9% 91,700	55.9% 55,175	8.9% 8,750	2.0% 1,975
Grazing	4,850	100.0% 4,850	100.0% 4,850	94.8% 4,600	62.9% 3,050	14.9% 725	3.1% 150
Grazing non forest	4,850	100.0% 4,850	100.0% 4,850	94.8% 4,600	62.9% 3,050	14.9% 725	3.1% 150
Cropping	93,850	100.0% 93,850	100.0% 93,850	92.8% 87,100	55.5% 52,125	8.6% 8,025	1.9% 1,825
Production native forests and plantation forests	1,625	100.0% 1,625	100.0% 1,625	90.8% 1,475	70.8% 1,150	24.6% 400	7.7% 125







