Total vegetation cover soil protection Region:LGA Woodanilling (S) WA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: April 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











Vegetation Cover Apr 2025


Proportion of each land class in area







Total Vegetation Cover [%] Trelo-totolo Tr


Proportion of vegetation cover class in area






% Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















Conservation and natural environments





























Conservation and natural environments timeseries





month






Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Trelo Indoe Sicolo Sicolo Indoe Sicolo Indoe Sicolo Indoe Sicolo Indoe Sicolo Sicolo Indoe Sicolo Indoe Sicolo Indoe Sicolo Sicolo Indoe Sicolo Sicolo Sicolo Sicolo Indoe Sicolo Indoe Sicolo Indo


80 - 94,4% 60 - 20 - 0.0% 1.3% 4.3% 71%-100% Total Vegetation Cover class

Proportion of vegetation cover class in area





















Conservation and natural environments non forest timeseries





month








Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and forests of Australia (2018) Use of Australia (2018)


Total Vegetation Cover [%] Tales and the state of the st

























99.3

Wind erosion historical monthly area protected (Total Veg Cov >50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Catchment Scale Use of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Cropping - Non-irrigated


80 - 95.1% 60 - 20 - 4.9% -0.25 0.00 0.25 0.50 0.75 1.00 1.25

Proportion of each land class in area

Proportion of vegetation cover class in area

Land use class







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











Agriculture timeseries







month

Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)





Grazing


100

80

40

20

Area (%)



100.0%

Proportion of each land class in area

Proportion of vegetation cover class in area

.1 0.0 0 Land use class

0.1

0.2

0.3


0.4


-0.2

-0.1


-0.3

-0.4







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

CSIRO











Grazing timeseries







Grazing non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

80 - 88.7% 80 - 60 - 20 - 11.3% 0 - 0.0% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class




















Grazing non forest timeseries






Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












Cropping timeseries








Production native forests and plantation forests

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Of Australia (2018)





















Production native forests and plantation forests timeseries









Woodanilling_(S) (112,875 ha and no data 9 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	112,875	99.8% 112,675	99.5% 112,300	93.3% 105,300	65.6% 74,100	20.1% 22,700	7.5% 8,475
Conservation and natural environments	11,125	100.0% 11,125	99.1% 11,025	96.0% 10,675	74.2% 8,250	21.1% 2,350	6.7% 750
Conservation and natural environments non forest	7,525	100.0% 7,525	98.7% 7,425	94.4% 7,100	71.1% 5,350	19.9% 1,500	7.0% 525
Conservation and natural environments Woodland forest	3,600	100.0% 3,600	100.0% 3,600	99.3% 3,575	80.6% 2,900	23.6% 850	6.2% 225
Agriculture	98,700	100.0% 98,700	99.7% 98,450	93.2% 91,975	64.6% 63,750	19.6% 19,325	7.4% 7,275
Grazing	4,850	100.0% 4,850	100.0% 4,850	88.7% 4,300	62.4% 3,025	15.5% 750	5.2% 250
Grazing non forest	4,850	100.0% 4,850	100.0% 4,850	88.7% 4,300	62.4% 3,025	15.5% 750	5.2% 250
Cropping	93,850	100.0% 93,850	99.7% 93,600	93.4% 87,675	64.7% 60,725	19.8% 18,575	7.5% 7,025
Production native forests and plantation forests	1,625	100.0% 1,625	100.0% 1,625	92.3% 1,500	78.5% 1,275	33.8% 550	13.8% 225







