Total vegetation cover soil protection Region:LGA Woodanilling_(S) WA

Date: March 2025

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Mar 2025


Proportion of each land class in area








Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Conservation and natural environments




Proportion of each land class in area



51%-70%

71%-100%

% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)


Total Vegetation Cover class

31%-50%

0


0-30%

Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












100 95 ---- above_70 — 10th 90 **——** 50th **—** 2025 Mar 85 80 75

Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments non forest







% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]







-10

-20







Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Woodland forest







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Conservation and natural environments Woodland forest timeseries






100 98 ---- above_70 96 **——** 10th **——** 50th **——** 2025 Mar 94 92 90 4eb Jan Mai May In 1's Þb, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture



· 32%50%

0.30%

Proportion of each land class in area

95.1%

1.25

1.00


96.0% 60 40

0.50

Land use class


0.75

0.25




Total Vegetation Cover class


% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing




Proportion of each land class in area






Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]











13


Water erosion historical monthly area protected (Total Veg Cov>70%)

Grazing non forest







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







10

0

-10

-20





Water erosion historical monthly area protected (Total Veg Cov>70%)


Cropping

1200-20000


52% 70%

· 32% 50%


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area

% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)


100 90 80 ---- above_70 **—** 10th **——** 50th **—** 2025 Mar 70 60 50 40 feb Jan way In 1's Þ6, Mai month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)




Production native forests and plantation forests







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






- 20


- 10

0


-10

-20





Water erosion historical monthly area protected (Total Veg Cov>70%)



Woodanilling_(S) (112,875 ha and no data 9 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	112,875	99.9% 112,775	99.9% 112,725	95.8% 108,150	71.7% 80,875	25.7% 28,975	10.8% 12,150
Conservation and natural environments	11,125	100.0% 11,125	100.0% 11,125	97.1% 10,800	75.7% 8,425	18.4% 2,050	4.7% 525
Conservation and natural environments non forest	7,525	100.0% 7,525	100.0% 7,525	96.0% 7,225	68.4% 5,150	14.0% 1,050	3.7% 275
Conservation and natural environments Woodland forest	3,600	100.0% 3,600	100.0% 3,600	99.3% 3,575	91.0% 3,275	27.8% 1,000	6.9% 250
Agriculture	98,700	100.0% 98,700	100.0% 98,700	96.0% 94,750	71.4% 70,500	26.3% 26,000	11.5% 11,325
Grazing	4,850	100.0% 4,850	100.0% 4,850	96.4% 4,675	73.7% 3,575	24.2% 1,175	13.9% 675
Grazing non forest	4,850	100.0% 4,850	100.0% 4,850	96.4% 4,675	73.7% 3,575	24.2% 1,175	13.9% 675
Cropping	93,850	100.0% 93,850	100.0% 93,850	96.0% 90,075	71.3% 66,925	26.5% 24,825	11.3% 10,650
Production native forests and plantation forests	1,625	100.0% 1,625	100.0% 1,625	95.4% 1,550	76.9% 1,250	46.2% 750	13.8% 225

