# Total vegetation cover soil protection Region:NRM Greater Sydney NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

#### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: August 2006

#### **Vegetation Cover Aug 2006**

#### **Land use and forest cover**

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each

pixel is from


mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.


the mean. That is, red pixels are about 20% lower than the


Derived from

Use of Australia





#### Proportion of each land class in area






**Proportion of vegetation cover class in area** 







% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





















#### **Conservation and natural environments**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) The conservation and natural environments - Non-forest of Australia (2018) The conservation and natural environments - Woodland forest of Australia (2018) The conservation and natural environments - Non-woodland forest of Australia (2018)

# 52.8%

**Proportion of each land class in area** 

50

40


Area (%)

20

10

#### **Total Vegetation Cover [%]**

Land use and forest cover




Proportion of vegetation cover class in area


Land use class

2


3



#### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each

pixel is from


the mean. That is, red pixels

are about 20% lower than the mean of that


pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















#### **Conservation and natural environments timeseries**







#### **Conservation and natural environments Woodland forest**

#### Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That

is only for the month of the map using baseline from 2001 to 2019.


is, red pixels are about 20% lower than the mean of that pixel. The mean




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)


























#### **Conservation and natural environments Forest (non woodland)**


#### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests

of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


is, red pixels are about 20% lower than the mean of that




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)


























#### **Agriculture**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that

pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map




### 60 - 59.9% 50 - 40 - 26.2% 20 - 10 - 7.2% 10 - 7.2% 1 2 3 4 5 6 7 8 Land use class


Proportion of each land class in area




Land use and forest cover




Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 



















#### **Agriculture timeseries**






month







#### Grazing

#### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That

is, red pixels are about 20% lower than the

mean of that pixel. The mean

is only for the month of the map using baseline from 2001 to 2019.




# 60 - 64.2% 50 - 28.1% 20 - 10 - 7.7% 0 - 1 2 3 Land use class


**Proportion of each land class in area** 




Land use and forest cover




Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















#### **Grazing timeseries**






month







#### **Grazing non forest**

#### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)






















#### **Grazing non forest timeseries**














#### **Grazing Woodland forest**

#### Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That

is only for the month of the map using baseline from 2001 to 2019.


is, red pixels are about 20% lower than the mean of that pixel. The mean




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




















#### **Grazing Woodland forest timeseries**







#### **Production native forests and plantation forests**

#### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from

the mean. That is, red pixels


are about 20% lower than the mean of that pixel. The mean

is only for the month of the map


using baseline from 2001 to 2019.




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)




















#### **Production native forests and plantation forests timeseries**







# Greater Sydney (1,206,700 ha and no data 42,471 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,206,700	100.0% 1,206,250	99.5% 1,200,980	92.3% 1,114,019	86.2% 1,040,418	68.6% 828,009	43.3% 522,544
Conservation and natural environments	695,300	100.0% 695,300	100.0% 695,250	99.8% 694,075	99.3% 690,300	93.1% 647,550	65.4% 455,050
Conservation and natural environments Woodland forest	366,675	100.0% 366,675	100.0% 366,675	99.8% 366,050	99.1% 363,550	91.8% 336,625	64.5% 236,525
Conservation and natural environments Forest (non woodland)	321,975	100.0% 321,975	100.0% 321,975	99.9% 321,750	99.8% 321,175	95.6% 307,775	67.7% 218,025
Agriculture	144,950	100.0% 144,950	100.0% 144,950	99.4% 144,050	95.2% 138,050	54.6% 79,150	17.8% 25,750
Grazing	135,225	100.0% 135,225	100.0% 135,225	99.6% 134,750	96.7% 130,700	57.1% 77,150	18.9% 25,525
Grazing non forest	86,900	100.0% 86,900	100.0% 86,900	99.6% 86,525	95.6% 83,050	44.2% 38,425	5.8% 5,075
Grazing Woodland forest	38,025	100.0% 38,025	100.0% 38,025	99.9% 37,975	98.7% 37,525	78.0% 29,650	37.9% 14,400
Production native forests and plantation forests	25,350	100.0% 25,350	100.0% 25,350	100.0% 25,350	99.9% 25,325	99.6% 25,250	84.9% 21,525











