Total vegetation cover soil protection Region:NRM Greater Sydney NSW

Date: June 2019

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jun 2019

Land use and forest cover

Proportion of each land class in area




120/02/00%

52°10'70°10


3201050010


0.30%

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


Total Vegetation Cover Decile [%]


\$

, ₆,9

A:1


2.3





-20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the

Catchment Scale


of Australia (2018)


(2018) and Forests


of Australia (2018)


Derived from

Use of Australia











Conservation and natural environments

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of each land class in area

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$


_ଚି)

A.1

2³⁵

Total Vegetation Cover Anomaly [%]





- 10 - 0 -10 -20

- 20


12%200%

52°10°10°10

3201050010

0.30%

Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Woodland forest


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$

_ଚି)

x.¹

2³⁵


Total Vegetation Cover Anomaly [%]



Catchment Scale

Derived from

Use of Australia



- 10 - 0 -10 -20

- 20


12%200%

· 52°10°10°10

3201050010

0.30%

Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of


the map using baseline from 2001 to 2019.

8

Conservation and natural environments Woodland forest timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)


Wind erosion historical monthly area protected (Total Veg Cov >50%)




Conservation and natural environments Forest (non woodland)


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Total Vegetation Cover [%]



% Area protected from water erosion (>70%)





- 20


- 10

· 0


-10

-20

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]
















Water erosion historical monthly area protected (Total Veg Cov>70%)




Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




<u>59.</u>9% 60 50 40 Area (%) 00 26.2% 20 10 7.2% 0.8% 1.0%0 1 2 3 4 5 6 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]








- 20

12%200%


· 52°10'70°10

320/05/00/0

0.30%




Total Vegetation Cover Decile [%]











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)






Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




64.2% 60 50 40 Area (%) 05 00 28.1% 20 10 7.7% 0 2 3 1 Land use class

Proportion of each land class in area

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$


_ଚି)

A.1

2³⁵

Total Vegetation Cover Anomaly [%]





- 10 - 0 -10 -20

- 20


12%100%

, 52°1070°10

32005000

0.30%

Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.


1**2**




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)



Grazing non forest

Land use and forest cover



1 Agriculture - Grazing - Non forest


12%100%

, 52°1070°10


32°10'50°10

0.30%


Total Vegetation Cover [%]








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathbf{v}}$


ଚ୍ଚ

A-1

2??

Total Vegetation Cover Anomaly [%]






- 10 - 0 -10 -20

- 20


Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline

the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

year

 100^{-1}

99-

98


97

96


95

94-

% of the area




Wind erosion historical monthly area protected (Total Veg Cov >50%)





100 99 98 97 96 95 94 Par 4eb In way PQ Mai month FERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing Woodland forest


1200-20000

· 52°10'10°10


3201050010

0.30%


Land use and forest cover




Total Vegetation Cover [%]








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



 $\hat{\mathbf{v}}$


ଚ୍ଚ

A-1

2^{?5}

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover Anomaly [%]



- 10 - 0 -10 -20

- 20

Total Vegetation Cover Decile [%]







Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of

the map using baseline from 2001 to 2019.


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.








Water erosion historical monthly area protected (Total Veg Cov>70%)




Production native forests and plantation forests




Land use and forest cover


Derived from

Total Vegetation Cover [%]







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the


record, from highest to


lowest, for that month. That is, red pixels are in the lowest 10% of

records for that month of


the map using baseline from 2001 to 2019.

Total Vegetation Cover Anomaly [%]





20




 $\hat{\mathcal{S}}$


ଚ୍ଚ


x.1

2^{?5}



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Greater Sydney (1,208,050 ha and no data 41,121 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,208,050	99.9% 1,206,825	99.4% 1,200,300	93.8% 1,133,750	88.3% 1,066,875	76.5% 924,700	57.3% 692,325
Conservation and natural environments	695,250	100.0% 695,225	100.0% 695,175	99.9% 694,700	99.6% 692,425	95.8% 666,275	80.3% 558,375
Conservation and natural environments Woodland forest	366,675	100.0% 366,675	100.0% 366,675	100.0% 366,525	99.6% 365,225	96.1% 352,500	80.7% 295,925
Conservation and natural environments Forest (non woodland)	321,975	100.0% 321,975	100.0% 321,925	99.9% 321,800	99.7% 321,050	95.9% 308,675	80.6% 259,450
Agriculture	145,025	100.0% 144,975	99.9% 144,825	98.2% 142,475	94.5% 137,100	70.8% 102,700	34.7% 50,275
Grazing	135,300	100.0% 135,250	99.9% 135,100	98.2% 132,875	95.2% 128,800	73.2% 98,975	36.5% 49,325
Grazing non forest	86,925	99.9% 86,875	99.8% 86,725	97.3% 84,600	93.1% 80,950	63.4% 55,100	19.8% 17,175
Grazing Woodland forest	38,025	100.0% 38,025	100.0% 38,025	99.9% 38,000	99.1% 37,675	90.0% 34,225	63.6% 24,200
Production native forests and plantation forests	25,350	100.0% 25,350	100.0% 25,350	100.0% 25,350	100.0% 25,350	97.0% 24,600	82.0% 20,775



