### **Total vegetation cover soil protection Region:NRM Greater Sydney NSW**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2020

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

#### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









#### **Vegetation Cover Jul 2020**

#### **Land use and forest cover**

Catchment Scale

of Australia (2018)

(2018) and Forests

of Australia (2018)

Anomaly show how many percetage points each

pixel is from


mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.


the mean. That is, red pixels are about 20% lower than the


Derived from

Use of Australia





#### **Proportion of each land class in area**






**Proportion of vegetation cover class in area** 







% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















.




#### **Conservation and natural environments**

# Catchment Scale Land Use and Forests of Australia (2018) Catchment Scale Land Use of Australia (2018) Land use and forest cover 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Nonwoodland forest of Australia (2018)

#### 

# Total Vegetation Cover [%] Total Vegetation Cover [%] Tiple total vegetation Cover [%]




### % Area protected from water erosion (>70%)


% Area protected from wind erosion (>50%)

**Total Vegetation Cover class** 

31%-50%

0-30%






0.1%


71%-100%

51%-70%

Total Vegetation Cover Anomaly [%]

**Total Vegetation Cover Decile [%]** 





ructure Asset







Anomaly show how many percetage points each

pixel is from the mean. That

is only for the month of the map

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean




Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.

#### **Conservation and natural environments timeseries**







#### **Conservation and natural environments Woodland forest**

#### Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That


is only for the month of the map using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean




#### **Total Vegetation Cover [%]**






#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
























#### **Conservation and natural environments Forest (non woodland)**


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) 1 Conservation and natural environments - Nonwoodland forest


# Total Vegetation Cover [%]





#### Proportion of vegetation cover class in area 99.9% 100 80 60 Area (%) 40 20 0.0% 0.1% 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class** % Area protected from wind erosion (>50%)











Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline.


the map using baseline from 2001 to 2019.











#### **Agriculture**

## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That

is only for the month of the map

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that pixel. The mean




### 60 - 59.9% 50 - 40 - 26.2% 20 - 10 - 7.2% 10 - 26.2% 21 - 28% 1 2 3 4 5 6 7 8 Land use class


**Proportion of each land class in area** 

#### **Total Vegetation Cover [%]**


**Land use and forest cover** 




Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















#### **Agriculture timeseries**









#### **Grazing**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Land use and forest cover** 

## 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest













% Area protected from wind erosion (>50%)








**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.



Anomaly show how many percetage points each

pixel is from the mean. That

is, red pixels are about 20% lower than the

mean of that

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.












#### **Grazing timeseries**





<del>----</del> 2007

← 2014
 → 2015
 ← 2016
 ← 2017
 ← 2018



#### **Grazing non forest**

#### Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each


pixel is from the mean. That is, red pixels are about 20% lower than the

mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
















#### **Grazing non forest timeseries**









#### **Grazing Woodland forest**


#### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




#### **Total Vegetation Cover [%]**







#### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Total Vegetation Cover Decile [%]



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.












#### **Grazing Woodland forest timeseries**







#### **Production native forests and plantation forests**

#### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia

(2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That

is only for the month of the map


using baseline from 2001 to 2019.


is, red pixels are about 20% lower than the mean of that pixel. The mean



#### Total Vegetation Cover [%]


Land use and forest cover






Proportion of vegetation cover class in area


#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















#### **Production native forests and plantation forests timeseries**







### Greater Sydney (1,208,275 ha and no data 40,896 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,208,275	99.9% 1,207,325	99.4% 1,201,425	92.9% 1,122,125	86.8% 1,049,175	71.4% 862,825	48.8% 589,500
Conservation and natural environments	695,600	100.0% 695,575	100.0% 695,400	99.8% 694,525	99.1% 689,525	91.8% 638,700	68.8% 478,900
Conservation and natural environments Woodland forest	366,800	100.0% 366,800	100.0% 366,700	99.8% 366,150	99.0% 362,950	90.1% 330,650	66.5% 243,925
Conservation and natural environments Forest (non woodland)	322,200	100.0% 322,200	100.0% 322,175	99.9% 321,975	99.5% 320,600	94.2% 303,400	72.2% 232,650
Agriculture	145,050	100.0% 145,025	99.9% 144,900	97.7% 141,775	91.2% 132,225	60.3% 87,525	26.0% 37,725
Grazing	135,325	100.0% 135,300	99.9% 135,175	97.9% 132,425	92.5% 125,225	63.0% 85,225	27.5% 37,250
Grazing non forest	86,950	100.0% 86,925	99.8% 86,800	96.8% 84,175	89.1% 77,500	49.3% 42,850	12.3% 10,675
Grazing Woodland forest	38,025	100.0% 38,025	100.0% 38,025	99.9% 37,975	98.8% 37,550	86.3% 32,825	49.8% 18,950
Production native forests and plantation forests	25,350	100.0% 25,350	100.0% 25,350	100.0% 25,350	100.0% 25,350	98.7% 25,025	87.9% 22,275







