Total vegetation cover soil protection Region:NRM Greater Sydney NSW

Date: June 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Jun 2021

Land use and forest cover

Catchment Scale

of Australia (2018)


(2018) and Forests

of Australia (2018)


Derived from

Use of Australia


Proportion of each land class in area




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



~


~ ~[?]?


A:1

2.3


Total Vegetation Cover Anomaly [%]

Total Vegetation Cover Decile [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






1200-200%


52°10010


3201050010


0.30%



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









Conservation and natural environments

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover

Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of each land class in area



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $^{\circ}$


_ଚି)


A.1

2³⁵


Total Vegetation Cover Anomaly [%]







Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.

3





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




100 99 98 ---- above_70 **—** 10th **--** 50th 97 **——** 2021 Jun 96 95 94 93 4e0 Jan In may Mar P.Q month tern Ecosystem Research Infrastructure Australian Government











Conservation and natural environments Woodland forest


Land use and forest cover




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$

_ଚି)

A.1


2³⁵


Total Vegetation Cover Anomaly [%]



Catchment Scale

Derived from






12%100%

52°10010

3201050010

0.30%

Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of

the map using baseline from 2001 to 2019.


8

Conservation and natural environments Woodland forest timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments Forest (non woodland)

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


12%100%

, 52°10'TOPL


32%50%

0.30%


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







% Area protected from wind erosion (>50%)



Ŷ

°,


A.1

2??

Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from




- 20 - 10 -10 -20

· 0


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 99 98 ---- above_70 **—** 10th **--** 50th **——** 2021 Jun 97 96 95 94 4e0 1ar way In PQ War month **un**tr tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






13

nu

JUN

1¹1

Australian Government




Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated 6 Agriculture - Cropping - Irrigated 7 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Irrigated

Total Vegetation Cover [%]

Land use and forest cover




% Area protected from water erosion (>70%)




<u>59.</u>9% 60 50 40 Area (%) 00 26.2% 20 10 7.2% 0.8% 1.0%0 1 2 3 4 5 6 Land use class

Proportion of each land class in area

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$


_ଚି)

x.1

2³⁵

Total Vegetation Cover Anomaly [%]





- 10 · 0 -10 -20

- 20


12%100%

· 52°10'70°10

32005000

0.30%

Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of


the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)






Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




64.2% 60 50 Area (%) 00 00 00 28.1% 20 10 7.7% 0 2 3 1 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]





- 10 · 0 -10 -20

- 20


12%100%

· 52°10'70°10

32005000

0.30%

Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of

the map using baseline from 2001 to 2019.






 $\hat{\mathcal{S}}$





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)





Grazing non forest

Land use and forest cover



1 Agriculture - Grazing - Non forest


1200-2004

· 52°10'10°10


3201050010

0.30%


Total Vegetation Cover [%]








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




 $\hat{\mathbf{v}}$


_ଚି)


A-1


2³⁵

Total Vegetation Cover Anomaly [%]











Total Vegetation Cover Decile [%]







20





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)







Grazing Woodland forest


1200-20000

· 52°10'10°10


3201050010

0.30%


Land use and forest cover




Total Vegetation Cover [%]







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

Area

protected 100.0% of


 $\hat{\mathcal{S}}$

ଚ୍ଚ


A-1


2^{?5}


region (38,025 ha)

















Production native forests and plantation forests



Land use and forest cover

Total Vegetation Cover [%]






Area


protected 100.0% of

region (25,350 ha)


% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Decile [%]





Derived from



CSIRO


ern

Ecosystem Research Infrastructure


Total Vegetation Cover Anomaly [%]









 $\hat{\mathcal{S}}$




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)



Greater Sydney (1,207,550 ha and no data 41,621 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,207,550	99.9% 1,206,675	99.5% 1,201,150	93.2% 1,125,175	87.9% 1,060,925	77.8% 939,825	59.9% 723,100
Conservation and natural environments	695,600	100.0% 695,600	100.0% 695,475	99.9% 694,675	99.4% 691,275	96.4% 670,725	81.7% 568,000
Conservation and natural environments Woodland forest	366,850	100.0% 366,850	100.0% 366,825	99.9% 366,300	99.3% 364,325	96.1% 352,475	79.9% 292,950
Conservation and natural environments Forest (non woodland)	322,200	100.0% 322,200	100.0% 322,125	100.0% 322,050	99.6% 320,950	97.3% 313,575	84.5% 272,300
Agriculture	144,975	100.0% 144,950	99.9% 144,825	98.2% 142,375	93.5% 135,575	74.3% 107,675	40.1% 58,075
Grazing	135,250	100.0% 135,225	99.9% 135,100	98.1% 132,725	94.2% 127,450	76.9% 104,050	42.2% 57,125
Grazing non forest	86,875	100.0% 86,850	99.8% 86,725	97.2% 84,400	91.7% 79,650	68.5% 59,525	28.8% 25,000
Grazing Woodland forest	38,025	100.0% 38,025	100.0% 38,025	99.9% 38,000	98.9% 37,625	91.6% 34,825	62.9% 23,900
Production native forests and plantation forests	25,350	100.0% 25,350	100.0% 25,350	100.0% 25,350	100.0% 25,350	99.7% 25,275	95.1% 24,100

