# Total vegetation cover soil protection Region:NRM Greater Sydney NSW

# Date: March 2022

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



# **Vegetation Cover Mar 2022**

#### Land use and forest cover

Catchment Scale

of Australia (2018)


(2018) and Forests

of Australia (2018)

Derived from

Use of Australia

#### Proportion of each land class in area



12/07/00%

52°10°10°10

3201050010

0.30%

- 20


10

0


-10


-20

### **Total Vegetation Cover [%]**




% Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




protected 1.0% of (12,055


**Total Vegetation Cover Anomaly [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















## **Conservation and natural environments**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






0.30%


#### Proportion of each land class in area




#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.








Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 99 98 ---- above\_70 **—** 10th **--** 50th 97 **—** 2022 Mar 96 95 94 93 4eb lar Inu May Mai PQ month mi tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







## **Conservation and natural environments Woodland forest**

1 Conservation and natural environments - Woodland forest

12%100%

52°10010

3201050010

0.30%

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.

Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






## **Conservation and natural environments Woodland forest timeseries**




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 99 98 ---- above\_70 **—** 10th 97 **--** 50th **—** 2022 Mar 96 95 94 93 4eb lar May In Mar POL month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)












## **Conservation and natural environments Forest (non woodland)**




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Decile [%]** 




Total Vegetation Cover Anomaly [%]


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Wind erosion historical monthly area protected (Total Veg Cov >50%)

\_\_\_\_ჭმიკი 100 99 98 ---- above\_70 **—** 10th **--** 50th **—** 2022 Mar 97 96 95 94 4eb lar In way Mar PQ month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)





## Agriculture

12%100%

· 52°10'70°10

32005000


0.30%

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Irrigated 5 Agriculture - Cropping - Non-irrigated 6 Agriculture - Cropping - Irrigated 7 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Irrigated

**Total Vegetation Cover [%]** 

Land use and forest cover




% Area protected from water erosion (>70%)




<u>59.</u>9% 60 50 40 Area (%) 00 <u>26.</u>2% 20 10 7.2% 1.0% 0.8% 0 0 1 2 3 4 5 Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)





### Grazing

120020001

· 52°10'10°10

3201050010

0.30%

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each

pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




64.2% 60 50 Area (%) 05 00 00 28.1% 20 10 7.7% 0 -0.5 0.5 1.0 1.5 2.0 2.5 0.0 Land use class

#### Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)


100 99 98 97 96 95 Jan 4e0 way PQ In Mai month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)









## **Grazing non forest**

Land use and forest cover



Anomaly show how many percetage points each

pixel is from the mean. That is, red pixels are about 20% lower than the

mean of that

pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

1 Agriculture - Grazing - Non forest


120010000

· 52°10'10°10


3201050010

0.30%


Total Vegetation Cover [%]









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)







## **Grazing Woodland forest**

1200-20000

· 52°10'70°10


3201050010

0.30%


1 Agriculture - Grazing - Woodland forest

**Total Vegetation Cover [%]** 


Land use and forest cover




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.









Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)









## **Production native forests and plantation forests**




Land use and forest cover

**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Derived from



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)





# Greater Sydney (1,205,525 ha and no data 43,646 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,205,525	99.9% 1,203,725	99.1% 1,195,150	93.3% 1,124,625	87.5% 1,055,200	74.8% 901,200	55.5% 669,425
Conservation and natural environments	696,625	100.0% 696,575	100.0% 696,475	99.8% 695,125	99.3% 691,925	94.1% 655,625	76.7% 534,225
Conservation and natural environments Woodland forest	367,600	100.0% 367,550	100.0% 367,500	99.7% 366,600	99.3% 364,850	93.8% 344,900	74.7% 274,500
Conservation and natural environments Forest (non woodland)	322,375	100.0% 322,375	100.0% 322,375	99.9% 322,175	99.7% 321,325	95.0% 306,100	79.8% 257,250
Agriculture	144,200	99.9% 144,025	99.7% 143,775	97.2% 140,200	91.6% 132,125	64.8% 93,400	34.1% 49,225
Grazing	134,475	99.9% 134,300	99.7% 134,050	97.3% 130,850	92.2% 124,050	66.6% 89,550	35.5% 47,775
Grazing non forest	86,075	99.8% 85,925	99.7% 85,775	96.1% 82,725	88.7% 76,375	56.3% 48,450	23.1% 19,925
Grazing Woodland forest	38,000	99.9% 37,975	99.9% 37,975	99.7% 37,875	98.7% 37,500	86.1% 32,725	58.6% 22,250
Production native forests and plantation forests	25,325	100.0% 25,325	100.0% 25,325	100.0% 25,325	100.0% 25,325	92.0% 23,300	74.3% 18,825

