### Total vegetation cover soil protection Region:NRM Hunter NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: May 2006** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3















### **Vegetation Cover May 2006**


### Land use and forest cover




### Proportion of each land class in area




### Total Vegetation Cover [%]




Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Decile [%]**




















.





.


### **Conservation and natural environments**




### **Conservation and natural environments timeseries**












### Water erosion historical monthly area protected (Total Veg Cov>70%)






### **Conservation and natural environments non forest**





# Total Vegetation Cover [%] Tiple Judolo Jiple Judolo Ji


### Area not protected 9.5% of region (2,892 ha) Area protected 90.5% of region (27,557 ha)



### Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






















### **Conservation and natural environments non forest timeseries**













### Water erosion historical monthly area protected (Total Veg Cov>70%)













### **Conservation and natural environments Woodland forest**




# Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















### Conservation and natural environments Woodland forest timeseries













# **Total Vegetation Cover [%]**









### Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.































### **Agriculture**







# Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















### **Agriculture timeseries**









### **Grazing**




### Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















### **Grazing timeseries**









### **Grazing non forest**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



### Total Vegetation Cover Decile [%]


















### **Grazing non forest timeseries**









### **Grazing Woodland forest**


### **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


















### **Grazing Woodland forest timeseries**









### **Grazing - Forest (non woodland)**


### **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non-woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


























### **Cropping**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**


















### **Cropping timeseries**





<del>----</del> 2008

→ 2015
→ 2016
→ 2017
→ 2018
→ 2019





### **Production native forests and plantation forests**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) 1 Production native forests and plantation forests of Australia (2018)

# Total Vegetation Cover [%]


# Proportion of vegetation cover class in area 100 - 100.0% 80 - 100.0% 60 - 20 - 20 - 0.0% 0-30% 31%-50% 51%-70% Total Vegetation Cover class







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















### **Production native forests and plantation forests timeseries**







### Hunter (3,239,200 ha and no data 61,225 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	3,239,200	99.9% 3,236,149	99.7% 3,228,947	98.7% 3,196,240	94.7% 3,067,335	71.4% 2,312,085	40.1% 1,300,326
Conservation and natural environments	1,241,375	99.9% 1,240,200	99.9% 1,239,550	99.7% 1,237,475	99.4% 1,233,600	91.3% 1,133,175	58.9% 730,900
Conservation and natural environments non forest	30,450	96.2% 29,300	94.7% 28,850	90.5% 27,550	85.1% 25,900	68.9% 20,975	30.9% 9,400
Conservation and natural environments Woodland forest	138,825	100.0% 138,825	100.0% 138,775	100.0% 138,775	99.7% 138,400	82.7% 114,825	34.3% 47,575
Conservation and natural environments Forest (non woodland)	1,072,100	100.0% 1,072,075	100.0% 1,071,925	99.9% 1,071,150	99.7% 1,069,300	93.0% 997,375	62.9% 673,925
Agriculture	1,580,375	100.0% 1,580,375	100.0% 1,580,150	99.4% 1,570,675	93.9% 1,484,725	57.5% 908,700	22.9% 361,200
Grazing	1,502,375	100.0% 1,502,375	100.0% 1,502,150	99.6% 1,496,950	95.8% 1,439,425	60.1% 902,625	24.0% 360,325
Grazing non forest	1,212,750	100.0% 1,212,750	100.0% 1,212,525	99.6% 1,207,575	95.1% 1,152,900	59.1% 716,850	23.4% 283,400
Grazing Woodland forest	120,575	100.0% 120,575	100.0% 120,575	99.9% 120,400	98.5% 118,800	52.4% 63,175	13.2% 15,900
Grazing - Forest (non woodland)	169,050	100.0% 169,050	100.0% 169,050	100.0% 168,975	99.2% 167,725	72.5% 122,600	36.1% 61,025
Cropping	50,625	100.0% 50,625	100.0% 50,625	92.2% 46,675	51.8% 26,200	7.9% 3,975	1.4% 725
Production native forests and plantation forests	218,575	100.0% 218,575	100.0% 218,575	100.0% 218,575	100.0% 218,525	98.7% 215,700	88.3% 192,900











