## Total vegetation cover soil protection Region:NRM Murray NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2005

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

#### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3















#### **Vegetation Cover Jul 2005**


#### Land use and forest cover




#### Proportion of each land class in area




#### **Total Vegetation Cover [%]**



Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





















#### **Conservation and natural environments**




#### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















#### **Conservation and natural environments timeseries**











#### **Conservation and natural environments non forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)





















#### **Conservation and natural environments non forest timeseries**











#### **Conservation and natural environments Woodland forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)

























month







#### **Conservation and natural environments Forest (non woodland)**

## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Proportion of vegetation cover class in area 100 - 99.2% 80 - 60 - 99.2% 40 - 20 - 0.0% 0.1% 0.7% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

























#### **Agriculture**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Catchment Scale Land Catchment Scale Agriculture - Grazing - Non forest Catchment Scale Catchment Scale Agriculture - Grazing - Non forest Catchment Scale Agriculture - Grazing - Non forest Catchment Scale Catch


#### Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




0/ Aven must stad from water evenier (> 700/)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















#### **Agriculture timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)







#### **Grazing**




#### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















#### **Grazing timeseries**











#### **Grazing non forest**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)





















#### **Grazing non forest timeseries**











#### **Grazing Woodland forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)




















#### **Grazing Woodland forest timeseries**






#### **Grazing - Forest (non woodland)**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)































#### **Cropping**


#### Land use and forest cover




#### Total Vegetation Cover [%]



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)





















#### **Cropping timeseries**












#### **Irrigation**

#### Land use and forest cover







**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




#### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



#### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





























#### **Production native forests and plantation forests**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)



















#### **Production native forests and plantation forests timeseries**





### Murray (4,149,175 ha and no data 40,508 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	4,149,175	100.0% 4,148,545	99.9% 4,143,763	93.8% 3,891,629	65.7% 2,724,303	18.4% 763,401	5.9% 243,376
Conservation and natural environments	338,175	100.0% 338,125	99.8% 337,450	97.4% 329,550	86.4% 292,050	56.0% 189,400	26.4% 89,125
Conservation and natural environments non forest	72,075	100.0% 72,050	99.3% 71,575	90.9% 65,525	49.7% 35,800	12.4% 8,950	5.0% 3,600
Conservation and natural environments Woodland forest	67,825	100.0% 67,800	99.9% 67,725	99.2% 67,275	95.8% 64,950	53.5% 36,300	14.9% 10,075
Conservation and natural environments Forest (non woodland)	198,275	100.0% 198,275	99.9% 198,150	99.2% 196,750	96.5% 191,300	72.7% 144,150	38.1% 75,450
Agriculture	3,509,225	100.0% 3,508,975	99.9% 3,505,350	93.2% 3,270,850	62.0% 2,177,125	12.4% 434,375	2.4% 85,475
Grazing	1,719,750	100.0% 1,719,750	100.0% 1,719,175	96.0% 1,650,925	71.9% 1,235,775	19.4% 334,200	4.3% 74,400
Grazing non forest	1,555,150	100.0% 1,555,150	100.0% 1,554,575	95.6% 1,486,950	69.6% 1,082,675	17.3% 269,625	3.3% 51,300
Grazing Woodland forest	75,675	100.0% 75,675	100.0% 75,675	99.6% 75,400	90.1% 68,150	13.9% 10,525	1.5% 1,125
Grazing - Forest (non woodland)	88,925	100.0% 88,925	100.0% 88,925	99.6% 88,575	95.5% 84,950	60.8% 54,050	24.7% 21,975
Cropping	1,043,700	100.0% 1,043,525	99.7% 1,041,025	89.6% 935,150	54.3% 566,550	6.9% 72,525	0.8% 8,350
Irrigation	745,375	100.0% 745,300	99.9% 744,750	91.8% 684,375	50.3% 374,600	3.7% 27,650	0.4% 2,725
Production native forests and plantation forests	177,350	100.0% 177,350	100.0% 177,350	99.9% 177,200	98.5% 174,750	69.3% 122,925	36.8% 65,200











