Total vegetation cover soil protection Region:NRM Murray NSW

Date: August 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3





Vegetation Cover Aug 2021

Land use and forest cover

Proportion of each land class in area









Conservation and natural environments

Land use and forest cover


Proportion of each land class in area




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Conservation and natural environments non forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area







Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Conservation and natural environments Woodland forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]



Total Vegetation Cover Decile [%]






Deciles show where the pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of


records for that month of

the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Forest (non woodland)




Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]






Conservation and natural environments Forest (non woodland) timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture

Land use and forest cover


Proportion of each land class in area



Area not




Total Vegetation Cover Anomaly [%]





Total Vegetation Cover Decile [%]





Deciles show where the


pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are


records for that month of

the map using baseline from 2001 to 2019.

in the lowest 10% of




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Grazing

Land use and forest cover

Proportion of each land class in area

region (0

protected


. 100.0% of region (1,719,775

ha)


Area

ha)


A.1








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Grazing timeseries




Grazing non forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area







Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Grazing non forest timeseries




Grazing Woodland forest




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)




Grazing - Forest (non woodland)




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


100 98 96 94 92 90 88 86 84 Jan 4eb way In Mai Þb, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)


— 2001 --- 2002 **---** 2004 ____ 2005 **___** 2006 --- 2007 2008 → 2009→ 2010 --- 2011 ---- 2012 --- 2013 → 2014 <u>→</u> 2015 <mark>→</mark> 2016 → 2017 → 2018 → 2019 → 2020 ---- 2021 oč AUG Sel 401 Dec




Cropping




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








---- above_70

----- 2021 Aug

—— 10th


—— 50th

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Cropping timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)

Irrigation


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




93.8% 80^{-} 60^{-} 40^{-} 20^{-} 0^{-} 5.5% 0.7%Land use class

Proportion of each land class in area


Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Irrigation timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Production native forests and plantation forests




Land use and forest cover


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]**







Production native forests and plantation forests timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Murray (4,118,500 ha and no data 71,183 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	4,118,500	100.0% 4,118,225	99.9% 4,115,175	95.6% 3,936,450	75.8% 3,122,725	27.8% 1,145,600	8.2% 336,750
Conservation and natural environments	334,925	100.0% 334,825	99.9% 334,425	97.1% 325,125	86.0% 287,975	53.4% 178,800	25.5% 85,275
Conservation and natural environments non forest	70,000	100.0% 69,975	99.6% 69,750	90.0% 63,000	52.8% 36,950	9.5% 6,625	2.7% 1,900
Conservation and natural environments Woodland forest	67,225	99.9% 67,175	99.8% 67,100	98.0% 65,900	92.2% 62,000	41.4% 27,800	3.5% 2,375
Conservation and natural environments Forest (non woodland)	197,700	100.0% 197,675	99.9% 197,575	99.3% 196,225	95.6% 189,025	73.0% 144,375	41.0% 81,000
Agriculture	3,509,225	100.0% 3,509,225	99.9% 3,507,100	95.4% 3,347,825	74.1% 2,600,650	23.6% 826,900	5.5% 194,025
Grazing	1,719,775	100.0% 1,719,775	100.0% 1,719,250	95.1% 1,634,650	72.1% 1,240,700	26.6% 456,850	6.4% 110,500
Grazing non forest	1,555,150	100.0% 1,555,150	100.0% 1,554,625	94.6% 1,470,725	70.1% 1,090,150	24.9% 386,775	5.3% 82,850
Grazing Woodland forest	75,675	100.0% 75,675	100.0% 75,675	99.4% 75,225	88.6% 67,050	18.9% 14,325	2.7% 2,075
Grazing - Forest (non woodland)	88,950	100.0% 88,950	100.0% 88,950	99.7% 88,700	93.9% 83,500	62.7% 55,750	28.8% 25,575
Cropping	1,043,650	100.0% 1,043,650	99.9% 1,042,800	96.2% 1,004,475	80.9% 844,450	25.7% 268,625	5.9% 61,525
Irrigation	745,400	100.0% 745,400	99.9% 744,650	95.0% 708,300	69.1% 515,175	13.6% 101,400	3.0% 22,000
Production native forests and plantation forests	177,375	100.0% 177,375	100.0% 177,375	99.8% 177,025	96.5% 171,200	69.7% 123,575	30.0% 53,250

