### Total vegetation cover soil protection Region:NRM Murray NSW

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2024

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Jul 2024**


### Land use and forest cover




### Proportion of each land class in area




### Total Vegetation Cover [%]




Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















### **Conservation and natural environments**









Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















### **Conservation and natural environments timeseries**











Water erosion historical monthly area protected (Total Veg Cov>70%)

### **Conservation and natural environments non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)

















### **Conservation and natural environments non forest timeseries**











### **Conservation and natural environments Woodland forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)





















### **Conservation and natural environments Forest (non woodland)**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]






### Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.























### **Agriculture**

## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) Use of Australia (2018) Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Grazing - Irrigated 6 Agriculture - Grazing - Irrigated 7 Agriculture - Grazing - Non-irrigated 8 Agriculture - Horticulture - Non-irrigated 8 Agriculture - Horticulture - Horticulture - Irrigated


### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















### **Agriculture timeseries**











### **Grazing**

# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 3 Agriculture - Grazing - Non-woodland forest 3 Agriculture - Grazing - Non-woodland forest


### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















### **Grazing timeseries**











### **Grazing non forest**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)

















### **Grazing non forest timeseries**











### **Grazing Woodland forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)
















### **Grazing Woodland forest timeseries**






### **Grazing - Forest (non woodland)**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)





















### **Cropping**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)

















### **Cropping timeseries**











### **Irrigation**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of each land class in area




### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)





























### **Production native forests and plantation forests**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)















### **Production native forests and plantation forests timeseries**





### Murray (4,157,300 ha and no data 32,383 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	4,157,300	99.9% 4,151,600	99.5% 4,138,450	92.0% 3,823,450	66.3% 2,757,625	24.1% 1,001,850	10.0% 417,700
Conservation and natural environments	374,775	100.0% 374,675	99.9% 374,300	97.7% 365,975	88.1% 330,200	63.3% 237,150	36.4% 136,525
Conservation and natural environments non forest	80,650	100.0% 80,625	99.8% 80,500	92.0% 74,200	62.2% 50,125	23.7% 19,125	13.0% 10,450
Conservation and natural environments Woodland forest	90,475	99.9% 90,425	99.8% 90,250	98.4% 89,050	93.2% 84,325	67.5% 61,050	38.9% 35,225
Conservation and natural environments Forest (non woodland)	203,650	100.0% 203,625	100.0% 203,550	99.5% 202,725	96.1% 195,750	77.1% 156,975	44.6% 90,850
Agriculture	3,509,150	100.0% 3,507,900	99.7% 3,497,375	91.3% 3,203,475	62.8% 2,204,200	17.7% 621,300	5.9% 206,275
Grazing	1,719,850	100.0% 1,719,550	99.8% 1,716,900	94.8% 1,629,775	72.2% 1,241,100	25.0% 430,375	8.8% 151,800
Grazing non forest	1,555,200	100.0% 1,554,900	99.8% 1,552,325	94.4% 1,467,850	70.5% 1,097,000	22.9% 356,000	7.7% 119,200
Grazing Woodland forest	75,700	100.0% 75,700	100.0% 75,675	97.8% 74,025	82.7% 62,575	24.4% 18,475	6.9% 5,200
Grazing - Forest (non woodland)	88,950	100.0% 88,950	99.9% 88,900	98.8% 87,900	91.7% 81,525	62.8% 55,900	30.8% 27,400
Cropping	1,043,500	99.9% 1,042,775	99.5% 1,038,300	88.9% 927,675	56.2% 586,825	12.2% 127,375	3.6% 37,225
Irrigation	745,400	100.0% 745,175	99.5% 741,775	86.6% 645,725	50.5% 376,100	8.5% 63,525	2.3% 17,225
Production native forests and plantation forests	177,350	100.0% 177,350	100.0% 177,325	99.4% 176,325	96.3% 170,775	71.9% 127,525	39.4% 69,925







