### **Total vegetation cover soil protection Region:NRM Riverina NSW**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: July 2002

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3















### **Vegetation Cover Jul 2002**


### Land use and forest cover




### **Proportion of each land class in area**




### **Total Vegetation Cover [%]**




**Proportion of vegetation cover class in area** 




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





















### **Conservation and natural environments**





### **Conservation and natural environments timeseries**






month






### **Conservation and natural environments non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)





















### **Conservation and natural environments non forest timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)







### **Conservation and natural environments Forest (non woodland)**





# Total Vegetation Cover [%] Train-radio Tra






### Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
































### **Agriculture**


# Catchment Scale Land Use and Forest of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) The state of t

### est d forest (%) additional to the state of the state of


### Proportion of each land class in area









Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















### **Agriculture timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)


### **Grazing**




### Proportion of each land class in area




**Total Vegetation Cover [%]** 




Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















### **Grazing timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)






### **Grazing non forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)





















### **Grazing non forest timeseries**











### **Grazing Woodland forest**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)



















### **Grazing Woodland forest timeseries**







### **Grazing - Forest (non woodland)**

### Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Non-woodland forest Catchment Scale Land Use of Australia (2018) and Forests-of Australia (2018)


# **Total Vegetation Cover [%]**


### % Area protected from water erosion (>70%)






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline. the map using baseline from 2001 to 2019.



























### **Cropping**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)





















### **Cropping timeseries**












### **Irrigation**







### Proportion of each land class in area 83.9% 80 70 60 Area (%) 30 20 9.7% 10 6.4% 3 2 Land use class












% Area protected from wind erosion (>50%)








**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.





















month






### **Production native forests and plantation forests**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%]


## Area not protected 1.3% of region (2,246 ha) Area protected 98.7% of region (170,578 ha)



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





















### **Production native forests and plantation forests timeseries**





### Riverina (6,662,225 ha and no data 46,110 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	6,662,225	100.0% 6,658,930	98.8% 6,582,624	71.8% 4,784,393	42.7% 2,842,926	14.2% 949,103	3.8% 250,739
Conservation and natural environments	320,000	100.0% 319,950	99.0% 316,875	87.3% 279,400	79.1% 253,200	59.9% 191,650	29.2% 93,375
Conservation and natural environments non forest	81,825	99.9% 81,775	96.2% 78,725	51.7% 42,325	26.6% 21,750	12.3% 10,025	5.2% 4,250
Conservation and natural environments Forest (non woodland)	193,725	100.0% 193,725	100.0% 193,700	99.7% 193,050	97.9% 189,600	82.7% 160,125	43.9% 85,000
Agriculture	5,950,550	99.9% 5,947,550	98.8% 5,877,525	70.2% 4,176,500	39.2% 2,333,250	10.2% 604,975	1.3% 76,600
Grazing	2,198,750	99.9% 2,196,000	98.5% 2,164,925	68.4% 1,504,075	45.7% 1,004,075	19.6% 430,550	2.9% 63,575
Grazing non forest	1,953,750	99.9% 1,951,000	98.3% 1,919,950	64.7% 1,265,050	40.6% 793,250	16.8% 327,825	2.3% 44,950
Grazing Woodland forest	141,650	100.0% 141,650	100.0% 141,625	96.5% 136,725	80.8% 114,500	30.8% 43,675	3.5% 4,925
Grazing - Forest (non woodland)	103,350	100.0% 103,350	100.0% 103,350	99.0% 102,300	93.2% 96,325	57.1% 59,050	13.3% 13,700
Cropping	3,186,250	100.0% 3,186,200	98.9% 3,152,675	70.9% 2,258,675	36.8% 1,172,475	5.1% 163,675	0.4% 11,250
Irrigation	563,725	100.0% 563,525	99.0% 558,100	73.2% 412,600	27.8% 156,500	1.9% 10,750	0.3% 1,775
Production native forests and plantation forests	172,825	100.0% 172,825	100.0% 172,800	98.7% 170,500	94.6% 163,500	75.3% 130,075	44.1% 76,275











