## **Total vegetation cover soil protection Region:NRM Burdekin QLD**

## Date: April 2016

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



## **Vegetation Cover Apr 2016**

#### Land use and forest cover




12º10,100%

52% 70%


32005000


0.30%

#### **Total Vegetation Cover [%]**




% Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



#### Proportion of each land class in area

**Total Vegetation Cover Anomaly [%]** 



Catchment Scale

of Australia (2018)

(2018) and Forests


of Australia (2018)

Derived from


Use of Australia

Land Use and Forests


Catchment Scale Land




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Conservation and natural environments**

# 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Nonwoodland forest


Land use and forest cover

**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)




12º10-20010


## Proportion of each land class in area



### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

of Australia (2018)

(2018) and Forests


of Australia (2018)

Derived from

Use of Australia


Land Use and Forests

Catchment Scale Land




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







2




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



### **Conservation and natural environments timeseries**




Wind erosion historical monthly area protected (Total Veg Cov >50%)



100.0 97.5 95.0 92.5 90.0 87.5 85.0 82.5 80.0 Jan 4eb In May Mai 1/2/ Þ6, month ERN CSIRC Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Conservation and natural environments non forest**

Land use and forest cover




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Water erosion historical monthly area protected (Total Veg Cov>70%)


### **Conservation and natural environments Woodland forest**

Land use and forest cover





**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)









% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Catchment Scale Land Use and Forests of Australia (2018) Derived from

Use of Australia (2018) and Forests of Australia (2018)


Catchment Scale Land




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)

### **Conservation and natural environments Forest (non woodland)**

Land use and forest cover






12º10-200%

52°1070°1


32%50%

0.30%


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Total Vegetation Cover Decile [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)


### **Agriculture**

Land use and forest cover




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)



### Proportion of each land class in area



#### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area not

**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

of Australia (2018)

(2018) and Forests


of Australia (2018)

Derived from

Use of Australia


Land Use and Forests

Catchment Scale Land



protected 1.0% of region (127,280 ha) Area protected 99.0% of region (12 ,600,794 ha)

Total Vegetation Cover Decile [%]





Deciles show where the

pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are

records for that month of


the map using baseline from 2001 to 2019.

in the lowest 10% of

12




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



### **Agriculture timeseries**


Water erosion historical monthly area protected (Total Veg Cov>70%)




### Grazing


Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)



#### Proportion of each land class in area



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Area not


**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



protected 1.0% of region (124,591 ha) Area protected 99.0% of region (12 ,334,509 ha)

Total Vegetation Cover Decile [%]





Deciles show where the

pixel value lies in the


record, from highest to lowest, for that month. That is, red pixels are

records for that month of


the map using baseline from 2001 to 2019.

in the lowest 10% of

124




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



### Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)



100 90 80 70-60 50feb lar way In Mai PQ1 1/2/ month TERN CSIRO Australian Government


Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Grazing non forest**

#### Land use and forest cover




#### **Total Vegetation Cover [%]**






% Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Area not

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



protected 1.0% of region (69,734 ha) Area protected 99.0% of region (6,903,740 ha)

**Total Vegetation Cover Decile [%]** 





Deciles show where the


pixel value lies in the

record, from highest to lowest, for that month. That is, red pixels are


records for that month of

the map using baseline from 2001 to 2019.

in the lowest 10% of




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### Grazing non forest timeseries

Water erosion historical monthly area protected (Total Veg Cov>70%)





### **Grazing Woodland forest**

#### Land use and forest cover




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





### Grazing - Forest (non woodland)

Land use and forest cover




#### **Total Vegetation Cover [%]**







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








### Grazing - Forest (non woodland) timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

# Burdekin (13,972,200 ha and no data 118,129 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	13,972,200	99.9% 13,961,957	99.0% 13,838,896	86.2% 12,045,192	61.7% 8,617,488	19.3% 2,693,987	4.1% 570,156
Conservation and natural environments	962,650	100.0% 962,350	99.9% 961,375	97.1% 935,025	84.8% 816,050	40.9% 393,950	13.7% 131,775
Conservation and natural environments non forest	178,300	99.9% 178,125	99.6% 177,575	89.6% 159,675	60.0% 106,925	12.3% 22,000	2.5% 4,525
Conservation and natural environments Woodland forest	471,650	100.0% 471,575	99.9% 471,400	98.9% 466,600	87.1% 410,775	34.3% 161,600	8.7% 41,000
Conservation and natural environments Forest (non woodland)	312,700	100.0% 312,650	99.9% 312,400	98.7% 308,750	95.4% 298,350	67.3% 210,350	27.6% 86,250
Agriculture	12,728,075	99.9% 12,718,625	99.0% 12,599,175	85.3% 10,859,475	59.8% 7,616,425	17.5% 2,226,725	3.3% 416,950
Grazing	12,459,100	100.0% 12,458,000	99.3% 12,376,525	85.9% 10,704,225	60.4% 7,530,700	17.8% 2,215,700	3.3% 415,225
Grazing non forest	6,973,475	100.0% 6,972,375	98.8% 6,891,350	76.1% 5,305,625	41.8% 2,915,075	8.8% 610,625	1.5% 101,450
Grazing Woodland forest	5,073,100	100.0% 5,073,100	100.0% 5,072,650	98.4% 4,990,625	83.8% 4,252,300	28.1% 1,427,400	4.9% 250,750
Grazing - Forest (non woodland)	412,525	100.0% 412,525	100.0% 412,525	98.9% 407,975	88.1% 363,325	43.1% 177,675	15.3% 63,025





k