# Total vegetation cover soil protection Region:NRM Fitzroy QLD

M Fitzroy QLD Date: November 2023

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

# **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

# Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

# **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









# **Vegetation Cover Nov 2023**

#### Land use and forest cover

# Legend with land class forest cover and number, i.e. Forests is 12 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest 3 Conservation and natural environments - Non-Woodland forest 4 Agriculture - Grazing - Non-forest 5 Agriculture - Grazing - Non-woodland forest 6 Agriculture - Grazing - Irrigated 8 Agriculture - Grazing - Irrigated 9 Agriculture - Cropping - Non-irrigated 9 Agriculture - Horticulture - Non-irrigated 11 Agriculture - Horticulture - Irrigated 12 Production native forests and plantation forests 13 Other uses

#### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from

the mean. That

is, red pixels are about 20% lower than the


mean of that pixel. The mean is only for the

using baseline from 2001 to


2019.

month of the map


#### **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of each land class in area




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]














# **Conservation and natural environments**

#### Land use and forest cover

#### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from


the mean. That is, red pixels

are about 20% lower than the mean of that


pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map




#### **Total Vegetation Cover [%]**



# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of each land class in area




# Proportion of vegetation cover class in area



# % Area protected from wind erosion (>50%)

















# **Conservation and natural environments timeseries**





month







# **Conservation and natural environments Woodland forest**

#### Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




# **Total Vegetation Cover [%]**




#### Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# Total Vegetation Cover Decile [%]





Anomaly show how many percetage points each

pixel is from

the mean. That is, red pixels

are about 20% lower than the











# **Conservation and natural environments Woodland forest timeseries**





# **Conservation and natural environments Forest (non woodland)**

# Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from


the mean. That is, red pixels

are about 20% lower than the mean of that


pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map





## **Total Vegetation Cover [%]**






# % Area protected from water erosion (>70%)









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**





















# **Agriculture**

#### Land use and forest cover

# 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated 5 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Non-irrigated 7 Agriculture - Horticulture - Irrigated

## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from


is, red pixels are about 20% lower than the mean of that

the mean. That


pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.


#### **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of


#### Proportion of each land class in area




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)





the map using baseline from 2001 to 2019.



















# **Agriculture timeseries**









# **Grazing**


#### Land use and forest cover

#### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20% lower than the mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of each land class in area




#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)















# **Grazing timeseries**





# **Grazing non forest**


#### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20% lower than the mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




# **Total Vegetation Cover [%]**



# % Area protected from water erosion (>70%)




# **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



# % Area protected from wind erosion (>50%)

















# **Grazing non forest timeseries**









# **Grazing Woodland forest**


#### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20% lower than the mean of that


pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




#### **Total Vegetation Cover [%]**




# Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















# **Grazing Woodland forest timeseries**










# Water erosion historical monthly area protected (Total Veg Cov>70%)



# **Grazing - Forest (non woodland)**

#### Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels are about 20% lower than the mean of that

pixel. The mean is only for the month of the map


using baseline from 2001 to 2019.




# **Total Vegetation Cover [%]**




# Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















# **Cropping**

#### Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




# **Total Vegetation Cover [%]**




#### Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# **Total Vegetation Cover Decile [%]**



pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20% lower than the mean of that













# **Cropping timeseries**









Water erosion historical monthly area protected (Total Veg Cov>70%)

# **Production native forests and plantation forests**

#### Land use and forest cover

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from


the mean. That

is, red pixels are about 20% lower than the


mean of that

using baseline from 2001 to 2019.


pixel. The mean is only for the month of the map




# **Total Vegetation Cover [%]**




## Proportion of vegetation cover class in area




# % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



# **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















# **Production native forests and plantation forests timeseries**





month





# Fitzroy (15,638,225 ha and no data 72,989 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	15,638,225	99.9% 15,629,875	99.4% 15,550,325	93.4% 14,605,200	74.8% 11,701,025	36.6% 5,718,875	15.8% 2,468,825
Conservation and natural environments	1,188,150	100.0% 1,188,000	99.7% 1,184,700	95.6% 1,136,225	85.8% 1,019,675	62.9% 747,525	35.5% 421,950
Conservation and natural environments Woodland forest	553,950	100.0% 553,950	99.7% 552,450	94.1% 521,400	81.3% 450,300	57.7% 319,825	34.6% 191,925
Conservation and natural environments Forest (non woodland)	559,100	100.0% 559,050	99.9% 558,275	98.3% 549,750	92.7% 518,025	72.0% 402,400	39.2% 219,125
Agriculture	13,102,575	100.0% 13,098,050	99.6% 13,045,925	93.2% 12,216,400	73.0% 9,561,775	32.0% 4,199,025	13.0% 1,704,200
Grazing	12,158,450	100.0% 12,154,850	99.7% 12,123,925	95.2% 11,571,450	76.0% 9,243,975	34.0% 4,132,975	13.9% 1,685,600
Grazing non forest	8,647,150	100.0% 8,643,725	99.6% 8,615,250	93.7% 8,106,650	69.4% 6,004,400	23.6% 2,036,725	8.3% 716,025
Grazing Woodland forest	2,283,050	100.0% 2,282,875	99.9% 2,280,725	98.6% 2,250,850	92.2% 2,105,000	59.9% 1,368,150	28.2% 644,875
Grazing - Forest (non woodland)	1,228,250	100.0% 1,228,250	100.0% 1,227,950	98.8% 1,213,950	92.4% 1,134,575	59.3% 728,100	26.4% 324,700
Cropping	812,825	99.9% 812,250	98.0% 796,650	69.3% 563,650	34.4% 279,425	7.0% 56,825	1.9% 15,275
Production native forests and plantation forests	979,675	100.0% 979,675	100.0% 979,425	99.5% 974,550	93.5% 915,700	68.4% 670,100	29.5% 289,300







