# **Total vegetation cover soil protection Region:NRM Southern Gulf QLD**

# **Date: September 2012**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



# **Vegetation Cover Sep 2012**

#### Land use and forest cover

#### Proportion of each land class in area




1200-20000

52010010


· 32°10'50°10


0.30%

**Total Vegetation Cover [%]** 




### % Area protected from water erosion (>70%)






#### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 

many percetage points each pixel is from

the mean. That


is, red pixels are about 20% lower than the

mean of that pixel. The mean is only for the

month of the map


using baseline from 2001 to

2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









## **Conservation and natural environments**


Land use and forest cover



**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)






1200-20000

, 52°10°10°10


320050010

0-30%

Proportion of each land class in area




Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 







₽



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






## **Conservation and natural environments non forest**


Land use and forest cover




**Total Vegetation Cover [%]** 











Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



**Total Vegetation Cover Decile [%]** 









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







## Agriculture

Land use and forest cover


Proportion of each land class in area





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)












### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



# **Agriculture timeseries**



Wind erosion historical monthly area protected (Total Veg Cov >50%)






## Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Land use and forest cover


Proportion of each land class in area





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)












Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)



Total Vegetation Cover Decile [%]




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




# Grazing timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)






## **Grazing non forest**

Land use and forest cover



**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)

Anomaly show how many percetage points each pixel is from the mean. That


is, red pixels


are about 20% lower than the


mean of that

pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.









Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)












# Grazing non forest timeseries

100-80 60-40-20 Jan feb May In Mai PG1 1/2/ month TERN BAR CSIRO Australian Government







## **Grazing Woodland forest**


Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Agriculture - Grazing - Woodland forest Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Area not protected 0.0% of

region (0 ha)

protected 100.0% of

region (2,757,350

Area

ha)

 $\hat{\mathbf{v}}$ 

୍ଚ୍


A.1

2?5

Land use and forest cover




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



# **Grazing Woodland forest timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)



# Southern Gulf (19,453,000 ha and no data 27,501 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	19,453,000	100.0% 19,444,349	98.1% 19,081,308	66.6% 12,947,107	33.2% 6,456,090	6.4% 1,240,180	1.0% 202,459
Conservation and natural environments	778,925	100.0% 778,875	99.2% 772,575	57.4% 447,400	26.1% 202,975	8.4% 65,625	3.5% 27,125
Conservation and natural environments non forest	571,950	100.0% 571,900	98.9% 565,675	47.4% 270,950	13.3% 76,200	2.1% 12,000	0.6% 3,150
Agriculture	17,752,925	100.0% 17,752,900	98.8% 17,533,800	67.8% 12,038,750	34.1% 6,046,025	6.5% 1,152,150	1.0% 171,925
Grazing	17,749,425	100.0% 17,749,400	98.8% 17,530,325	67.8% 12,036,600	34.1% 6,045,225	6.5% 1,152,050	1.0% 171,900
Grazing non forest	14,969,550	100.0% 14,969,525	98.5% 14,750,750	63.8% 9,546,725	28.2% 4,219,075	5.4% 801,150	1.0% 146,250
Grazing Woodland forest	2,757,350	100.0% 2,757,350	100.0% 2,757,050	89.5% 2,469,075	65.6% 1,808,325	12.4% 341,000	0.9% 25,150

