# **Total vegetation cover soil protection Region:NRM Eyre Peninsula SA**

# Date: June 2004

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




# **Vegetation Cover Jun 2004**

### Land use and forest cover


### Proportion of each land class in area




**Total Vegetation Cover [%]** 




### % Area protected from water erosion (>70%)







### Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



**Total Vegetation Cover Decile [%]** 









## **Conservation and natural environments**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 

Land use and forest cover




% Area protected from water erosion (>70%)



· 52°10'70°10 320050010 0-30%

12%100%




Programme

GOVERNMENT


### Proportion of each land class in area

Proportion of vegetation cover class in area

Land use class




### % Area protected from wind erosion (>50%)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


Australian Government




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



## **Conservation and natural environments timeseries**



Wind erosion historical monthly area protected (Total Veg Cov >50%)




## **Conservation and natural environments non forest**


Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-Catchment Scale Land forest Use of Australia (2018) and Forests . 0 of Australia (2018)


**Total Vegetation Cover [%]** 


Land use and forest cover




% Area protected from water erosion (>70%)













### % Area protected from wind erosion (>50%)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)




# Wind erosion historical monthly area protected (Total Veg Cov >50%)

## **Conservation and natural environments Woodland forest**



Land use and forest cover

**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)

Anomaly show how many percetage points each

pixel is from

is, red pixels are about 20% lower than the


mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map


the mean. That




12%100% 52% 70% 32%50% 0.30%




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

In

Australian Government

month






## **Conservation and natural environments Forest (non woodland)**


Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-Catchment Scale Land woodland forest Use of Australia (2018) and Forests 、 Ø of Australia (2018)


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




## Agriculture

Land use and forest cover


Proportion of each land class in area



**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)




12%100%


· 52°10'70°10

320050010


0-30%




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





# **Agriculture timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)




## Grazing

Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover [%]** 

Land use and forest cover



% Area protected from water erosion (>70%)


Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels


are about 20% lower than the

mean of that pixel. The mean is only for the month of the map


from 2001 to 2019.




120010000 52% TO% 32005000 0.30%









### Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




## Grazing timeseries

# Wind erosion historical monthly area protected (Total Veg Cov >50%)




100-80 60-40-20way In Jan 4eb 291 hy, Nai month TERN 18000 csiro Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






## **Grazing non forest**



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)


Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20% lower than the

mean of that pixel. The mean


is only for the month of the map using baseline from 2001 to 2019.






120010000


52% TO%




Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



# Grazing non forest timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)





Water erosion historical monthly area protected (Total Veg Cov>70%)


## **Grazing Woodland forest**

12%100%


· 52% 70%

3201050010


0.30%




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)







### % Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]


pixel is from

is, red pixels are about 20% lower than the


mean of that pixel. The mean

using baseline from 2001 to 2019.


the mean. That




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)






## Cropping




**Total Vegetation Cover [%]** 

Land use and forest cover




% Area protected from water erosion (>70%)




· 52% 70% 3201050010 0.30%

12%200%




% Area protected from wind erosion (>50%)



### Proportion of vegetation cover class in area


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from the mean That the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





# **Cropping timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)



# Eyre Peninsula (5,093,250 ha and no data 84,503 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,093,250	99.9% 5,086,667	96.5% 4,914,967	66.7% 3,396,372	34.1% 1,735,276	8.7% 442,739	3.1% 158,409
Conservation and natural environments	1,798,700	99.9% 1,796,700	99.4% 1,788,300	85.7% 1,540,750	46.4% 835,325	9.9% 177,675	2.5% 45,525
Conservation and natural environments non forest	643,100	99.7% 641,250	98.6% 634,350	73.4% 471,750	27.1% 174,475	6.7% 42,825	2.4% 15,325
Conservation and natural environments Woodland forest	1,065,175	100.0% 1,065,075	99.9% 1,063,925	93.1% 991,875	58.2% 619,725	12.2% 129,450	2.7% 28,800
Conservation and natural environments Forest (non woodland)	90,425	99.9% 90,375	99.6% 90,025	85.3% 77,125	45.5% 41,125	6.0% 5,400	1.5% 1,400
Agriculture	3,209,900	99.9% 3,206,275	94.9% 3,045,025	55.7% 1,788,325	26.4% 846,425	7.1% 228,975	2.7% 87,025
Grazing	728,900	100.0% 728,625	98.8% 720,125	73.4% 534,750	35.5% 258,625	10.3% 75,200	3.4% 25,125
Grazing non forest	635,175	100.0% 634,900	98.6% 626,425	70.5% 448,000	38.3% 242,975	11.7% 74,225	3.9% 24,875
Grazing Woodland forest	88,525	100.0% 88,525	100.0% 88,500	93.4% 82,725	16.6% 14,700	1.0% 925	0.3% 250
Cropping	2,480,600	99.9% 2,477,250	93.7% 2,324,500	50.5% 1,253,225	23.7% 587,600	6.2% 153,650	2.5% 61,850

