## **Total vegetation cover soil protection Region:NRM Eyre Peninsula SA**

## Date: April 2011

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3




## **Vegetation Cover Apr 2011**

### Land use and forest cover


### Proportion of each land class in area




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)




 $\hat{\mathcal{S}}$ 

°,

A.1


2.3

**Total Vegetation Cover Anomaly [%]** 





**Total Vegetation Cover Decile [%]** 




### **Conservation and natural environments**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


60 57.8% 50 -40 37.3% 1 Conservation and natural environments - Nonforest (%) 2 Conservation and natural environments - Woodland Area ( forest 3 Conservation and natural environments - Nonwoodland forest 20 10 -0

**Total Vegetation Cover [%]** 

Land use and forest cover




% Area protected from water erosion (>70%)



12%100% 5201070010 320050010 0-30%




4.9%




% Area protected from wind erosion (>50%)








2








year

## **Conservation and natural environments timeseries**

Wind erosion historical monthly area protected (Total Veg Cov >50%)






**—** 2001 --- 2002 ---- 2003 **---** 2004 \_\_\_\_ 2005 **----** 2006 ---- 2007 2008 → 2009→ 2010 ---- 2011 ---- 2012 ---- 2013 --- 2014 <mark>→</mark> 2015 **→** 2016 <u>→</u> 2017 <u>→</u> 2018 **→** 2019 404 OČ AUG Sel Dec

### **Conservation and natural environments non forest**


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]


Land use and forest cover




% Area protected from water erosion (>70%)








### Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









## Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



### **Conservation and natural environments Woodland forest**



12%100%


· 52°10'70°10

32%50%

0.30%

Land use and forest cover

**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)

pixel is from

is, red pixels are about 20% lower than the


mean of that

pixel. The mean


using baseline from 2001 to 2019.

is only for the month of the map


the mean. That








% Area protected from wind erosion (>50%)




Programme

GOVERNMENT


Australian Government




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)

month

**—** 2001 --- 2002 ---- 2003 **---** 2004 \_\_\_\_ 2005 **\_\_\_** 2006 --- 2007 2008 **—** 2010 **—** 2011 2012 --- 2014 → 2015 **→** 2016 <del>---</del> 2017 <mark>→</mark> 2018 **→** 2019 401 OČ AUG Sep Dec






### **Conservation and natural environments Forest (non woodland)**


Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018) Derived from 1 Conservation and natural environments - Non-Catchment Scale Land woodland forest Use of Australia (2018) and Forests 、 Ø of Australia (2018)


Total Vegetation Cover [%]




% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






year

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Water erosion historical monthly area protected (Total Veg Cov>70%)




### Agriculture

Land use and forest cover


Proportion of each land class in area




**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)




320050010




Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





## **Agriculture timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)




### Grazing

Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover [%]** 

Land use and forest cover



% Area protected from water erosion (>70%)


Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels

are about 20% lower than the

mean of that pixel. The mean is only for the month of the map

using baseline from 2001 to 2019.




12%200%

52% TO%


320050010

0.30%







### Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



## Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)




100-80 60-40-20-May In Jan 4eb 1<sup>1</sup>1 291 Nal month TERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






### **Grazing non forest**



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)


Anomaly show how many percetage points each pixel is from the mean. That

is, red pixels are about 20% lower than the

mean of that pixel. The mean

is only for the month of the map using baseline from 2001 to 2019.







120010000


52% TO%







### % Area protected from wind erosion (>50%)






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






## Grazing non forest timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Grazing Woodland forest**

12%100%


· 52% 70%

32°1050010


0.30%



**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




### % Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)







### Cropping



**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)




12%100%

· 52% 70%


3201050010

0.30%






% Area protected from wind erosion (>50%)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





## **Cropping timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)



# Eyre Peninsula (5,098,075 ha and no data 79,678 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,098,075	99.9% 5,094,328	97.8% 4,983,427	70.9% 3,612,251	35.2% 1,793,774	6.8% 349,013	1.6% 81,327
Conservation and natural environments	1,799,525	99.9% 1,797,075	98.7% 1,776,800	83.0% 1,493,825	42.2% 760,050	7.8% 141,075	1.2% 22,250
Conservation and natural environments non forest	644,225	99.6% 641,950	97.0% 624,725	69.5% 447,825	24.3% 156,250	4.8% 30,750	1.2% 7,525
Conservation and natural environments Woodland forest	1,064,700	100.0% 1,064,575	99.7% 1,061,800	91.0% 968,350	53.0% 564,075	9.9% 104,975	1.3% 14,150
Conservation and natural environments Forest (non woodland)	90,600	99.9% 90,550	99.6% 90,275	85.7% 77,650	43.8% 39,725	5.9% 5,350	0.6% 575
Agriculture	3,209,500	100.0% 3,209,025	97.2% 3,120,075	63.9% 2,052,150	30.7% 983,975	5.6% 178,600	1.2% 37,150
Grazing	728,675	100.0% 728,650	99.2% 723,050	76.3% 556,100	35.0% 254,800	6.5% 47,375	1.5% 10,975
Grazing non forest	634,925	100.0% 634,900	99.1% 629,350	73.9% 469,050	37.5% 238,100	7.4% 46,850	1.7% 10,875
Grazing Woodland forest	88,550	100.0% 88,550	99.9% 88,500	93.0% 82,375	16.4% 14,500	0.5% 475	0.1% 100
Cropping	2,480,425	100.0% 2,479,975	96.6% 2,396,625	60.3% 1,495,700	29.4% 728,825	5.3% 131,075	1.1% 26,150

