# Total vegetation cover soil protection Region:NRM Eyre Peninsula SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3












Date: January 2019




## **Vegetation Cover Jan 2019**


#### Land use and forest cover




#### Proportion of each land class in area




## **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




#### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Total Vegetation Cover Decile [%]**





pixel is from

is, red pixels are about 20% lower than the

mean of that

is only for the

using baseline from 2001 to

2019.

pixel. The mean

the mean. That














## **Conservation and natural environments**


#### Land use and forest cover Proportion of each land class in area 60 57.8% 50 -Catchment Scale 40 37.3% Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-forest Derived from 2 Conservation and natural environments - Woodland Area 0 Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-(2018) and Forests of Australia (2018) 20 10 -3 2 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 50 -49.0% 43.4% 40 Area (%) 20 10 7.3% 71%-100% 0-30% 31%-50% 51%-70% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not Area not protected 8.0% of protected 56.6% of region (1,024,134 region (144,754 ha) ha) Area Area protected protected 43.4% of 92.0% of region (1,664,671 region (785,290 ha) ha) **Total Vegetation Cover Anomaly [%] Total Vegetation Cover Decile [%]** - 20 Anomaly show how many percetage points each pixel is from Deciles show where the 10 pixel value lies in the the mean. That is, red pixels record, from highest to lowest, for that month. That is, red pixels are are about 20% lower than the . 0 mean of that in the lowest 10% of pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. -10using baseline from 2001 to 2019. **-**20 Planning, Industry & Environment




Australian Government

National Landcare Programme


## **Conservation and natural environments timeseries**






## **Conservation and natural environments non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


## Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**





the mean. That is, red pixels

are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.














## **Conservation and natural environments non forest timeseries**






month




## **Conservation and natural environments Woodland forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**



% Area protected from water erosion (>70%)



**Total Vegetation Cover Anomaly [%]** 

pixel is from


is, red pixels are about 20% lower than the

mean of that

pixel. The mean


using baseline from 2001 to 2019.

the mean. That




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Decile [%]** 
























month






## **Conservation and natural environments Forest (non woodland)**


#### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**




























## **Agriculture**


## Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Derived from 3 Agriculture - Grazing - Non-woodland forest Catchment Scale Land 4 Agriculture - Cropping - Non-irrigated Use of Australia 5 Agriculture - Horticulture - Irrigated (2018) and Forests of Australia (2018)


## 80 77.2% 70 -60 50 Area (%) 30 19.8% 20 -10 Land use class

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





pixel is from

is, red pixels are about 20% lower than the

mean of that

pixel. The mean

using baseline from 2001 to 2019.

the mean. That















## **Agriculture timeseries**











## Grazing


## Land use and forest cover




#### Proportion of each land class in area




### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




## **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## **Total Vegetation Cover Decile [%]**





the mean. That

pixel. The mean

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that















## **Grazing timeseries**











## **Grazing non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**





is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.















## **Grazing non forest timeseries**











## **Grazing Woodland forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



## % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



## % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**





the mean. That

is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.














## **Grazing Woodland forest timeseries**






## **Cropping**


#### **Land use and forest cover**




#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




## **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



## **Total Vegetation Cover Decile [%]**





the mean. That

is, red pixels are about 20% lower than the

mean of that pixel. The mean















## **Cropping timeseries**





Wind erosion historical monthly area protected (Total Veg Cov >50%)





# Eyre Peninsula (5,115,425 ha and no data 62,328 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,115,425	98.8% 5,052,150	72.9% 3,728,175	27.6% 1,411,650	12.8% 653,775	3.0% 154,000	1.1% 56,800
Conservation and natural environments	1,809,425	99.7% 1,804,800	92.4% 1,672,075	43.4% 785,750	19.5% 353,725	2.9% 52,675	0.4% 7,475
Conservation and natural environments non forest	653,500	99.3% 649,250	83.2% 543,750	20.1% 131,325	8.8% 57,375	1.6% 10,675	0.5% 3,500
Conservation and natural environments Woodland forest	1,065,325	100.0% 1,065,000	97.7% 1,041,300	57.8% 615,450	26.9% 286,900	3.7% 39,150	0.4% 3,775
Conservation and natural environments Forest (non woodland)	90,600	99.9% 90,550	96.1% 87,025	43.0% 38,975	10.4% 9,450	3.1% 2,850	0.2% 200
Agriculture	3,211,100	98.2% 3,153,550	61.5% 1,973,875	17.9% 575,375	8.3% 267,775	2.6% 82,800	1.1% 35,450
Grazing	729,500	99.5% 725,675	79.0% 576,575	24.1% 175,775	7.5% 54,725	0.9% 6,375	0.3% 1,950
Grazing non forest	635,775	99.4% 631,950	76.1% 484,050	25.9% 164,675	8.4% 53,475	1.0% 6,200	0.3% 1,950
Grazing Woodland forest	88,525	100.0% 88,525	99.0% 87,600	12.4% 10,975	1.4% 1,200	0.2% 175	0.0% 0
Cropping	2,481,225	97.8% 2,427,500	56.3% 1,396,925	16.1% 399,300	8.6% 212,975	3.1% 76,425	1.4% 33,500











