# Total vegetation cover soil protection Region:NRM Eyre Peninsula SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











**Date: January 2020** 



### **Vegetation Cover Jan 2020**

#### Land use and forest cover

Derived from

pixel is from

is, red pixels are about 20% lower than the

mean of that


is only for the

using baseline from 2001 to


2019.

pixel. The mean


the mean. That




### Proportion of each land class in area




### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















### **Conservation and natural environments**


#### Land use and forest cover Proportion of each land class in area 60 57.8% 50 -Catchment Scale 40 37.3% Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-forest Derived from 2 Conservation and natural environments - Woodland Area 0 Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-(2018) and Forests of Australia (2018) 20 10 -3 2 Land use class Proportion of vegetation cover class in area **Total Vegetation Cover [%]** 46.5% 42.7% 40 30 Area (%) 10.3% 10 71%-100% 0-30% 31%-50% 51%-70% **Total Vegetation Cover class** % Area protected from water erosion (>70%) % Area protected from wind erosion (>50%) Area not Area not protected 11.0% of protected 57.3% of region (1,037,087 region (199,091 ha) ha) Area Area protected protected 42.7% of 89.0% of region region (772,837 (1,610,833 ha) ha) **Total Vegetation Cover Decile [%] Total Vegetation Cover Anomaly [%]** - 20 Anomaly show how many percetage points each pixel is from Deciles show where the 10 pixel value lies in the the mean. That is, red pixels record, from highest to lowest, for that month. That is, red pixels are are about 20% lower than the . 0 mean of that in the lowest 10% of pixel. The mean records for that month of is only for the month of the map the map using baseline from 2001 to 2019. -10using baseline from 2001 to 2019. **-**20 Planning, Industry & Environment




Australian Government


National Landcare Programme


### **Conservation and natural environments timeseries**






month






### **Conservation and natural environments non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**





the mean. That

pixel. The mean

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that















### **Conservation and natural environments non forest timeseries**











### **Conservation and natural environments Woodland forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)



### **Total Vegetation Cover Anomaly [%]**

pixel is from

is, red pixels are about 20% lower than the


mean of that

pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map

the mean. That





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)


























month






### **Conservation and natural environments Forest (non woodland)**


#### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)






























### **Agriculture**


### Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Derived from 3 Agriculture - Grazing - Non-woodland forest Catchment Scale Land 4 Agriculture - Cropping - Non-irrigated Use of Australia 5 Agriculture - Horticulture - Irrigated (2018) and Forests of Australia (2018)


## 80 77.2% 70 -60 50 Area (%) 30 19.8% 20 -10 Land use class

Proportion of each land class in area




Proportion of vegetation cover class in area






### % Area protected from water erosion (>70%)


% Area protected from wind erosion (>50%)






### **Total Vegetation Cover Anomaly [%]**

**Total Vegetation Cover Decile [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



pixel is from

is, red pixels are about 20% lower than the

mean of that

pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map

the mean. That















### **Agriculture timeseries**











### Grazing


### Land use and forest cover




#### Proportion of each land class in area




### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Decile [%]**





the mean. That

pixel. The mean

using baseline from 2001 to 2019.

is, red pixels are about 20% lower than the mean of that















### **Grazing timeseries**











### **Grazing non forest**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**





is, red pixels are about 20% lower than the mean of that pixel. The mean

using baseline from 2001 to 2019.















### **Grazing non forest timeseries**











### **Grazing Woodland forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)



### **Total Vegetation Cover Anomaly [%]**


pixel is from

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)





















### **Grazing Woodland forest timeseries**











### **Cropping**


#### **Land use and forest cover**




#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Decile [%]**





the mean. That

is, red pixels are about 20% lower than the

mean of that pixel. The mean















### **Cropping timeseries**









# Eyre Peninsula (5,117,750 ha and no data 60,003 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,117,750	97.2% 4,974,800	68.1% 3,485,750	27.5% 1,408,800	12.8% 655,925	2.5% 129,375	0.8% 39,425
Conservation and natural environments	1,809,925	99.6% 1,802,000	89.2% 1,614,725	42.7% 772,475	19.3% 349,500	2.8% 51,250	0.5% 9,025
Conservation and natural environments non forest	654,325	99.1% 648,725	76.2% 498,625	20.4% 133,375	9.0% 58,925	1.9% 12,275	0.6% 3,900
Conservation and natural environments Woodland forest	1,065,000	99.8% 1,062,775	96.7% 1,029,700	56.7% 604,100	26.4% 281,550	3.4% 36,075	0.5% 4,950
Conservation and natural environments Forest (non woodland)	90,600	99.9% 90,500	95.4% 86,400	38.6% 35,000	10.0% 9,025	3.2% 2,900	0.2% 175
Agriculture	3,211,125	95.8% 3,077,200	55.7% 1,787,050	18.2% 583,075	8.4% 270,150	1.8% 56,650	0.4% 14,025
Grazing	729,650	98.2% 716,350	72.8% 531,100	25.7% 187,750	8.8% 64,425	1.1% 8,375	0.2% 1,625
Grazing non forest	635,900	97.9% 622,600	69.6% 442,550	28.4% 180,850	9.9% 63,200	1.3% 8,125	0.3% 1,625
Grazing Woodland forest	88,550	100.0% 88,550	94.5% 83,675	7.6% 6,750	1.3% 1,175	0.3% 250	0.0%
Cropping	2,481,100	95.1% 2,360,475	50.6% 1,255,575	15.9% 395,100	8.3% 205,600	1.9% 48,275	0.5% 12,400











