Total vegetation cover soil protection Region:NRM Eyre Peninsula SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: August 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









Vegetation Cover Aug 2023

Land use and forest cover

Derived from

pixel is from

is, red pixels are about 20% lower than the


mean of that

pixel. The mean is only for the


using baseline from 2001 to

2019.


the mean. That




Proportion of each land class in area




Total Vegetation Cover [%]




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















Conservation and natural environments

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest Derived from 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-(2018) and Forests of Australia (2018)


Proportion of each land class in area 60 57.8% 50 -40 37.3% Area 08 20 10 -0.5 1.0 1.5 2.0 -0.50.0 2.5 Land use class

Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)






pixel is from

the mean. That is, red pixels

are about 20% lower than the mean of that


pixel. The mean

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















Conservation and natural environments timeseries






month






Conservation and natural environments non forest


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

the mean. That is, red pixels


are about 20% lower than the mean of that

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Conservation and natural environments non forest timeseries











Conservation and natural environments Woodland forest


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

the mean. That


is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Conservation and natural environments Woodland forest timeseries






month







Conservation and natural environments Forest (non woodland)

Land use and forest cover




Total Vegetation Cover [%]






Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Conservation and natural environments Forest (non woodland) timeseries










Agriculture

Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Derived from 3 Agriculture - Grazing - Non-woodland forest Catchment Scale Land 4 Agriculture - Cropping - Non-irrigated Use of Australia 5 Agriculture - Horticulture - Irrigated (2018) and Forests of Australia (2018)


80 77.2% 70 -60 50 Area 0 30 19.8% 20 -10 0.0% 0 3 Land use class


Proportion of each land class in area

Total Vegetation Cover [%]




Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)




Total Vegetation Cover Anomaly [%]

pixel is from

the mean. That is, red pixels


are about 20% lower than the mean of that

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















Agriculture timeseries










Grazing


Land use and forest cover Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from 2 Agriculture - Grazing - Woodland forest Catchment Scale Land 3 Agriculture - Grazing - Non-woodland forest Use of Australia (2018) and Forests of Australia (2018)


87.2% 80 60 Area (%) 20 12.1% -0.50.5 0.0 1.0 1.5 2.0 2.5 Land use class

Proportion of each land class in area



Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)

Area not protected 23.7% of region (172,927 ha) Area protected 76.3% of region (556,723 ha)

% Area protected from wind erosion (>50%)




Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.















Grazing timeseries











Grazing non forest


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month.
That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Grazing non forest timeseries











Grazing Woodland forest


Land use and forest cover



Total Vegetation Cover [%]



% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

pixel is from


is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)
















Grazing Woodland forest timeseries






Cropping


Land use and forest cover



Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Total Vegetation Cover Anomaly [%]

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)

















Cropping timeseries









Eyre Peninsula (5,109,850 ha and no data 67,903 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,109,850	99.9% 5,104,850	99.1% 5,063,550	83.4% 4,262,275	46.0% 2,350,350	6.9% 353,750	1.9% 94,800
Conservation and natural environments	1,798,075	99.9% 1,795,525	99.0% 1,779,875	81.7% 1,469,675	45.3% 814,775	7.2% 129,050	2.3% 40,725
Conservation and natural environments non forest	642,875	99.6% 640,500	97.6% 627,175	63.1% 405,525	29.0% 186,650	6.3% 40,350	1.8% 11,575
Conservation and natural environments Woodland forest	1,064,575	100.0% 1,064,450	99.8% 1,062,725	92.4% 983,900	55.0% 586,025	7.8% 82,575	2.5% 26,750
Conservation and natural environments Forest (non woodland)	90,625	99.9% 90,575	99.3% 89,975	88.6% 80,250	46.5% 42,100	6.8% 6,125	2.6% 2,400
Agriculture	3,212,925	100.0% 3,211,975	99.3% 3,189,850	84.6% 2,718,275	46.2% 1,483,800	6.1% 195,725	1.1% 34,925
Grazing	729,650	99.9% 729,250	98.8% 720,850	76.3% 556,725	42.3% 308,350	6.2% 44,875	1.1% 8,375
Grazing non forest	635,900	99.9% 635,550	98.7% 627,350	75.0% 477,025	46.0% 292,650	7.0% 44,300	1.3% 8,225
Grazing Woodland forest	88,550	100.0% 88,525	99.8% 88,400	84.7% 75,025	15.6% 13,850	0.6% 575	0.2% 150
Cropping	2,482,875	100.0% 2,482,325	99.4% 2,468,600	87.0% 2,161,175	47.3% 1,175,125	6.1% 150,800	1.1% 26,550







