# Total vegetation cover soil protection Region:NRM Eyre Peninsula SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: March 2024

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









## **Vegetation Cover Mar 2024**

#### Land use and forest cover

Derived from

pixel is from

is, red pixels are about 20% lower than the


mean of that

pixel. The mean is only for the


using baseline from 2001 to

2019.


the mean. That




#### Proportion of each land class in area




### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















### **Conservation and natural environments**

## **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest Derived from 2 Conservation and natural environments - Woodland Catchment Scale Land Use of Australia 3 Conservation and natural environments - Non-(2018) and Forests of Australia (2018)


### Proportion of each land class in area 60 57.8% 50 -40 37.3% Area 08 20 10 -0.5 1.0 1.5 2.0 -0.50.0 2.5

## **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area


Land use class



## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



#### **Total Vegetation Cover Anomaly [%]**


pixel is from

the mean. That is, red pixels


are about 20% lower than the mean of that

pixel. The mean

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















### **Conservation and natural environments timeseries**






month






## **Conservation and natural environments non forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)



#### **Total Vegetation Cover Anomaly [%]**


pixel is from

the mean. That is, red pixels

are about 20% lower than the mean of that


pixel. The mean

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)

















### **Conservation and natural environments non forest timeseries**











### **Conservation and natural environments Woodland forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)



### **Total Vegetation Cover Anomaly [%]**


the mean. That

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)















### **Conservation and natural environments Woodland forest timeseries**

96.5

96.0







month

2022 2023 2024


Wind erosion historical monthly area protected (Total Veg Cov >50%)






## **Conservation and natural environments Forest (non woodland)**


#### Land use and forest cover




#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)

















## Conservation and natural environments Forest (non woodland) timeseries










## **Agriculture**

## **Land use and forest cover** Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Derived from 3 Agriculture - Grazing - Non-woodland forest Catchment Scale Land 4 Agriculture - Cropping - Non-irrigated Use of Australia 5 Agriculture - Horticulture - Irrigated (2018) and Forests of Australia (2018)


### 80 77.2% 70 -60 50 Area 0 30 19.8% 20 -10 2.8% 0.0% 0 3 Land use class


Proportion of each land class in area

## **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area





% Area protected from wind erosion (>50%)




#### **Total Vegetation Cover Anomaly [%]**

the mean. That


is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 















## **Agriculture timeseries**











## **Grazing**


#### **Land use and forest cover**




#### Proportion of each land class in area




### **Total Vegetation Cover [%]**




Proportion of vegetation cover class in area



## % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)




#### **Total Vegetation Cover Anomaly [%]**


is, red pixels

are about 20% lower than the mean of that

using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















## **Grazing timeseries**











## **Grazing non forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**




#### % Area protected from water erosion (>70%)



### **Total Vegetation Cover Anomaly [%]**


is, red pixels are about 20% lower than the mean of that

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)

















## **Grazing non forest timeseries**











## **Grazing Woodland forest**


#### Land use and forest cover



#### **Total Vegetation Cover [%]**



#### % Area protected from water erosion (>70%)




#### **Total Vegetation Cover Anomaly [%]**

the mean. That is, red pixels


are about 20% lower than the mean of that

using baseline from 2001 to 2019.





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)
















## **Grazing Woodland forest timeseries**






## **Cropping**


#### **Land use and forest cover**



#### **Total Vegetation Cover [%]**




### % Area protected from water erosion (>70%)




#### **Total Vegetation Cover Anomaly [%]**

is, red pixels are about 20% lower than the mean of that





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

#### **Proportion of vegetation cover class in area**



#### % Area protected from wind erosion (>50%)

















## **Cropping timeseries**









# Eyre Peninsula (5,104,125 ha and no data 73,628 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	5,104,125	99.9% 5,097,075	94.1% 4,801,550	51.7% 2,640,625	24.3% 1,240,950	5.7% 290,225	1.9% 97,625
Conservation and natural environments	1,803,325	99.9% 1,801,000	98.0% 1,766,750	68.1% 1,228,025	35.3% 636,975	7.3% 130,975	1.6% 29,025
Conservation and natural environments non forest	647,775	99.7% 645,600	95.1% 615,850	42.1% 272,950	17.3% 112,125	4.0% 25,700	1.5% 9,425
Conservation and natural environments Woodland forest	1,065,050	100.0% 1,064,925	99.6% 1,061,300	83.2% 886,650	46.8% 498,800	9.5% 101,625	1.8% 18,750
Conservation and natural environments Forest (non woodland)	90,500	100.0% 90,475	99.0% 89,600	75.6% 68,425	28.8% 26,050	4.0% 3,650	0.9% 850
Agriculture	3,209,300	99.9% 3,205,425	91.8% 2,947,325	42.1% 1,351,600	17.5% 561,150	4.2% 133,350	1.5% 48,425
Grazing	728,900	99.9% 727,850	93.7% 683,050	51.1% 372,350	19.3% 140,975	3.5% 25,750	1.0% 6,950
Grazing non forest	635,175	99.8% 634,150	92.9% 590,200	49.8% 316,400	21.5% 136,600	4.0% 25,325	1.1% 6,850
Grazing Woodland forest	88,525	100.0% 88,500	99.1% 87,750	58.3% 51,600	4.7% 4,150	0.5% 400	0.1% 100
Cropping	2,480,025	99.9% 2,477,200	91.3% 2,263,900	39.5% 978,875	16.9% 419,975	4.3% 107,575	1.7% 41,475







