Total vegetation cover soil protection Region:NRM Kangaroo Island SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: February 2001



Vegetation Cover Feb 2001


Proportion of each land class in area






Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






















Conservation and natural environments


70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Non-2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 woodland forest 25.9% of Australia (2018) 20 10 Land use class







Proportion of each land class in area

























Conservation and natural environments timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)









Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Type Total Vegetation Cover [%] Type Total Vegetation Cover [%] Type Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Conservation and natural environments non forest timeseries






month









Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




Proportion of vegetation cover class in area 100 - 99.5% 80 - 99.5% 40 - 20 - 0.0% 0.0% 0.5% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 0.5% of region (688 ha) Area protected 99.5% of region (136,936 ha)
























Conservation and natural environments Woodland forest timeseries














Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]
































month









Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated Use of Australia (2018) 5 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Irrigated

Proportion of each land class in area




Proportion of vegetation cover class in area






% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Agriculture timeseries









Wind erosion historical monthly area protected (Total Veg Cov >50%)









Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest (2018) and Forests of Australia (2018)

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10



















Grazing timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)











Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Type Translation Ty


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Grazing non forest timeseries
















Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Type Type 100 of the control of the cont


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20



















Cropping timeseries






month









Production native forests and plantation forests

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Type Judge T


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20


















Production native forests and plantation forests timeseries







Kangaroo Island (431,575 ha and no data 8,489 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,575	100.0% 431,575	99.9% 431,124	99.2% 428,047	94.1% 405,905	33.9% 146,135	6.4% 27,520
Conservation and natural environments	190,900	100.0% 190,900	99.9% 190,650	99.1% 189,200	93.9% 179,300	53.0% 101,125	11.2% 21,450
Conservation and natural environments non forest	46,275	100.0% 46,275	99.6% 46,075	98.1% 45,400	92.5% 42,800	50.7% 23,475	7.2% 3,325
Conservation and natural environments Woodland forest	137,625	100.0% 137,625	100.0% 137,600	99.5% 136,900	94.5% 130,050	53.2% 73,150	12.0% 16,575
Conservation and natural environments Forest (non woodland)	7,000	100.0% 7,000	99.6% 6,975	98.6% 6,900	92.1% 6,450	64.3% 4,500	22.1% 1,550
Agriculture	204,075	100.0% 204,075	99.9% 203,925	99.6% 203,275	95.1% 194,050	17.6% 35,850	2.2% 4,450
Grazing	172,600	100.0% 172,600	99.9% 172,450	99.6% 171,850	95.4% 164,600	18.2% 31,350	2.3% 3,950
Grazing non forest	171,200	100.0% 171,200	99.9% 171,050	99.6% 170,450	95.4% 163,250	18.1% 30,975	2.3% 3,900
Cropping	31,100	100.0% 31,100	100.0% 31,100	99.8% 31,050	93.5% 29,075	14.5% 4,500	1.6% 500
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	99.1% 27,500	92.1% 25,550	24.2% 6,725	2.3% 650











