### Total vegetation cover soil protection Region:NRM Kangaroo Island SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: February 2002



### **Vegetation Cover Feb 2002**


### Proportion of each land class in area






## Total Vegetation Cover [%] Total Vegetation Cover [%] 2100-1000 2200-1000 2300-1000 2000-1000


### Proportion of vegetation cover class in area








### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]** Anomaly show how many percetage points each pixel is from the mean. That is, red pixels - 10 are about 20% lower than the mean of that pixel. The mean is only for the month of the map -20 using baseline from 2001 to 2019.
























### **Conservation and natural environments**


### 70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Non-2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 woodland forest 25.9% of Australia (2018) 20 10 Land use class







Proportion of each land class in area

























### **Conservation and natural environments timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)








Z


### **Conservation and natural environments non forest**

### Land use and forest cover




## **Total Vegetation Cover [%]**


### Proportion of vegetation cover class in area



### % Area protected from water erosion (>70%)




### % Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

### **Total Vegetation Cover Anomaly [%]** - 20 - 10 -10 **-**20


















### **Conservation and natural environments non forest timeseries**







month

Wind erosion historical monthly area protected (Total Veg Cov >50%)









### **Conservation and natural environments Woodland forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




# Proportion of vegetation cover class in area 100 - 99.3% 80 - 60 - 40 - 40 - 20 - 0.1% 0.1% 0.5% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

### % Area protected from water erosion (>70%) Area not protected 0.7% of region (961 ha) Area protected 99.3% of region (136,388 ha)
























### **Conservation and natural environments Woodland forest timeseries**














### **Conservation and natural environments Forest (non woodland)**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


## Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]
































month









### **Agriculture**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) Oscillation of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated Use of Australia (2018) 5 Agriculture - Cropping - Irrigated 6 Agriculture - Horticulture - Irrigated

### Proportion of each land class in area




### Proportion of vegetation cover class in area






### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Total Vegetation Cover Decile [%]
















### **Agriculture timeseries**




### Wind erosion historical monthly area protected (Total Veg Cov >50%)





### Water erosion historical monthly area protected (Total Veg Cov>70%) 100 √ 99 2002 2003 2004 2005 98 → 2011 2012 97 <del>←</del> 2015 <del>→</del> 2016 <del>----</del> 2017 96 <del>×</del> 2018 **→** 2019 95 month Planning, Industry & Environment National Landcare NSW GOVERNMENT



### Grazing

100

80

20


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) 3 Agriculture - Grazing - Non-woodland forest of Australia (2018)


### 99.2%

Proportion of each land class in area


### Proportion of vegetation cover class in area

Land use class







### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -10 -20




















### **Grazing timeseries**
















### **Grazing non forest**

### Land use and forest cover




## Total Vegetation Cover [%] Total Vegetation Cover [%] Jielo Judolo Ji


### Proportion of vegetation cover class in area



### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Total Vegetation Cover Decile [%]

















### **Grazing non forest timeseries**




### Wind erosion historical monthly area protected (Total Veg Cov >50%)











### **Cropping**

### Land use and forest cover




## Total Vegetation Cover [%] Typic Tubolo Ty


### Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20



















### **Cropping timeseries**






month









### **Production native forests and plantation forests**

### Land use and forest cover




## 


### Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -10 -10 -20


















### **Production native forests and plantation forests timeseries**







### Kangaroo Island (431,575 ha and no data 8,489 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,575	100.0% 431,449	99.8% 430,923	98.9% 426,865	95.3% 411,085	58.3% 251,756	18.5% 79,677
Conservation and natural environments	190,150	100.0% 190,100	99.8% 189,725	98.9% 187,975	95.3% 181,250	62.7% 119,300	17.5% 33,275
Conservation and natural environments non forest	45,750	99.9% 45,700	99.5% 45,500	97.6% 44,650	93.5% 42,775	57.0% 26,075	12.3% 5,650
Conservation and natural environments Woodland forest	137,350	100.0% 137,350	99.9% 137,175	99.3% 136,425	96.1% 132,025	64.1% 88,075	18.3% 25,100
Conservation and natural environments Forest (non woodland)	7,050	100.0% 7,050	100.0% 7,050	97.9% 6,900	91.5% 6,450	73.0% 5,150	35.8% 2,525
Agriculture	204,075	100.0% 204,050	99.9% 203,925	99.4% 202,750	96.5% 197,025	56.4% 115,200	19.6% 40,050
Grazing	172,575	100.0% 172,550	99.9% 172,450	99.3% 171,400	96.4% 166,375	56.3% 97,225	19.6% 33,825
Grazing non forest	171,175	100.0% 171,150	99.9% 171,050	99.3% 170,000	96.5% 165,125	56.4% 96,550	19.7% 33,650
Cropping	31,125	100.0% 31,125	99.9% 31,100	99.5% 30,975	97.3% 30,275	57.3% 17,825	19.8% 6,150
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	96.9% 26,900	88.6% 24,575	46.1% 12,800	15.6% 4,325











