Total vegetation cover soil protection Region:NRM Kangaroo Island SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3















Date: September 2002


Vegetation Cover Sep 2002

Proportion of each land class in area







Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%] Anomaly show how many percetage points each pixel is from the mean. That is, red pixels - 10 are about 20% lower than the mean of that pixel. The mean is only for the month of the map -20 using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






















Conservation and natural environments


70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Non-2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 woodland forest 25.9% of Australia (2018) 20 10 Land use class







Proportion of each land class in area

























Conservation and natural environments timeseries











Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Type Total Vegetation Cover [%] Type Total Vegetation Cover [%] Type Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Conservation and natural environments non forest timeseries






month








Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests (2018) and Forests





of Australia (2018)

Proportion of vegetation cover class in area 100 - 99.5% 80 - 60 - 40 - 20 - 0.1% 0.1% 0.4% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 0.5% of region (689 ha) Area protected 99.5% of region (137,135 ha)
























Conservation and natural environments Woodland forest timeseries














Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]
































month









Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) and Forests of Australia (2018) Gatchment Scale and Use of Australia (2018) Gatchment Scale and Use of Australia (2018) Agriculture - Grazing - Non forest Agriculture - Grazing - Non-woodland forest Agriculture - Cropping - Non-irrigated Agriculture - Cropping - Irrigated Agriculture - Horticulture - Irrigated

Proportion of each land class in area












% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20




















Agriculture timeseries














Grazing

100

80

20


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) Use of Australia (2018) (2018) and Forests of Australia (2018)


99.2%

Proportion of each land class in area


Proportion of vegetation cover class in area

Land use class







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20



















Grazing timeseries






month









Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Typic Toolo Typ


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Grazing non forest timeseries






month









Cropping


Land use and forest cover




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20




















Cropping timeseries













Production native forests and plantation forests

Land use and forest cover




Total Vegetation Cover [%] Type to the state of the stat


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20


















Production native forests and plantation forests timeseries







Kangaroo Island (431,900 ha and no data 8,164 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,900	100.0% 431,724	99.8% 431,249	99.2% 428,648	96.2% 415,516	59.3% 256,183	24.0% 103,779
Conservation and natural environments	191,125	100.0% 191,075	99.9% 190,875	99.3% 189,825	97.2% 185,750	73.8% 141,025	34.7% 66,400
Conservation and natural environments non forest	46,275	99.9% 46,225	99.7% 46,150	98.8% 45,700	95.5% 44,175	73.6% 34,075	34.0% 15,750
Conservation and natural environments Woodland forest	137,825	100.0% 137,825	99.9% 137,700	99.5% 137,125	97.7% 134,700	73.5% 101,325	33.8% 46,625
Conservation and natural environments Forest (non woodland)	7,025	100.0% 7,025	100.0% 7,025	99.6% 7,000	97.9% 6,875	80.1% 5,625	57.3% 4,025
Agriculture	204,025	100.0% 204,000	100.0% 203,925	99.5% 203,075	96.1% 196,025	47.8% 97,500	15.3% 31,300
Grazing	172,500	100.0% 172,475	99.9% 172,400	99.5% 171,600	96.5% 166,500	49.8% 85,850	16.1% 27,775
Grazing non forest	171,100	100.0% 171,075	99.9% 171,000	99.5% 170,200	96.5% 165,150	49.8% 85,175	16.1% 27,575
Cropping	31,150	100.0% 31,150	100.0% 31,150	99.8% 31,100	93.6% 29,150	36.7% 11,425	11.2% 3,500
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	99.6% 27,650	97.5% 27,050	51.1% 14,175	16.2% 4,500











