Total vegetation cover soil protection Region:NRM Kangaroo Island SA

Date: February 2003

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



Vegetation Cover Feb 2003

Proportion of each land class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]













Conservation and natural environments



Proportion of each land class in area

% Area protected from water erosion (>70%)

not		







Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments non forest





Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Conservation and natural environments non forest timeseries



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



9

Water erosion historical monthly area protected (Total Veg Cov>70%)



Conservation and natural environments Woodland forest





Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)







Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]





Conservation and natural environments Woodland forest timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)





Conservation and natural environments Forest (non woodland)









% Area protected from water erosion (>70%)

% Area protected from wind erosion (>50%)







Total Vegetation Cover Decile [%]





Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Water erosion historical monthly area protected (Total Veg Cov>70%)



Agriculture



Proportion of each land class in area

% Area protected from water erosion (>70%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Agriculture timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

In







Grazing



Proportion of each land class in area

0.8% 0.1% 0.0% 0 51%-70% 0-30% 31%-50% 71%-100% **Total Vegetation Cover class**

% Area protected from water erosion (>70%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)



100 99 98 97 96

Water erosion historical monthly area protected (Total Veg Cov>70%)





Grazing non forest





Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



Cropping





Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





Production native forests and plantation forests





Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)

% Area protected from wind erosion (>50%)

\sim	Area pot

 $\sim \sim \sim \sim \sim$







W Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



100 99 98 ---- above_70 — 10th **--** 50th 97 **—** 2003 Feb 96 95 94 93 feb Par Inu May Mar PQ month ERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)





Historical monthly area protected (Total Veg Cov>80%)

JUL

NO

1/21

way

In

Australian Government

1¹1



Kangaroo Island (431,575 ha and no data 8,489 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,575	100.0% 431,374	99.8% 430,572	98.6% 425,406	87.2% 376,211	20.3% 87,408	2.3% 9,728
Conservation and natural environments	191,050	99.9% 190,950	99.6% 190,375	98.4% 187,950	91.6% 174,950	32.9% 62,775	3.5% 6,725
Conservation and natural environments non forest	46,825	99.8% 46,750	99.2% 46,450	96.9% 45,375	88.1% 41,275	32.1% 15,050	3.3% 1,525
Conservation and natural environments Woodland forest	137,300	100.0% 137,275	99.8% 137,025	99.0% 135,875	92.9% 127,500	32.9% 45,125	3.6% 4,975
Conservation and natural environments Forest (non woodland)	6,925	100.0% 6,925	99.6% 6,900	96.8% 6,700	89.2% 6,175	37.5% 2,600	3.2% 225
Agriculture	203,775	100.0% 203,725	99.9% 203,575	99.1% 201,925	84.8% 172,825	9.8% 19,875	1.0% 2,025
Grazing	172,275	100.0% 172,225	99.9% 172,100	99.1% 170,700	86.0% 148,175	10.3% 17,725	1.0% 1,800
Grazing non forest	170,875	100.0% 170,825	99.9% 170,700	99.1% 169,300	86.0% 146,875	10.3% 17,625	1.1% 1,800
Cropping	31,125	100.0% 31,125	99.9% 31,100	99.1% 30,850	78.2% 24,350	6.7% 2,100	0.7% 225
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	97.6% 27,075	79.6% 22,100	11.4% 3,150	1.3% 350



