Total vegetation cover soil protection Region: NRM Kangaroo Island SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3















Date: December 2010

Vegetation Cover Dec 2010


Proportion of each land class in area







Total Vegetation Cover [%] Total Vegetation Cover [%] 71 clo 100 clo 23 clo 200 clo 20

Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


























Conservation and natural environments


70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Non-2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 woodland forest 25.9% of Australia (2018) 20 10 2 Land use class







Proportion of each land class in area
























Conservation and natural environments timeseries







month

Water erosion historical monthly area protected (Total Veg Cov>70%)









Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

Proportion of vegetation cover class in area 80 70 60 50 80 40 30 20 10 0-30% 31%-50% Total Vegetation Cover class 78.1% 78.

























Conservation and natural environments non forest timeseries






month










Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




80 - 92.0% 80 - 60 - 20 - 7.7% 0 - 0.1% 0.2% Total Vegetation Cover class in area

























Conservation and natural environments Woodland forest timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)











Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)



































month










Agriculture

Proportion of each land class in area












% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20



















Agriculture timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)











Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) Use of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest (2018) and Forests of Australia (2018)

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20



















Grazing timeseries






month









Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Type Type 100 of the control of the cont


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20


















Grazing non forest timeseries







month

Wind erosion historical monthly area protected (Total Veg Cov >50%)









Cropping

Land use and forest cover




Total Vegetation Cover [%] Typic Tubolo Sylor Tubolo Sylor Tubolo Sylor Sylor Or 3000


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20




















Cropping timeseries













Production native forests and plantation forests

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20



















Production native forests and plantation forests timeseries






month







Kangaroo Island (432,250 ha and no data 7,814 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	432,250	99.9% 431,773	99.6% 430,594	94.0% 406,319	79.7% 344,400	33.0% 142,595	11.3% 48,777
Conservation and natural environments	190,700	99.9% 190,425	99.4% 189,600	88.8% 169,350	71.2% 135,700	30.5% 58,175	9.0% 17,250
Conservation and natural environments non forest	46,325	99.6% 46,150	98.5% 45,650	78.1% 36,175	58.2% 26,950	18.4% 8,525	5.9% 2,750
Conservation and natural environments Woodland forest	137,425	99.9% 137,325	99.7% 137,050	92.0% 126,450	74.8% 102,800	33.4% 45,925	9.5% 13,050
Conservation and natural environments Forest (non woodland)	6,950	100.0% 6,950	99.3% 6,900	96.8% 6,725	85.6% 5,950	53.6% 3,725	20.9% 1,450
Agriculture	203,850	100.0% 203,775	99.9% 203,550	98.2% 200,200	85.6% 174,500	32.9% 67,075	12.7% 25,925
Grazing	172,350	100.0% 172,275	99.8% 172,050	98.3% 169,350	86.4% 148,950	34.0% 58,575	13.3% 22,925
Grazing non forest	170,950	100.0% 170,875	99.8% 170,650	98.2% 167,950	86.4% 147,625	33.8% 57,825	13.3% 22,675
Cropping	31,125	100.0% 31,125	100.0% 31,125	97.9% 30,475	81.0% 25,225	26.6% 8,275	9.4% 2,925
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	100.0% 27,750	96.2% 26,700	50.6% 14,050	14.4% 4,000











