Total vegetation cover soil protection Region:NRM Kangaroo Island SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: October 2010





Vegetation Cover Oct 2010


Proportion of each land class in area









































Conservation and natural environments


70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Non-2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 woodland forest 25.9% of Australia (2018) 20 10 Land use class







Proportion of each land class in area

























Conservation and natural environments timeseries











Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Conservation and natural environments non forest timeseries






month









Conservation and natural environments Woodland forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Jielo Judolo Ji


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20




















Conservation and natural environments Woodland forest timeseries















Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)



































month









Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) and Forests of Australia (2018) Catchment Scale and Use of Australia (2018) Agriculture - Grazing - Non forest Agriculture - Grazing - Non-woodland forest Agriculture - Cropping - Non-irrigated Agriculture - Cropping - Irrigated Agriculture - Horticulture - Irrigated

Proportion of each land class in area












% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20



















Agriculture timeseries






→ 2019






month




Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) 3 Agriculture - Grazing - Non-woodland forest (2018) and Forests of Australia (2018)

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10



















Grazing timeseries






month









Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 0 -10

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]















Grazing non forest timeseries


99.5







month

Wind erosion historical monthly area protected (Total Veg Cov >50%)









Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]

















Cropping timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)









Production native forests and plantation forests


Land use and forest cover




Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20




















Production native forests and plantation forests timeseries











Kangaroo Island (431,650 ha and no data 8,414 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,650	99.9% 431,424	99.7% 430,422	96.0% 414,207	84.5% 364,862	37.5% 161,743	11.4% 49,269
Conservation and natural environments	190,650	99.9% 190,475	99.5% 189,775	91.9% 175,175	76.2% 145,200	39.2% 74,725	11.5% 21,850
Conservation and natural environments non forest	46,400	99.8% 46,325	98.6% 45,750	82.2% 38,125	62.4% 28,975	27.3% 12,650	6.7% 3,100
Conservation and natural environments Woodland forest	137,300	99.9% 137,200	99.8% 137,075	94.9% 130,250	80.0% 109,800	41.6% 57,125	12.1% 16,600
Conservation and natural environments Forest (non woodland)	6,950	100.0% 6,950	100.0% 6,950	97.8% 6,800	92.4% 6,425	71.2% 4,950	30.9% 2,150
Agriculture	203,975	100.0% 203,950	99.9% 203,825	99.5% 202,900	91.0% 185,675	30.8% 62,750	8.0% 16,275
Grazing	172,475	100.0% 172,450	99.9% 172,325	99.5% 171,575	92.2% 159,100	32.7% 56,375	8.5% 14,725
Grazing non forest	171,075	100.0% 171,050	99.9% 170,925	99.5% 170,175	92.2% 157,700	32.4% 55,425	8.4% 14,450
Cropping	31,125	100.0% 31,125	100.0% 31,125	99.4% 30,950	84.3% 26,225	20.2% 6,275	4.8% 1,500
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	99.9% 27,725	99.0% 27,475	78.2% 21,700	36.8% 10,225











