## Total vegetation cover soil protection Region:NRM Kangaroo Island SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: March 2012



## **Vegetation Cover Mar 2012**


## **Proportion of each land class in area**






# **Total Vegetation Cover [%]**


## **Proportion of vegetation cover class in area**




% Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]** Anomaly show how many percetage points each pixel is from the mean. That is, red pixels - 10 are about 20% lower than the mean of that pixel. The mean is only for the month of the map -20 using baseline from 2001 to 2019.
























## **Conservation and natural environments**


### 70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Non-2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 woodland forest 25.9% of Australia (2018) 20 10 Land use class







Proportion of each land class in area

























## **Conservation and natural environments timeseries**











Water erosion historical monthly area protected (Total Veg Cov>70%)




## **Conservation and natural environments non forest**

## Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Tulor tudolo Tudolo


## Proportion of vegetation cover class in area



## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]


















## **Conservation and natural environments non forest timeseries**














## **Conservation and natural environments Woodland forest**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)






## % Area protected from water erosion (>70%) Area not protected 1.0% of region (1,376 ha) Area protected 99.0% of region (136,298 ha)
























## **Conservation and natural environments Woodland forest timeseries**















## **Conservation and natural environments Forest (non woodland)**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)



































month









## **Agriculture**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

### Proportion of each land class in area












## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20


















## **Agriculture timeseries**




## Wind erosion historical monthly area protected (Total Veg Cov >50%)





## Water erosion historical monthly area protected (Total Veg Cov>70%) 100 99 **---** 2002 2003 2004 \_\_\_\_ 2005 98 → 2010 2011 2012 97 <del>←</del> 2015 <del>→</del> 2016 <del>----</del> 2017 96 <del>×</del> 2018 **→** 2019 month Planning, Industry & Environment National Landcare NSW GOVERNMENT



## Grazing

100

80

60

20


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) 3 Agriculture - Grazing - Non-woodland forest of Australia (2018)


## 99.2%

Proportion of each land class in area


## Proportion of vegetation cover class in area

Land use class







## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10

















## **Grazing timeseries**







20152016


→ 2017 → 2018

**→** 2019






month




## **Grazing non forest**

### Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Jielo Judolo Ji


### Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20


















## **Grazing non forest timeseries**




## Wind erosion historical monthly area protected (Total Veg Cov >50%)






## Water erosion historical monthly area protected (Total Veg Cov>70%) 100 99 **---** 2002 2003 2004 2005 98 → 2010 2011 2012 2013 97 2014 <del>←</del> 2015 <del>→</del> 2016 <del>----</del> 2017 <del>×</del> 2018 96 **→** 2019 month Planning, Industry & Environment NSW GOVERNMENT National Landcare




## **Cropping**

### Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Jielo Judolo Ji


### Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10



















## **Cropping timeseries**






month









## **Production native forests and plantation forests**

## Land use and forest cover




# 


### Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20


















## **Production native forests and plantation forests timeseries**







## Kangaroo Island (431,475 ha and no data 8,589 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,475	99.9% 431,200	99.7% 430,300	98.4% 424,725	87.7% 378,400	31.8% 137,100	9.3% 39,975
Conservation and natural environments	191,700	99.9% 191,575	99.7% 191,150	98.2% 188,325	87.2% 167,075	42.8% 82,125	12.4% 23,750
Conservation and natural environments non forest	47,050	99.9% 47,000	99.3% 46,725	96.2% 45,250	75.8% 35,675	28.0% 13,175	5.7% 2,700
Conservation and natural environments Woodland forest	137,675	99.9% 137,600	99.9% 137,500	99.0% 136,275	90.8% 124,975	46.7% 64,275	13.5% 18,575
Conservation and natural environments Forest (non woodland)	6,975	100.0% 6,975	99.3% 6,925	97.5% 6,800	92.1% 6,425	67.0% 4,675	35.5% 2,475
Agriculture	204,100	99.9% 203,975	99.8% 203,700	98.8% 201,600	87.6% 178,700	17.9% 36,450	3.8% 7,725
Grazing	172,575	99.9% 172,450	99.8% 172,200	98.9% 170,675	88.0% 151,950	18.2% 31,400	4.0% 6,925
Grazing non forest	171,175	99.9% 171,050	99.8% 170,800	98.9% 169,275	88.0% 150,625	17.9% 30,675	3.9% 6,700
Cropping	31,150	100.0% 31,150	99.9% 31,125	98.2% 30,575	84.9% 26,450	16.1% 5,025	2.6% 800
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	99.7% 27,675	97.0% 26,925	59.9% 16,625	27.7% 7,700











