## Total vegetation cover soil protection **Region:NRM Kangaroo Island SA**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

## Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

## Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

## **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: January 2015



## **Vegetation Cover Jan 2015**


## Proportion of each land class in area






# Total Vegetation Cover [%] Total Vegetation Cover [%] 310/5000 320/0


## Proportion of vegetation cover class in area








### % Area protected from wind erosion (>50%)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]






















## **Conservation and natural environments**


### 70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Non-2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 woodland forest 25.9% of Australia (2018) 20 10 Land use class







Proportion of each land class in area

























## **Conservation and natural environments timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)








## **Conservation and natural environments non forest**

## Land use and forest cover 1 Conservation and natural environments - Non-Catchment Scale cand




Catchment Scale Land Use and Forests of Australia (2018)


Use of Australia (2018) and Forests of Australia (2018)


Derived from

## Proportion of vegetation cover class in area 100 96.1% 80 20 0-30% 31%-50% 51%-70% 71%-100% **Total Vegetation Cover class**

## % Area protected from water erosion (>70%) Area not protected 3.9% of region (1,818 ha) Area protected 96.1% of region (44,806 ha)























## **Conservation and natural environments non forest timeseries**






month










## **Conservation and natural environments Woodland forest**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




# Proportion of vegetation cover class in area 100 - 99.4% 80 - 60 - 40 - 20 - 0.0% 0.1% 0.5% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class


























## **Conservation and natural environments Woodland forest timeseries**














## **Conservation and natural environments Forest (non woodland)**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]
































month









## **Agriculture**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) The state of Australia (2018) Use of Australia (2018) Use of Australia (2018) The state of Australia (2018) A priculture - Grazing - Non forest A priculture - Grazing - Non-woodland forest A priculture - Cropping - Non-irrigated The state of Australia (2018) A priculture - Grazing - Non-woodland forest A priculture - Cropping - Non-irrigated A priculture - Cropping - Irrigated A priculture - Horticulture - Irrigated

### Proportion of each land class in area




### Proportion of vegetation cover class in area






## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

## Total Vegetation Cover Decile [%]


















## **Agriculture timeseries**













## Grazing


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Of Australia (2018) 1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest of Australia (2018)

## Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -10 -20


















## **Grazing timeseries**




## Wind erosion historical monthly area protected (Total Veg Cov >50%)






## 100 99 2002 2003 <del>----</del> 2005 98 2011 <del>----</del> 2013 97 <del>←</del> 2014 **---** 2015 <del>----</del> 2017 <del>×</del> 2018 96 **→** 2019 month Planning, Industry & Environment NSW GOVERNMENT National Landcare




## **Grazing non forest**

### Land use and forest cover




# Total Vegetation Cover [%] Typic Indolo Ty


### **Proportion of vegetation cover class in area**




## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20




















## **Grazing non forest timeseries**













## **Cropping**

### Land use and forest cover




# Total Vegetation Cover [%] Typic Toolo Typ


### Proportion of vegetation cover class in area





## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)






















## **Cropping timeseries**


99.0






month









## **Production native forests and plantation forests**

### Land use and forest cover




# 


### Proportion of vegetation cover class in area




## % Area protected from water erosion (>70%)



## % Area protected from wind erosion (>50%)



## Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20


















## **Production native forests and plantation forests timeseries**







## Kangaroo Island (431,725 ha and no data 8,339 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,725	100.0% 431,524	99.8% 430,798	98.3% 424,285	83.3% 359,461	28.6% 123,435	5.7% 24,697
Conservation and natural environments	191,025	99.9% 190,850	99.7% 190,525	98.5% 188,225	93.3% 178,275	50.9% 97,325	10.7% 20,350
Conservation and natural environments non forest	46,625	99.7% 46,500	99.3% 46,300	96.1% 44,825	88.7% 41,350	39.0% 18,200	5.7% 2,675
Conservation and natural environments Woodland forest	137,425	100.0% 137,400	99.9% 137,275	99.4% 136,600	94.9% 130,425	53.8% 73,925	11.2% 15,400
Conservation and natural environments Forest (non woodland)	6,975	99.6% 6,950	99.6% 6,950	97.5% 6,800	93.2% 6,500	74.6% 5,200	32.6% 2,275
Agriculture	204,025	100.0% 204,000	99.9% 203,850	98.3% 200,550	73.4% 149,750	6.5% 13,350	1.4% 2,950
Grazing	172,525	100.0% 172,500	99.9% 172,400	98.4% 169,850	75.0% 129,450	6.7% 11,625	1.5% 2,600
Grazing non forest	171,125	100.0% 171,100	99.9% 171,000	98.4% 168,450	74.9% 128,100	6.5% 11,150	1.5% 2,550
Cropping	31,125	100.0% 31,125	99.8% 31,075	97.4% 30,325	64.4% 20,050	5.5% 1,725	1.1% 350
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	99.5% 27,625	94.9% 26,325	40.0% 11,100	3.5% 975











