Total vegetation cover soil protection Region:NRM Kangaroo Island SA

Date: August 2021

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3




Vegetation Cover Aug 2021

Proportion of each land class in area




% Area protected from water erosion (>70%)





% Area protected from wind erosion (>50%)

















Conservation and natural environments




Proportion of each land class in area


% Area protected from water erosion (>70%)














Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)









Conservation and natural environments non forest









Proportion of vegetation cover class in area

% Area protected from water erosion (>70%)

Area not	Aron not












Conservation and natural environments non forest timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





9






Conservation and natural environments Woodland forest










Proportion of vegetation cover class in area

% Area protected from water erosion (>70%)

Area pat	Area not













Conservation and natural environments Woodland forest timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)














Conservation and natural environments Forest (non woodland)





Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)

% Area protected from wind erosion (>50%)












Conservation and natural environments Forest (non woodland) timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)









Agriculture




Proportion of each land class in area


% Area protected from water erosion (>70%)













---- above_70

Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Agriculture timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-98 96 94 92 90 88 86 feb Jan In way Mai Þ6, month tern Ecosystem Research Infrastructure Australian Government







CSIRO CONTRACTOR CONSISTENT RE Ecosystem Research Infrastructure Australian Government



Grazing



Proportion of each land class in area



Land use and forest cover


Catchment Scale

Land Use and Forests of Australia (2018) Derived from


Catchment Scale cand


Use of Australia (2018) and Forests of Australia (2018)


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)













Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)


100-98 96 94 92 90 88 86 4er Jan hu way Mai P.Q month tern Ecosystem Research Infrastructure Australian Government




Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing non forest








Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)













---- above_70


Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)




Cropping






Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)


Area not















Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)












Production native forests and plantation forests







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)

Area not		7












Production native forests and plantation forests timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)











Kangaroo Island (431,100 ha and no data 8,964 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	431,100	99.9% 430,700	99.7% 429,975	98.6% 425,000	90.5% 390,100	40.8% 175,750	15.9% 68,550
Conservation and natural environments	190,500	99.9% 190,275	99.6% 189,725	98.0% 186,650	86.9% 165,450	47.1% 89,800	24.1% 45,900
Conservation and natural environments non forest	45,975	99.7% 45,850	99.0% 45,525	96.2% 44,250	79.0% 36,300	32.8% 15,075	10.7% 4,925
Conservation and natural environments Woodland forest	137,550	100.0% 137,500	99.8% 137,275	98.6% 135,625	89.7% 123,425	52.6% 72,325	29.1% 39,975
Conservation and natural environments Forest (non woodland)	6,975	99.3% 6,925	99.3% 6,925	97.1% 6,775	82.1% 5,725	34.4% 2,400	14.3% 1,000
Agriculture	204,300	99.9% 204,150	99.9% 204,050	99.4% 202,975	94.1% 192,150	31.9% 65,150	6.8% 13,800
Grazing	172,775	99.9% 172,625	99.9% 172,525	99.3% 171,600	94.0% 162,350	31.9% 55,125	7.0% 12,075
Grazing non forest	171,375	99.9% 171,225	99.9% 171,125	99.3% 170,200	93.9% 161,000	31.7% 54,275	6.7% 11,550
Cropping	31,150	100.0% 31,150	100.0% 31,150	99.5% 31,000	94.6% 29,475	32.0% 9,975	5.5% 1,725
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	99.9% 27,725	97.0% 26,925	67.9% 18,850	30.0% 8,325

