Total vegetation cover soil protection Region:NRM Kangaroo Island SA

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: March 2023

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3









Vegetation Cover Mar 2023


11 Agriculture - Horticulture - Irrigated


13 Other uses

12 Production native forests and plantation


Legend with land class forest cover and number, i.e. Forests is 12 Land use and forest cover 1 Conservation and natural environments - Non-forest 2 Conservation and natural environments - Woodland forest Catchment Scale 3 Conservation and natural environments -Land Use and Forest Non-Woodland forest of Australia (2018) 4 Agriculture - Grazing - Non-forest Derived from 5 Agriculture - Grazing - Woodland forest Catchment Scale cand 6 Agriculture - Grazing - Non-woodland forest Use of Australia 7 Agriculture - Grazing - Irrigated (2018) and Forests 8 Agriculture - Cropping - Non-irrigated of Australia (2018) 9 Agriculture - Cropping - Irrigated 10 Agriculture - Horticulture - Non-irrigated

Proportion of each land class in area







Proportion of vegetation cover class in area









% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






















Conservation and natural environments


70.5% 70 Land use and forest cover 60 50 Catchment Scale Land Use and Forest of Australia (2018) 1 Conservation and natural environments - Nonforest 2 Conservation and natural environments - Woodland Derived from Catchment Scale cand Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-30 25.9% of Australia (2018) 20 10 -0.50.5 1.0 1.5 0.0 2.0 Land use class







Proportion of each land class in area






















Conservation and natural environments timeseries













Conservation and natural environments non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] 71clo-10clo 72clo-10clo 72clo 72cl


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Conservation and natural environments non forest timeseries














Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




80 - 89.6% 80 - 60 - 60 - 20 - 9.9% 0 - 0.1% 0.4% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class




















Conservation and natural environments Woodland forest timeseries







month

Water erosion historical monthly area protected (Total Veg Cov>70%)











Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) and Forests of Australia (2018)































month









Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale and Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated Use of Australia (2018) and Forests of Australia (2018)

Proportion of each land class in area




Proportion of vegetation cover class in area






% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Agriculture timeseries













Water erosion historical monthly area protected (Total Veg Cov>70%)




Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest Use of Australia (2018) 3 Agriculture - Grazing - Non-woodland forest (2018) and Forests of Australia (2018)

Proportion of each land class in area




Proportion of vegetation cover class in area






% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Grazing timeseries






--- 2023






month




Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Jielo Judolo Ji


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 0 -10

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













Grazing non forest timeseries




Wind erosion historical monthly area protected (Total Veg Cov >50%)











Cropping

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Typic Toolo T


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the man using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 10 -10 -20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














Cropping timeseries













Production native forests and plantation forests

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Type Type 100 of the state of the state


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. Total Vegetation Cover Anomaly [%] 20 -10 --10 --20














Production native forests and plantation forests timeseries







Kangaroo Island (429,700 ha and no data 10,364 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	429,700	99.9% 429,150	99.4% 427,250	90.5% 388,700	68.3% 293,575	27.9% 120,025	10.5% 45,200
Conservation and natural environments	190,700	99.8% 190,350	99.3% 189,275	86.5% 165,025	61.4% 117,125	26.1% 49,825	8.7% 16,675
Conservation and natural environments non forest	46,575	99.6% 46,400	98.6% 45,900	76.2% 35,500	45.1% 21,025	13.1% 6,100	4.7% 2,175
Conservation and natural environments Woodland forest	137,150	99.9% 136,975	99.5% 136,450	89.6% 122,875	66.5% 91,175	30.3% 41,600	9.9% 13,550
Conservation and natural environments Forest (non woodland)	6,975	100.0% 6,975	99.3% 6,925	95.3% 6,650	70.6% 4,925	30.5% 2,125	13.6% 950
Agriculture	203,400	100.0% 203,375	99.7% 202,700	93.7% 190,575	73.8% 150,075	27.8% 56,625	10.7% 21,775
Grazing	172,050	100.0% 172,025	99.6% 171,400	93.8% 161,375	73.6% 126,700	27.3% 46,950	10.4% 17,975
Grazing non forest	170,650	100.0% 170,625	99.6% 170,000	93.8% 160,025	73.5% 125,450	27.1% 46,275	10.3% 17,650
Cropping	30,975	100.0% 30,975	99.8% 30,925	93.2% 28,875	74.7% 23,150	30.8% 9,550	12.1% 3,750
Production native forests and plantation forests	27,750	100.0% 27,750	100.0% 27,750	95.0% 26,375	78.4% 21,750	41.4% 11,500	20.3% 5,625







