Total vegetation cover soil protection Region:NRM Kangaroo Island SA

Date: May 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3





Vegetation Cover May 2024


Proportion of each land class in area




% Area protected from wind erosion (>50%)









Total Vegetation Cover Decile [%]











Conservation and natural environments





Proportion of each land class in area

% Area protected from water erosion (>70%)

Area not		Area not









Total Vegetation Cover Anomaly [%]

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)






Conservation and natural environments non forest





Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)


% Area protected from wind erosion (>50%)

Area not	Area not






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of


the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Conservation and natural environments non forest timeseries




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




100-90-80 70 60 50-40-4eb way In lar Mai PQ hy month tern Ecosystem Research Infrastructure Australian Government


9

Water erosion historical monthly area protected (Total Veg Cov>70%)







Australian Government




Conservation and natural environments Woodland forest






Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)


% Area protected from wind erosion (>50%)

Area not






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Conservation and natural environments Woodland forest timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)












Conservation and natural environments Forest (non woodland)





Proportion of vegetation cover class in area





% Area protected from water erosion (>70%)


% Area protected from wind erosion (>50%)

 $\sim \sim \sim \sim$

 \sim









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Conservation and natural environments Forest (non woodland) timeseries





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)







Agriculture




Proportion of each land class in area

% Area protected from water erosion (>70%)









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Agriculture timeseries


Wind erosion historical monthly area protected (Total Veg Cov >50%)


month


JU,


---- above_70 **——** 10th **——** 50th **—** 2024 May

Water erosion historical monthly area protected (Total Veg Cov>70%)












Grazing




Proportion of each land class in area

% Area protected from water erosion (>70%)









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Water erosion historical monthly area protected (Total Veg Cov>70%)






Grazing non forest












% Area protected from water erosion (>70%)









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





May


In

Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)









Cropping







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)

Area pot	Area not









Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)







Wind erosion historical monthly area protected (Total Veg Cov >50%)









Production native forests and plantation forests







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)

Aroa not	Aron not






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Production native forests and plantation forests timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




100 <u>99.</u>8 95 90----- above_70 85 **——** 10th **——** 50th **——** 2024 May 80 75 70-65 60



Water erosion historical monthly area protected (Total Veg Cov>70%)







Kangaroo Island (429,175 ha and no data 10,889 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	429,175	99.9% 428,575	99.6% 427,300	96.6% 414,675	85.8% 368,300	44.6% 191,325	20.8% 89,250
Conservation and natural environments	189,950	99.9% 189,700	99.6% 189,175	98.5% 187,175	93.0% 176,675	57.9% 109,975	30.4% 57,675
Conservation and natural environments non forest	45,925	99.9% 45,900	99.3% 45,600	97.5% 44,775	87.9% 40,375	39.3% 18,050	15.2% 6,975
Conservation and natural environments Woodland forest	137,050	99.8% 136,825	99.7% 136,600	98.9% 135,500	94.7% 129,725	63.4% 86,875	34.5% 47,250
Conservation and natural environments Forest (non woodland)	6,975	100.0% 6,975	100.0% 6,975	98.9% 6,900	94.3% 6,575	72.4% 5,050	49.5% 3,450
Agriculture	203,475	99.9% 203,300	99.7% 202,875	95.6% 194,500	80.2% 163,225	32.0% 65,050	11.8% 23,925
Grazing	172,000	99.9% 171,825	99.7% 171,550	96.0% 165,150	81.4% 139,925	32.5% 55,925	12.1% 20,750
Grazing non forest	170,600	99.9% 170,425	99.7% 170,150	96.0% 163,750	81.3% 138,625	32.3% 55,175	12.0% 20,450
Cropping	31,100	100.0% 31,100	99.5% 30,950	93.4% 29,050	74.4% 23,150	29.2% 9,075	10.1% 3,150
Production native forests and plantation forests	27,750	99.8% 27,700	99.1% 27,500	94.2% 26,150	84.9% 23,550	51.6% 14,325	23.8% 6,600

