Total vegetation cover soil protection Region:NRM East Gippsland VIC

Date: January 2005

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3





Vegetation Cover Jan 2005

Proportion of each land class in area




% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]






2






Conservation and natural environments





0.30%

Proportion of each land class in area



% Area protected from water erosion (>70%)











Total Vegetation Cover Anomaly [%]

Anomaly show how-many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments non forest







% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]










Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)










Conservation and natural environments Woodland forest






% Area protected from water erosion (>70%)







Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Forest (non woodland)




12%100 **Total Vegetation Cover [%]** · 52% 70% 32%50% 0.30%


% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area


% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the -month of the map using baseline -from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]






Conservation and natural environments Forest (non woodland) timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)









Water erosion historical monthly area protected (Total Veg Cov>70%)




Agriculture




Proportion of each land class in area








Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)


100.0-99.5 99.3 99.0 ---- above_70 **—** 10th 98.5 **——** 50th **——** 2005 Jan 98.0 97.5 97.0 96.5 feb 1ar In May Mar PQ month ΓERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)












Grazing











Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)


100.0 99.5 99.0 ---- above_70 **—** 10th 98.5 **——** 50th **——** 2005 Jan 98.0 97.5 97.0 96.5 feb 1ar In May War PQ month ERN CSIRO Australian Government


23

Water erosion historical monthly area protected (Total Veg Cov>70%)












Grazing non forest






% Area protected from water erosion (>70%)




100


Proportion of vegetation cover class in area

99.7%






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

area

of the


%


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing Woodland forest







Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)












Grazing - Forest (non woodland)






% Area protected from water erosion (>70%)




100


Proportion of vegetation cover class in area

99.9%






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)

Wind erosion historical monthly area protected (Total Veg Cov >50%)



3**4**

Australian Government





Production native forests and plantation forests




120/0700 **Total Vegetation Cover [%]** 52%70 32%50% 0.30%


% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)



East Gippsland (2,066,575 ha and no data 33,138 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,066,575	100.0% 2,066,200	100.0% 2,065,550	99.7% 2,059,679	97.2% 2,009,283	81.0% 1,673,458	55.3% 1,142,747
Conservation and natural environments	628,650	100.0% 628,375	99.9% 627,775	99.4% 624,900	95.0% 597,175	74.6% 468,850	50.1% 314,875
Conservation and natural environments non forest	13,500	98.3% 13,275	95.0% 12,825	87.0% 11,750	77.8% 10,500	46.7% 6,300	14.3% 1,925
Conservation and natural environments Woodland forest	146,300	100.0% 146,275	99.9% 146,125	99.1% 144,925	90.7% 132,625	53.9% 78,900	29.1% 42,550
Conservation and natural environments Forest (non woodland)	468,850	100.0% 468,825	100.0% 468,825	99.9% 468,225	96.8% 454,050	81.8% 383,650	57.7% 270,400
Agriculture	306,550	100.0% 306,550	100.0% 306,550	99.7% 305,675	96.4% 295,500	60.0% 183,800	19.9% 61,025
Grazing	302,575	100.0% 302,575	100.0% 302,575	99.8% 301,875	96.9% 293,125	60.5% 183,075	20.1% 60,950
Grazing non forest	231,375	100.0% 231,375	100.0% 231,375	99.7% 230,725	96.8% 223,950	59.3% 137,150	18.9% 43,625
Grazing Woodland forest	24,425	100.0% 24,425	100.0% 24,425	100.0% 24,425	96.2% 23,500	51.3% 12,525	16.7% 4,075
Grazing - Forest (non woodland)	46,775	100.0% 46,775	100.0% 46,775	99.9% 46,725	97.6% 45,675	71.4% 33,400	28.3% 13,250
Production native forests and plantation forests	1,102,600	100.0% 1,102,575	100.0% 1,102,550	99.9% 1,101,075	98.9% 1,090,050	91.3% 1,006,900	69.2% 763,500

