Total vegetation cover soil protection **Region:NRM East Gippsland VIC**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: October 2005



Vegetation Cover Oct 2005


Proportion of each land class in area






Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]









% Area protected from wind erosion (>50%)



























Conservation and natural environments


72.4% Land use and forest cover 60 · Catchment Scale 50 Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-Derived from 2 Conservation and natural environments - Woodland 40 Catchment Scale Land Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest 30 of Australia (2018) 23.2% 20 10 -4.4% 3








Land use class

Proportion of each land class in area

























Conservation and natural environments timeseries






Wind erosion historical monthly area protected (Total Veg Cov >50%)









Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) 1 Conservation and natural environments - Nonforest of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

80 - 89.3% 89.3% 60.0% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class
























Conservation and natural environments non forest timeseries









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Australia (2018) Of Australia (2018) Of Australia (2018) Of Australia (2018)


Total Vegetation Cover [%] Typertoolo Stelentoolo Stelentoolo

Proportion of vegetation cover class in area 100 - 99.6% 80 - 99.6% 40 - 20 - 0.0% 0.1% 0.3% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 0.4% of region (582 ha) Area protected 99.6% of region (144,992 ha)





































Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Of Australia (2018)




Proportion of vegetation cover class in area 100 - 100.0% 80 - 40 - 40 - 20 - 0.0% 0-30% 31%-50% 51%-70% Total Vegetation Cover class






































Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Agriculture - Grazing - Non forest and Grazing - Non-woodland forest and Grazing - Non-woodland forest and Grazing - Non-woodland forest and Agriculture - Grazing - Non-woodland forest a Agriculture - Grazing - Non-woodland forest a Agriculture - Cropping - Non-irrigated a Agriculture - Horticulture - Non-irrigated

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Agriculture timeseries






month









Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Australia (2018) Australia (2018)

Proportion of each land class in area




Proportion of vegetation cover class in area






% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Grazing timeseries






month









Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing non forest timeseries









Grazing Woodland forest

Land use and forest cover




Total Vegetation Cover [%] Typic Indolo Typic Indol Typic


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















Grazing Woodland forest timeseries






month









Grazing - Forest (non woodland)

Land use and forest cover




Total Vegetation Cover [%] Type Total Vegetation Cover [%] Type Total Vegetation Cover [%] Type Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.






























Production native forests and plantation forests

Land use and forest cover




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)

Total Vegetation Cover class



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Production native forests and plantation forests timeseries







East Gippsland (2,066,625 ha and no data 33,088 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,066,625	100.0% 2,066,299	100.0% 2,065,599	99.8% 2,061,597	98.4% 2,034,432	81.4% 1,682,536	58.5% 1,209,923
Conservation and natural environments	626,950	100.0% 626,700	99.9% 626,125	99.6% 624,725	97.3% 609,925	76.9% 482,225	53.8% 337,325
Conservation and natural environments non forest	12,875	98.4% 12,675	95.3% 12,275	89.3% 11,500	80.6% 10,375	52.6% 6,775	23.7% 3,050
Conservation and natural environments Woodland forest	145,575	100.0% 145,550	99.9% 145,375	99.6% 144,950	95.2% 138,600	59.4% 86,500	34.4% 50,025
Conservation and natural environments Forest (non woodland)	468,500	100.0% 468,475	100.0% 468,475	100.0% 468,275	98.4% 460,950	83.0% 388,950	60.7% 284,250
Agriculture	306,300	100.0% 306,300	100.0% 306,300	99.7% 305,525	98.0% 300,250	56.7% 173,725	18.8% 57,675
Grazing	302,325	100.0% 302,325	100.0% 302,325	99.8% 301,800	98.4% 297,400	57.2% 173,025	19.0% 57,450
Grazing non forest	231,200	100.0% 231,200	100.0% 231,200	99.8% 230,700	98.2% 227,025	52.8% 122,050	14.3% 33,075
Grazing Woodland forest	24,400	100.0% 24,400	100.0% 24,400	99.9% 24,375	98.2% 23,950	60.3% 14,725	22.3% 5,450
Grazing - Forest (non woodland)	46,725	100.0% 46,725	100.0% 46,725	100.0% 46,725	99.4% 46,425	77.6% 36,250	40.5% 18,925
Production native forests and plantation forests	1,102,650	100.0% 1,102,650	100.0% 1,102,600	99.9% 1,101,275	99.3% 1,095,350	91.9% 1,013,525	73.5% 810,250











