Total vegetation cover soil protection **Region:NRM East Gippsland VIC**

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3













Date: January 2011



Vegetation Cover Jan 2011

Proportion of each land class in area







Total Vegetation Cover [%]





Proportion of vegetation cover class in area






% Area protected from wind erosion (>50%)


























_

Conservation and natural environments


72.4% Land use and forest cover 60 · Catchment Scale 50 Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-Derived from 2 Conservation and natural environments - Woodland 40 Catchment Scale Land Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest 30 of Australia (2018) 23.2% 20 10 -4.4% 3


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]





Land use class

Proportion of each land class in area
























Conservation and natural environments timeseries








Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]

80 - 88.7% 60 - 80 - 20 - 20 - 3.8% 0-30% 31%-50% Total Vegetation Cover class in area 88.7% 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 11.3% of region (1,500 ha) Area protected 88.7% of region (11,774 ha)





















Conservation and natural environments non forest timeseries







Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Typertoele Stelentoele Stelentoele Stelentoele Stelentoele Stelentoele Stelentoele Stelentoele

Proportion of vegetation cover class in area 100 - 99.6% 80 - 40 - 40 - 20 - 0.1% 0.0% 0.3% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 0.4% of region (582 ha) Area protected 99.6% of region (145,117 ha)































Conservation and natural environments Forest (non woodland)


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Of Australia (2018)




Proportion of vegetation cover class in area 100 - 100.0% 80 - 20 - 20 - 20 - 0.0% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class
































Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Agriculture - Grazing - Non forest and Use of Australia (2018) Agriculture - Grazing - Non-woodland forest Agriculture - Grazing - Non-woodland forest Agriculture - Grazing - Non-woodland forest Agriculture - Cropping - Non-irrigated Agriculture - Horticulture - Non-irrigated

Proportion of each land class in area












% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Agriculture timeseries









Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Or Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest The provided HTML of the provided HT

Proportion of each land class in area




Proportion of vegetation cover class in area







% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing timeseries









Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















Grazing non forest timeseries









Grazing Woodland forest

Land use and forest cover




Total Vegetation Cover [%] Typic Indolo Typic Indol Typic


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing Woodland forest timeseries









Grazing - Forest (non woodland)

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.























Production native forests and plantation forests

Land use and forest cover



Total Vegetation Cover [%] The land of the state of the


100 - 99.9% 80 - 99.9% 40 - 20 -

31%-50%

0-30%


Proportion of vegetation cover class in area

% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)


Total Vegetation Cover class




51%-70%

71%-100%

Total Vegetation Cover Anomaly [%]




















Production native forests and plantation forests timeseries







East Gippsland (2,066,575 ha and no data 33,138 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,066,575	100.0% 2,066,400	100.0% 2,065,700	99.7% 2,061,125	98.9% 2,044,752	85.9% 1,774,506	54.4% 1,124,827
Conservation and natural environments	627,650	100.0% 627,500	99.9% 626,950	99.7% 625,575	98.9% 620,500	85.3% 535,600	51.6% 323,900
Conservation and natural environments non forest	13,275	98.9% 13,125	95.1% 12,625	88.7% 11,775	75.1% 9,975	46.1% 6,125	13.4% 1,775
Conservation and natural environments Woodland forest	145,700	100.0% 145,700	100.0% 145,650	99.6% 145,150	98.0% 142,850	75.8% 110,375	35.0% 51,025
Conservation and natural environments Forest (non woodland)	468,675	100.0% 468,675	100.0% 468,675	100.0% 468,650	99.8% 467,675	89.4% 419,100	57.8% 271,100
Agriculture	306,350	100.0% 306,350	100.0% 306,350	99.5% 304,850	97.0% 297,250	60.0% 183,725	15.0% 45,850
Grazing	302,375	100.0% 302,375	100.0% 302,375	99.7% 301,375	97.4% 294,625	60.6% 183,125	15.2% 45,825
Grazing non forest	231,175	100.0% 231,175	100.0% 231,175	99.6% 230,175	96.7% 223,575	56.3% 130,200	11.8% 27,300
Grazing Woodland forest	24,425	100.0% 24,425	100.0% 24,425	100.0% 24,425	99.9% 24,400	64.0% 15,625	18.4% 4,500
Grazing - Forest (non woodland)	46,775	100.0% 46,775	100.0% 46,775	100.0% 46,775	99.7% 46,650	79.7% 37,300	30.0% 14,025
Production native forests and plantation forests	1,102,850	100.0% 1,102,850	100.0% 1,102,825	99.9% 1,101,650	99.7% 1,099,250	94.5% 1,041,825	68.2% 752,050











