Total vegetation cover soil protection Region:NRM East Gippsland VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
 - 51-70% Moderate cover protected from wind erosion
 - 31-50% Low cover not protected
 - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3












Date: October 2013




Vegetation Cover Oct 2013

100

Proportion of each land class in area







Total Vegetation Cover [%]





Proportion of vegetation cover class in area






% Area protected from wind erosion (>50%)



























Conservation and natural environments


72.4% Land use and forest cover 60 · Catchment Scale 50 Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Non-Derived from 2 Conservation and natural environments - Woodland 40 Catchment Scale Land Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest 30 of Australia (2018) 23.2% 20 10 -4.4% 3








Land use class

Proportion of each land class in area

























Conservation and natural environments timeseries





Wind erosion historical monthly area protected (Total Veg Cov >50%)






Conservation and natural environments non forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%] Trole-toole Tro

80 - 89.5% 80 - 60 - 60 - 20 - 6.6% 0 - 30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 10.5% of region (1,344 ha) Area protected 89.5% of region (11,456 ha)






















Conservation and natural environments non forest timeseries









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)






Conservation and natural environments Woodland forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) Australia (2018) Of Australia (2018) Of Australia (2018) Of Australia (2018)


Total Vegetation Cover [%] Typertoolo Stelentoolo Stelentoolo

Proportion of vegetation cover class in area 100 - 99.6% 80 - 99.6% 40 - 20 - 0.0% 0.1% 0.3% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

% Area protected from water erosion (>70%) Area not protected 0.4% of region (583 ha) Area protected 99.6% of region (145,216 ha)




























Wind erosion historical monthly area protected (Total Veg Cov >50%)










Conservation and natural environments Forest (non woodland)

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




Proportion of vegetation cover class in area 100 - 99.9% 80 - 99.9% 40 - 20 - 0.0% 0.0% 0.1% Total Vegetation Cover class 71%-100% Total Vegetation Cover class





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.
























month









Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Grazing - Non-woodland forest 5 Agriculture - Horticulture - Non-irrigated 5 Agriculture - Horticulture - Non-irrigated

Proportion of each land class in area












% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Agriculture timeseries









Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Australia (2018) Australia (2018)

Proportion of each land class in area












% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing timeseries









Grazing non forest

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.
















Grazing non forest timeseries









Grazing Woodland forest

Land use and forest cover




Total Vegetation Cover [%]


Proportion of vegetation cover class in area



% Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]

Anomaly show howmany percetage points each - 20 pixel is from the mean. That - 10 is, red pixels are about 20% lower than the - 0 mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019. -10

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseling. the map using baseline from 2001 to 2019.


















Grazing Woodland forest timeseries









Grazing - Forest (non woodland)

Land use and forest cover




Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


Proportion of vegetation cover class in area




% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





























Production native forests and plantation forests

Land use and forest cover




Total Vegetation Cover [%] Typertoolo Stoler Toolo Stol

Proportion of vegetation cover class in area 100 - 99.9% 80 - 60 - 99.9% 40 - 20 - 0.0% 0.0% 0.0% 0.1%

31%-50%


0-30%

% Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)


Total Vegetation Cover class




51%-70%

71%-100%

Total Vegetation Cover Anomaly [%]




















Production native forests and plantation forests timeseries







East Gippsland (2,066,625 ha and no data 33,088 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,066,625	100.0% 2,066,424	100.0% 2,065,824	99.8% 2,061,597	99.1% 2,048,642	88.6% 1,831,156	63.5% 1,313,049
Conservation and natural environments	627,400	100.0% 627,275	99.9% 626,750	99.6% 625,050	98.7% 619,350	87.8% 550,575	58.5% 366,750
Conservation and natural environments non forest	12,800	99.0% 12,675	96.1% 12,300	89.5% 11,450	79.3% 10,150	49.8% 6,375	17.8% 2,275
Conservation and natural environments Woodland forest	145,800	100.0% 145,800	99.9% 145,650	99.6% 145,150	98.0% 142,825	77.0% 112,225	39.6% 57,725
Conservation and natural environments Forest (non woodland)	468,800	100.0% 468,800	100.0% 468,800	99.9% 468,450	99.5% 466,375	92.1% 431,975	65.4% 306,750
Agriculture	306,075	100.0% 306,050	100.0% 306,050	99.7% 305,100	98.3% 300,875	64.0% 195,800	21.2% 64,875
Grazing	302,100	100.0% 302,075	100.0% 302,075	99.8% 301,550	98.7% 298,225	64.5% 194,750	21.4% 64,675
Grazing non forest	230,975	100.0% 230,950	100.0% 230,950	99.8% 230,425	98.3% 227,125	58.6% 135,400	16.9% 39,100
Grazing Woodland forest	24,400	100.0% 24,400	100.0% 24,400	100.0% 24,400	100.0% 24,400	77.8% 18,975	25.9% 6,325
Grazing - Forest (non woodland)	46,725	100.0% 46,725	100.0% 46,725	100.0% 46,725	99.9% 46,700	86.4% 40,375	41.2% 19,250
Production native forests and plantation forests	1,102,600	100.0% 1,102,600	100.0% 1,102,600	99.9% 1,101,600	99.8% 1,100,050	97.2% 1,072,225	79.6% 877,325











