Total vegetation cover soil protection Region:NRM East Gippsland VIC

Date: June 2014

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
 - Map: anomaly comparing this month to the average cover from the same month in previous years.
 - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

Erosion protection

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

Acknowledgment of data:


- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3





Vegetation Cover Jun 2014

Proportion of each land class in area




% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]










Conservation and natural environments





Proportion of each land class in area

% Area protected from water erosion (>70%)




Total Vegetation Cover class






Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage -points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




100-98 ---- above_70 **——** 10th **——** 50th 96 **——** 2014 Jun 94 92 Par 4er May In PQ 1st Mar month TERN CSIRC Australian Government


Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)






Conservation and natural environments non forest







% Area protected from water erosion (>70%)





Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]









Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)





9






Conservation and natural environments Woodland forest







% Area protected from water erosion (>70%)









Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)







Water erosion historical monthly area protected (Total Veg Cov>70%)




Conservation and natural environments Forest (non woodland)







% Area protected from water erosion (>70%)



Proportion of vegetation cover class in area


% Area protected from wind erosion (>50%)






Total Vegetation Cover Anomaly [%]

Anomaly show how-many percetage -points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]







Conservation and natural environments Forest (non woodland) timeseries



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)










100 99 98 ---- above_70 **——** 10th **——** 50th 97 **——** 2014 Jun 96 95[.] 94 Jan feb way In PQ 1/2/ Mar month ERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)







Agriculture




Proportion of each land class in area

% Area protected from water erosion (>70%)






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)

100.0-99.5 99.0 ---- above_70 **—** 10th 98.5 **——** 50th **——** 2014 Jun 98.0 97.5 97.0 96.5 feb Par May In Mar PQ month ERN CSIRO Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)











Grazing




Proportion of each land class in area

]_____






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)


Water erosion historical monthly area protected (Total Veg Cov>70%)









Grazing non forest







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




100.0 99.5 99.0 --- above_70 **—** 10th **——** 50th 98.5 **——** 2014 Jun 98.0 97.5 97.0 96.5 feb lar In May Mar PQ month ERN CSIRO Australian Government




Water erosion historical monthly area protected (Total Veg Cov>70%)






Grazing Woodland forest







% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area






Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]












Water erosion historical monthly area protected (Total Veg Cov>70%)







Grazing - Forest (non woodland)






% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


Total Vegetation Cover Decile [%]








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)







Production native forests and plantation forests




120/07200 **Total Vegetation Cover [%]** 52%70 32%50% 0.30%

% Area protected from water erosion (>70%)






Proportion of vegetation cover class in area




Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline the map using baseline from 2001 to 2019.

Total Vegetation Cover Decile [%]









Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)







East Gippsland (2,062,725 ha and no data 36,988 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,062,725	99.9% 2,059,864	99.7% 2,056,979	98.6% 2,034,798	95.8% 1,975,382	78.7% 1,623,528	50.1% 1,033,557
Conservation and natural environments	624,400	99.8% 623,225	99.4% 620,725	96.9% 604,925	91.3% 570,250	73.5% 458,675	45.4% 283,425
Conservation and natural environments non forest	13,025	98.5% 12,825	96.5% 12,575	88.5% 11,525	78.7% 10,250	49.1% 6,400	22.8% 2,975
Conservation and natural environments Woodland forest	144,775	99.9% 144,625	99.8% 144,500	99.1% 143,400	96.2% 139,325	80.4% 116,350	51.4% 74,475
Conservation and natural environments Forest (non woodland)	466,600	99.8% 465,775	99.4% 463,650	96.4% 450,000	90.2% 420,675	72.0% 335,925	44.1% 205,975
Agriculture	306,450	100.0% 306,450	100.0% 306,400	99.7% 305,425	97.4% 298,375	60.4% 185,000	25.2% 77,100
Grazing	302,475	100.0% 302,475	100.0% 302,425	99.7% 301,450	97.5% 294,950	60.7% 183,650	25.3% 76,650
Grazing non forest	231,300	100.0% 231,300	100.0% 231,250	99.6% 230,425	97.4% 225,275	54.8% 126,700	18.1% 41,800
Grazing Woodland forest	24,425	100.0% 24,425	100.0% 24,425	99.9% 24,400	97.4% 23,800	77.4% 18,900	46.4% 11,325
Grazing - Forest (non woodland)	46,750	100.0% 46,750	100.0% 46,750	99.7% 46,625	98.1% 45,875	81.4% 38,050	50.3% 23,525
Production native forests and plantation forests	1,094,600	99.8% 1,092,925	99.8% 1,092,675	99.4% 1,087,800	97.9% 1,071,650	87.7% 959,850	60.5% 662,650

