### Total vegetation cover soil protection Region:NRM East Gippsland VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

**Date: October 2024** 

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Oct 2024**


### Proportion of each land class in area







# Total Vegetation Cover [%] Typic toolo Typ








### % Area protected from wind erosion (>50%)






Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

















### **Conservation and natural environments**


### 72.4% Land use and forest cover 60 · Catchment Scale 50 Land Use and Forests of Australia (2018) 1 Conservation and natural environments - Nonforest Derived from 2 Conservation and natural environments - Woodland forest 40 -Catchment Scale Land Use of Australia (2018) and Forests 3 Conservation and natural environments - Non-woodland forest 30 of Australia (2018) 23.2% 20 10 4.4% 1.5 0.5 2.0 -0.50.0 1.0 Land use class







Proportion of each land class in area







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














### **Conservation and natural environments timeseries**








### **Conservation and natural environments non forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


# 80 - 88.6% 80 - 80 - 88.6% 20 - 20 - 8.4% 20 - 0.7% 2.3% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

## % Area protected from water erosion (>70%) Area not protected 11.4% of region (1,499 ha) Area protected 88.6% of region (11,651 ha)





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.














### **Conservation and natural environments non forest timeseries**














### Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Conservation and natural environments Woodland forest**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018)




# Proportion of vegetation cover class in area 100 - 99.7% 80 - 99.7% 40 - 20 - 0.1% 0.0% 0.2% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





























### **Conservation and natural environments Forest (non woodland)**


## Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Australia (2018)

# Total Vegetation Cover [%] Type Total Vegetation Cover [%]










Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




























### **Agriculture**


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Use of Australia (2018) and Forests of Australia (2018) Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest 4 Agriculture - Cropping - Non-irrigated 5 Agriculture - Horticulture - Non-irrigated

### Proportion of each land class in area




### Proportion of vegetation cover class in area







### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












### **Agriculture timeseries**









### Grazing


# Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018) Australia (2018) Australia (2018)

### Proportion of each land class in area




### Proportion of vegetation cover class in area






### % Area protected from water erosion (>70%)



% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












### **Grazing timeseries**









### **Grazing non forest**

### Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


### Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












### **Grazing non forest timeseries**









### **Grazing Woodland forest**

### Land use and forest cover




# Total Vegetation Cover [%] Typic Indolo Typic Indol Typ


### Proportion of vegetation cover class in area




### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Grazing Woodland forest timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)









### **Grazing - Forest (non woodland)**

### Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


### **Proportion of vegetation cover class in area**




### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.



















### **Production native forests and plantation forests**

### Land use and forest cover




# Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%] Total Vegetation Cover [%]


### **Proportion of vegetation cover class in area**




### % Area protected from water erosion (>70%)



### % Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.













### **Production native forests and plantation forests timeseries**






Wind erosion historical monthly area protected (Total Veg Cov >50%)







### East Gippsland (2,067,075 ha and no data 32,638 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,067,075	100.0% 2,066,875	100.0% 2,066,200	99.7% 2,061,450	99.2% 2,051,125	92.3% 1,907,725	69.5% 1,436,550
Conservation and natural environments	627,925	100.0% 627,800	99.9% 627,450	99.7% 625,975	99.2% 623,075	92.7% 582,025	65.7% 412,550
Conservation and natural environments non forest	13,150	99.2% 13,050	97.0% 12,750	88.6% 11,650	80.0% 10,525	55.9% 7,350	31.6% 4,150
Conservation and natural environments Woodland forest	146,075	100.0% 146,050	99.9% 146,000	99.7% 145,700	99.0% 144,650	88.3% 129,050	50.7% 74,025
Conservation and natural environments Forest (non woodland)	468,700	100.0% 468,700	100.0% 468,700	100.0% 468,625	99.8% 467,900	95.1% 445,625	71.3% 334,375
Agriculture	306,425	100.0% 306,425	100.0% 306,400	99.5% 304,825	97.9% 300,100	74.9% 229,525	32.5% 99,550
Grazing	302,450	100.0% 302,450	100.0% 302,425	99.7% 301,525	98.4% 297,625	75.5% 228,375	32.8% 99,225
Grazing non forest	231,200	100.0% 231,200	100.0% 231,175	99.6% 230,275	97.9% 226,450	70.9% 163,825	26.4% 61,000
Grazing Woodland forest	24,425	100.0% 24,425	100.0% 24,425	100.0% 24,425	100.0% 24,425	88.9% 21,725	47.1% 11,500
Grazing - Forest (non woodland)	46,825	100.0% 46,825	100.0% 46,825	100.0% 46,825	99.8% 46,750	91.5% 42,825	57.1% 26,725
Production native forests and plantation forests	1,102,600	100.0% 1,102,600	100.0% 1,102,550	99.9% 1,101,350	99.8% 1,100,175	97.8% 1,078,800	83.2% 917,900







