### Total vegetation cover soil protection Region:NRM Glenelg Hopkins VIC

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps.

Land use forest cover:

Date: April 2025

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest cover class that covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

- 71-100% High cover protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)
  - 51-70% Moderate cover protected from wind erosion
  - 31-50% Low cover not protected
  - 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares.

Comparison with previous years:

- Map: anomaly comparing this month to the average cover from the same month in previous years.
- Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data.

Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### **Acknowledgment of data:**

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3











### **Vegetation Cover Apr 2025**


### Land use and forest cover




### Proportion of each land class in area




### Total Vegetation Cover [%]




Proportion of vegetation cover class in area







% Area protected from wind erosion (>50%)



### Total Vegetation Cover Anomaly [%]



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


















\_

### **Conservation and natural environments**







Australian Government


Programme

**Ecosystem Research Infrastructure** 

### **Conservation and natural environments timeseries**









### **Conservation and natural environments non forest**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)















### **Conservation and natural environments non forest timeseries**







### Wind erosion historical monthly area protected (Total Veg Cov >50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



### Water erosion historical monthly area protected (Total Veg Cov>70%)







### **Conservation and natural environments Woodland forest**

### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale land Use of Australia (2018) (2018) and Forests of Australia (2018)

## Total Vegetation Cover [%]







Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

# 80 - 84.4% 80 - 84.4% 80 - 850

### % Area protected from wind erosion (>50%)
















### **Conservation and natural environments Woodland forest timeseries**









### **Conservation and natural environments Forest (non woodland)**


### Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale use of Australia (2018) and Forests of Australia (2018)


## Total Vegetation Cover [%]






### Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


























### **Agriculture**



### 80 - 86.3% 60 - (%) By 40 - 11.1% 1.5% 1.0%


Proportion of each land class in area

### Total Vegetation Cover [%]




Proportion of vegetation cover class in area


Land use class




### % Area protected from water erosion (>70%)




% Area protected from wind erosion (>50%)



### **Total Vegetation Cover Anomaly [%]**



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















### **Agriculture timeseries**










### **Grazing**



### **Grazing timeseries**









### **Grazing non forest**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)
















### **Grazing non forest timeseries**









### **Grazing Woodland forest**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### **Total Vegetation Cover Anomaly [%]**





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### **Proportion of vegetation cover class in area**



### % Area protected from wind erosion (>50%)
















### **Grazing Woodland forest timeseries**









### **Cropping**


### Land use and forest cover




### **Total Vegetation Cover [%]**



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)


















### **Cropping timeseries**













### **Production native forests and plantation forests**


### Land use and forest cover




### Total Vegetation Cover [%]



### % Area protected from water erosion (>70%)




### Total Vegetation Cover Anomaly [%]





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

### Proportion of vegetation cover class in area



### % Area protected from wind erosion (>50%)
















### **Production native forests and plantation forests timeseries**







### Glenelg Hopkins (2,592,375 ha and no data 80,806 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	2,592,375	99.4% 2,575,825	97.2% 2,519,000	82.3% 2,134,075	59.8% 1,549,025	27.2% 705,450	11.2% 290,900
Conservation and natural environments	252,225	99.6% 251,175	98.0% 247,250	83.7% 211,000	64.9% 163,775	38.1% 96,075	16.0% 40,325
Conservation and natural environments non forest	26,850	96.9% 26,025	91.9% 24,675	75.1% 20,175	52.8% 14,175	24.4% 6,550	12.0% 3,225
Conservation and natural environments Woodland forest	152,575	99.9% 152,400	98.7% 150,525	84.4% 128,800	66.4% 101,300	38.7% 58,975	14.8% 22,600
Conservation and natural environments Forest (non woodland)	72,800	99.9% 72,750	99.0% 72,050	85.2% 62,025	66.3% 48,300	42.0% 30,550	19.9% 14,500
Agriculture	1,845,825	99.2% 1,830,975	96.5% 1,781,700	78.8% 1,454,000	52.1% 961,925	18.5% 341,050	7.2% 133,150
Grazing	1,636,150	99.3% 1,624,075	97.0% 1,587,650	82.0% 1,342,050	55.7% 910,550	20.0% 327,675	7.8% 128,000
Grazing non forest	1,587,775	99.2% 1,575,800	97.0% 1,539,575	81.6% 1,295,775	54.8% 869,600	19.1% 302,775	7.4% 118,275
Grazing Woodland forest	28,950	99.8% 28,900	99.6% 28,825	95.4% 27,625	85.5% 24,750	55.4% 16,025	21.2% 6,125
Cropping	208,025	98.7% 205,400	92.7% 192,800	53.4% 111,125	24.5% 50,875	6.4% 13,350	2.5% 5,150
Production native forests and plantation forests	422,475	99.9% 422,000	99.3% 419,600	96.7% 408,400	89.4% 377,575	58.9% 249,000	26.2% 110,800







