### Total vegetation cover soil protection Region:NRM Mallee VIC

# Date: June 2010

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover – protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



## **Vegetation Cover Jun 2010**

Land use and forest cover

Proportion of each land class in area




12%100

52°10'10°1


32%50%


0.30%

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




Area not protected 5.0% of region (194,930

**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

of Australia (2018)

Derived from


Use of Australia

(2018) and Forests

of Australia (2018)

Land Use and Forests

Catchment Scale Land




#### **Conservation and natural environments**


forest

forest


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)







1 Conservation and natural environments - Non-

3 Conservation and natural environments - Non-woodland forest


2 Conservation and natural environments - Woodland









#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




year

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

### **Conservation and natural environments non forest**

Land use and forest cover



1 Conservation and natural environments - Nonforest

1200,100


52% TON

500'


32010-

0.30%


**Total Vegetation Cover [%]** 









Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018) Derived from


Use of Australia (2018) and Forests of Australia (2018)

Catchment Scale Land




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




### **Conservation and natural environments Woodland forest**

Land use and forest cover








**Total Vegetation Cover [%]** 














Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Water erosion historical monthly area protected (Total Veg Cov>70%)




9

### Agriculture


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)











#### Proportion of each land class in area


Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



### **Agriculture timeseries**




Water erosion historical monthly area protected (Total Veg Cov>70%)




#### Grazing

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




Land use and forest cover

**Total Vegetation Cover [%]** 







1 Agriculture - Grazing - Non forest 2 Agriculture - Grazing - Woodland forest 3 Agriculture - Grazing - Non-woodland forest

12%100


52% TON

500'


32010-

0.30%


#### Proportion of each land class in area




Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### Grazing timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)




Water erosion historical monthly area protected (Total Veg Cov>70%)




**\_\_\_** 2001 --- 2002 **---** 2003 **---** 2004 2005 **----** 2006 **---** 2007 2008 ---- 2009 ---- 2010 ---- 2011 2012 **—** 2013 2014 <mark>→</mark> 2015 **→** 2016 → 2017 → 2018 → 2019 AUG Sel 404 Dec OČ


#### **Grazing non forest**

Land use and forest cover





**Total Vegetation Cover [%]** 





% Area protected from water erosion (>70%)





13.1%

31%-50%

20

10

0


0.3%

0-30%

#### Proportion of vegetation cover class in area



Total Vegetation Cover class




51%-70%


71%-100%

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



### Grazing non forest timeseries




Water erosion historical monthly area protected (Total Veg Cov>70%)



### Cropping

Land use and forest cover



Catchment Scale Land Use and Forests of Australia (2018)

Derived from

Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from the mean. That is, red pixels are about 20%

lower than the

using baseline from 2001 to 2019.

is only for the month of the map

mean of that pixel. The mean 1 Agriculture - Cropping - Non-irrigated


12% 10%

· 52% 70%


32%50%

0.30%


**Total Vegetation Cover [%]** 













% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



### **Cropping timeseries**

Water erosion historical monthly area protected (Total Veg Cov>70%)




#### Irrigation


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

1 Agriculture - Grazing - Irrigated 2 Agriculture - Cropping - Irrigated 3 Agriculture - Horticulture - Irrigated


Land use and forest cover


**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)






Proportion of each land class in area


Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



### Irrigation timeseries


Wind erosion historical monthly area protected (Total Veg Cov >50%)



Water erosion historical monthly area protected (Total Veg Cov>70%)

AUG

Sel



**\_\_\_** 2001 --- 2002 **---** 2003 **---** 2004 \_\_\_\_ 2005 **----** 2006 **---** 2007 2008 ---- 2009 - 2010 --- 2011 2012 **—** 2013 --- 2014 <mark>→</mark> 2015 **→** 2016 <del>---</del> 2017 → 2018 → 2019


404

OČ


Dec


#### **Production native forests and plantation forests**

Land use and forest cover




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)








#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale


of Australia (2018) Derived from

Use of Australia (2018) and Forests of Australia (2018)



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)






Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-90 80-70-60 50-40-30 20-Jan feb way In DQ1 Mai 1/2/ month TERN 18000 -CSIRO Australian Government



Water erosion historical monthly area protected (Total Veg Cov>70%)





# Mallee (3,898,600 ha and no data 29,192 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	3,898,600	99.8% 3,891,391	95.2% 3,712,980	56.2% 2,189,451	27.3% 1,065,868	3.0% 117,018	0.5% 19,958
Conservation and natural environments	1,393,100	99.9% 1,391,850	98.8% 1,377,075	88.0% 1,225,450	56.8% 791,475	5.9% 82,500	0.9% 12,625
Conservation and natural environments non forest	340,375	99.7% 339,400	96.9% 329,725	70.0% 238,100	37.3% 126,975	8.4% 28,425	2.5% 8,600
Conservation and natural environments Woodland forest	1,039,750	100.0% 1,039,475	99.5% 1,034,375	93.7% 974,700	63.0% 655,425	5.1% 53,425	0.4% 3,975
Agriculture	2,185,800	99.8% 2,180,725	92.5% 2,022,550	32.4% 707,900	5.5% 119,875	0.5% 10,050	0.1% 3,000
Grazing	150,875	99.7% 150,375	87.0% 131,200	30.5% 45,950	8.3% 12,475	0.6% 975	0.1% 125
Grazing non forest	145,950	99.7% 145,500	86.6% 126,350	29.0% 42,275	7.3% 10,600	0.6% 875	0.1% 125
Cropping	1,872,675	99.8% 1,868,500	93.1% 1,743,050	31.5% 590,650	5.0% 93,375	0.5% 8,550	0.1% 2,700
Irrigation	157,875	99.8% 157,525	92.0% 145,250	44.4% 70,125	8.6% 13,575	0.3% 500	0.1% 150
Production native forests and plantation forests	288,100	100.0% 288,025	99.1% 285,500	84.1% 242,425	51.8% 149,125	7.2% 20,600	0.9% 2,575





