## Total vegetation cover soil protection Region:NRM Mallee VIC

Date: May 2023

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

- Map: water erosion protection (>70% cover) percentage area and hectares.
- Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:
  - Map: anomaly comparing this month to the average cover from the same month in previous years.
  - Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

#### **Erosion protection**

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

#### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:


https://doi.org/10.4225/08/5848a3f19a7b3



# **Vegetation Cover May 2023**

Land use and forest cover

Proportion of each land class in area




120/07200

52°10'10°1


32%50%


0.30%

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)






#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




Area not protected 3.0% of region (117,526

**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale

of Australia (2018)

Derived from


Use of Australia


(2018) and Forests

of Australia (2018)

Land Use and Forests

Catchment Scale Land





#### **Conservation and natural environments**

forest

woodland forest

1 Conservation and natural environments - Non-forest

3 Conservation and natural environments - Non-

1200,1000,

52%70%


32005001

0.30%


2 Conservation and natural environments - Woodland

Land use and forest cover


Proportion of each land class in area



Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Catchment Scale


**Total Vegetation Cover [%]** 



% Area protected from water erosion (>70%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




2



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)




Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

100-90 80 70-60 50 40 30 4eb Jan In May Mai PQ1 month tern Ecosystem Research Infrastructure Australian Government





### **Conservation and natural environments non forest**

Land use and forest cover





**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)








Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each pixel is from the mean That

the mean. That


is, red pixels are about 20% lower than the

mean of that pixel. The mean

using baseline from 2001 to 2019.


is only for the month of the map

**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 






Ø






Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)









#### **Conservation and natural environments Woodland forest**

Land use and forest cover








**Total Vegetation Cover [%]** 














Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.


**Total Vegetation Cover Decile [%]** 









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



### Agriculture

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Anomaly show how many percetage points each

pixel is from

is, red pixels

mean of that


pixel. The mean

using baseline from 2001 to 2019.

is only for the month of the map


are about 20% lower than the

the mean. That





Land use and forest cover


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)









#### Proportion of each land class in area



#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




protected

96.0% of

(2,098,536


region

**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






10




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### **Agriculture timeseries**




Water erosion historical monthly area protected (Total Veg Cov>70%)

### Grazing


Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)




**Total Vegetation Cover [%]** 











Proportion of each land class in area

Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

- 20 - 10 0 -10-20

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 





12%-200

52% 70%


32%5001

0.30%

Anomaly show how many percetage points each pixel is from the mean. That are about 20% lower than the pixel. The mean is only for the month of the map using baseline from 2001 to 2019.


is, red pixels

mean of that




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




### Grazing timeseries

Wind erosion historical monthly area protected (Total Veg Cov >50%)





### **Grazing non forest**

Land use and forest cover




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the man using baseline the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



### Grazing non forest timeseries

80-60-40 20-0 -4eb lar May In In In Mai Þ6, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)









#### Cropping

Land use and forest cover





1 Agriculture - Cropping - Non-irrigated

**Total Vegetation Cover [%]** 












#### Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.

Catchment Scale Land Use and Forests of Australia (2018)

Derived from




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



### **Cropping timeseries**

100 { 80-60 40-20-0-4eb mat In In In Sal Wai 26, month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)










### Irrigation

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





**Total Vegetation Cover [%]** 






% Area protected from water erosion (>70%)





#### Proportion of each land class in area

Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 


Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.




**Total Vegetation Cover Decile [%]** 











Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





### Irrigation timeseries



Wind erosion historical monthly area protected (Total Veg Cov >50%)


### **Production native forests and plantation forests**

Land use and forest cover


Catchment Scale Land Use and Forests of Australia (2018)


Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

Derived from




**Total Vegetation Cover [%]** 







% Area protected from water erosion (>70%)








% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. **Total Vegetation Cover Decile [%]** 








20




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)

100-90 80-70-60 50-40 30-20lar 4eb way In 1<sup>1</sup>1 Mai PQ1 month tern Ecosystem Research Infrastructure Australian Government

Wind erosion historical monthly area protected (Total Veg Cov >50%)



# Mallee (3,917,550 ha and no data 10,242 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	3,917,550	99.9% 3,914,225	97.4% 3,816,400	64.7% 2,534,650	33.0% 1,294,650	2.1% 80,825	0.7% 26,975
Conservation and natural environments	1,392,775	99.9% 1,391,875	99.6% 1,387,425	93.6% 1,303,200	60.5% 842,700	2.3% 32,000	0.8% 11,050
Conservation and natural environments non forest	340,000	99.7% 339,100	98.6% 335,125	82.2% 279,525	47.5% 161,600	6.6% 22,550	3.0% 10,175
Conservation and natural environments Woodland forest	1,039,800	100.0% 1,039,800	100.0% 1,039,325	97.3% 1,011,475	64.8% 673,675	0.8% 8,275	0.1% 600
Agriculture	2,185,975	99.9% 2,183,950	95.8% 2,094,725	42.9% 937,025	12.1% 264,300	1.8% 38,525	0.6% 12,275
Grazing	150,650	99.9% 150,425	94.6% 142,550	44.0% 66,250	14.5% 21,825	2.0% 3,000	0.5% 800
Grazing non forest	145,725	99.8% 145,500	94.5% 137,650	42.9% 62,500	13.9% 20,325	2.0% 2,975	0.5% 800
Cropping	1,872,500	99.9% 1,870,900	95.8% 1,792,925	40.4% 756,975	10.9% 204,600	1.8% 33,250	0.6% 10,750
Irrigation	158,450	99.9% 158,250	97.9% 155,200	70.2% 111,300	23.5% 37,275	1.4% 2,150	0.5% 725
Production native forests and plantation forests	288,100	100.0% 288,075	99.6% 287,000	92.6% 266,675	61.3% 176,525	2.2% 6,425	0.5% 1,450

