# Total vegetation cover soil protection Region:NRM West Gippsland VIC

# Date: January 2024

This report describes vegetation protecting the soil surface from erosion during a chosen month compared to previous years. This report has been generated using MODIS fractional vegetation cover information available in Rangelands and Pasture Productivity (RAPP) map tool https://map.geo-rapp.org/#australia. The report is based on 500 metre pixel data on monthly time steps. Land use forest cover:

Results can be shown for the whole region (polygon), and separated by land use and forest cover classes which are likely to show different cover patterns and targets. Land use is divided into four broad classes: Conservation and natural environments, Agriculture, production native forests and plantation forests (no report), and other (no report). Agriculture is divided into grazing, crops and horticulture which are sub-divided into non-irrigated and irrigated. If forest is present land use is further divided into: non-forest, woodland forest and non-woodland forest. The area of each land use and forest class are shown as a map and chart. The report content is repeated for each land use and forest covers at least 1% of the area of the chosen region. Total vegetation Cover:

The total vegetation cover indicates where soil is likely to be protected from wind and or water hillslope erosion. Total vegetation cover for this month is shown on a map and chart classified into 4 classes.

• 71-100% High cover - protected from wind and usually water erosion (high rainfall, steep slopes, and erodible soils may need greater than 80, 90, 95 and up to 100% cover)

- 51-70% Moderate cover protected from wind erosion
- 31-50% Low cover not protected
- 0-30% Very Low cover not protected

Erosion protection: Wind erosion 50% total vegetation cover

The vegetation cover threshold required to prevent soil erosion is usually 50% to reduce wind erosion, 70% or 80% to reduce water (hillslope) erosion depending on the steepness and rainfall. Areas protected from erosion for the month:

• Map: water erosion protection (>70% cover) percentage area and hectares.

• Map: wind erosion protection (>50% cover) percentage area and hectares. Comparison with previous years:

• Map: anomaly comparing this month to the average cover from the same month in previous years.

• Map: deciles rank of month against the same month in previous years.

Anomalies and deciles until September 2019 are calculated comparing to the same months 2001 to 2019. Extra monthly data will be used to calculate anomalies and deciles post September 2019 as they become available. Time series monthly from January 2001 to current:

**Erosion protection** 

- Wind erosion protection time series: percentage of the area of the region with greater than 50% cover for each month (orange lines). Horizontal lines are 10th (cover target) and 50th percentiles.
- Water erosion protection time series: percentage of the area of the region with greater than 70% cover for each month (blue line). Horizontal lines are 10th (cover target) and 50th percentiles.

### Rainfall

• Millimetres rainfall each month (black line).

Each time series is also stacked by year. The black line shows the current year of data. Water erosion protection for higher rainfall and steeper slopes:

Water erosion protection on higher slopes. As slope increases, more cover is required to control water erosion. The thresholds reported are:

- the percentage area with pixels greater than 80% total cover.
- the percentage area with pixels greater than 90% total cover.
- the percentage area with pixels greater than 95% total cover.

### Acknowledgment of data:

- 1. http://www.agriculture.gov.au/abares/aclump/land-use/alum-classification
- 2. http://www.agriculture.gov.au/abares/forestsaustralia/sofr/sofr-2018
- 3. https://www.dpi.nsw.gov.au/agriculture/pastures-and-rangelands/establishment-mgmt/production-management2/groundcover
- 4. MODIS Fractional cover algorithm:

https://doi.org/10.4225/08/5848a3f19a7b3



# **Vegetation Cover Jan 2024**

#### Land use and forest cover

#### Proportion of each land class in area



pixel is from

is, red pixels are about 20% lower than the


mean of that

pixel. The mean is only for the month of the map

using baseline from 2001 to

2019.

the mean. That




72%200%

· 52°10'70°10


320050010


0-30%

**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)







#### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 





Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.















### **Conservation and natural environments**

Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)





Land use and forest cover


**Total Vegetation Cover [%]** 




% Area protected from water erosion (>70%)














#### Proportion of vegetation cover class in area



#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 









Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map from 2001 to 2019.





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)



### **Conservation and natural environments timeseries**


Water erosion historical monthly area protected (Total Veg Cov>70%)


way


Ecosystem Research Infrastructure

In


Wind erosion historical monthly area protected (Total Veg Cov >50%)












### **Conservation and natural environments non forest**



Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from the mean. That


is, red pixels are about 20% lower than the


mean of that pixel. The mean

using baseline from 2001 to 2019.


**Total Vegetation Cover [%]** 


Land use and forest cover





% Area protected from water erosion (>70%)





80


60

0

2.0% 0.6% 0-30% 31%-50% 51%-70% 71%-100% Total Vegetation Cover class

8.0%


#### % Area protected from wind erosion (>50%)




Proportion of vegetation cover class in area

89.4%


**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.





**Total Vegetation Cover Decile [%]** 






8






Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




9

Water erosion historical monthly area protected (Total Veg Cov>70%)





### **Conservation and natural environments Woodland forest**



12%100%

5201070010

32010-50010

0.30%

Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)

pixel is from the mean. That

is, red pixels are about 20% lower than the


mean of that pixel. The mean

is only for the month of the map


using baseline from 2001 to 2019.

**Total Vegetation Cover [%]** 


Land use and forest cover




% Area protected from water erosion (>70%)









#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Water erosion historical monthly area protected (Total Veg Cov>70%)












### **Conservation and natural environments Forest (non woodland)**





Total Vegetation Cover [%]




% Area protected from water erosion (>70%)








### Proportion of vegetation cover class in area




#### % Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 

Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







### **Conservation and natural environments Forest (non woodland) timeseries**





Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)













### Agriculture


Land use and forest cover


Proportion of each land class in area







% Area protected from water erosion (>70%)










% Area protected from wind erosion (>50%)

**Total Vegetation Cover Anomaly [%]** 



pixel is from the mean. That


is, red pixels are about 20% lower than the

mean of that


pixel. The mean

from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.








Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Wind erosion historical monthly area protected (Total Veg Cov >50%)


100 99 ---- above\_70 **—** 10th **--** 50th 98 **——** 2024 Jan 97 96 feb Jan In May PQ Way month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)









### Grazing

12%200%

52°10°10°10


320050010

0.30%


Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Non forest Derived from 2 Agriculture - Grazing - Woodland forest Catchment Scale Land Use of Australia 3 Agriculture - Grazing - Non-woodland forest (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]

Land use and forest cover



% Area protected from water erosion (>70%)





#### Proportion of each land class in area

Proportion of vegetation cover class in area

1.0

Land use class

1.5


-0.5

0.0


0.5

2.0


2.5



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 




pixel is from the mean. That is, red pixels are about 20%


lower than the

mean of that


Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.







Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)





Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)


Wind erosion historical monthly area protected (Total Veg Cov >50%)

100 99 ---- above\_70 **—** 10th **--** 50th 98 **——** 2024 Jan 97 96 feb Jan In May PQ Way month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)








### **Grazing non forest**

12%100%


52°10°10°10

320050010


0.30%




Total Vegetation Cover [%]




% Area protected from water erosion (>70%)




Proportion of vegetation cover class in area




% Area protected from wind erosion (>50%)



Total Vegetation Cover Anomaly [%]




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019. Total Vegetation Cover Decile [%]







Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.



Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)








Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)




# Grazing - Forest (non woodland)

12%100%

· 52°10'10°10

3201050010

0.30%



Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


pixel is from the mean. That is, red pixels are about 20%

lower than the


mean of that

Total Vegetation Cover [%]


Land use and forest cover














% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 




Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.












Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)

Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)





Water erosion historical monthly area protected (Total Veg Cov>70%)




### Irrigation


Catchment Scale Land Use and Forests of Australia (2018) 1 Agriculture - Grazing - Irrigated Derived from 2 Agriculture - Cropping - Irrigated Catchment Scale Land 3 Agriculture - Horticulture - Irrigated Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]

Land use and forest cover

















Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)



**Total Vegetation Cover Anomaly [%]** 



pixel is from the mean. That


is, red pixels are about 20% lower than the


mean of that

pixel. The mean


using baseline from 2001 to 2019.

Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.










Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)




Wind erosion historical monthly area protected (Total Veg Cov >50%)

100.0-99.5 99.0 ---- above\_70 — 10th 98.5 **--** 50th **——** 2024 Jan 98.0 97.5 97.0 96.5 4eb May In 12r PQ' Way month tern Ecosystem Research Infrastructure Australian Government

Water erosion historical monthly area protected (Total Veg Cov>70%)






Australian Government

Programm


### **Production native forests and plantation forests**




Catchment Scale Land Use and Forests of Australia (2018) Derived from Catchment Scale Land Use of Australia (2018) and Forests of Australia (2018)


Total Vegetation Cover [%]


Land use and forest cover














Proportion of vegetation cover class in area



% Area protected from wind erosion (>50%)




**Total Vegetation Cover Anomaly [%]** 



Deciles show where the pixel value lies in the record, from highest to lowest, for that month. That is, red pixels are in the lowest 10% of records for that month of the map using baseline from 2001 to 2019.

**Total Vegetation Cover Decile [%]** 






Anomaly show how many percetage points each pixel is from the mean. That is, red pixels are about 20% lower than the mean of that pixel. The mean is only for the month of the map using baseline from 2001 to 2019.




### Production native forests and plantation forests timeseries




Proportion of the area protected from wind erosion (Total Vegetation Cover > 50%)


Proportion of the area protected from water erosion (Total Vegetation Cover > 70%)



Wind erosion historical monthly area protected (Total Veg Cov >50%)

Water erosion historical monthly area protected (Total Veg Cov>70%)





## West Gippsland (1,684,750 ha and no data 40,894 ha) Percentage area and hectares protected with TVC threshold 30,50,70,80,90 and 95%

Land use and forest cover Class	area(ha)	above_30	above_50	above_70	above_80	above_90	above_95
Entire region	1,684,750	100.0% 1,683,950	99.8% 1,681,425	98.8% 1,664,425	96.5% 1,625,700	69.0% 1,162,325	37.7% 635,450
Conservation and natural environments	273,275	99.9% 272,925	99.4% 271,750	97.4% 266,200	94.2% 257,475	82.4% 225,075	53.2% 145,325
Conservation and natural environments non forest	44,225	99.3% 43,925	97.3% 43,050	89.4% 39,525	75.8% 33,525	46.2% 20,425	21.8% 9,625
Conservation and natural environments Woodland forest	73,550	99.9% 73,500	99.7% 73,325	97.5% 71,675	95.0% 69,900	82.6% 60,750	48.8% 35,900
Conservation and natural environments Forest (non woodland)	155,500	100.0% 155,500	99.9% 155,375	99.7% 155,000	99.1% 154,050	92.5% 143,900	64.2% 99,800
Agriculture	749,775	100.0% 749,550	99.9% 749,100	99.4% 745,500	97.3% 729,275	51.8% 388,225	14.1% 105,525
Grazing	677,675	100.0% 677,450	99.9% 677,075	99.5% 674,150	97.6% 661,550	53.7% 364,125	14.9% 101,200
Grazing non forest	626,400	100.0% 626,175	99.9% 625,800	99.4% 622,875	97.5% 610,700	51.9% 325,250	13.4% 83,875
Grazing - Forest (non woodland)	41,200	100.0% 41,200	100.0% 41,200	100.0% 41,200	99.7% 41,075	76.9% 31,675	36.0% 14,850
Irrigation	62,350	100.0% 62,350	99.9% 62,275	99.0% 61,700	93.7% 58,400	31.1% 19,400	5.1% 3,175
Production native forests and plantation forests	564,950	100.0% 564,925	100.0% 564,775	99.9% 564,425	99.5% 561,875	89.9% 507,825	65.5% 370,075

